

# **Jl'a ubqšY Kigwli 20 țg 2012 ZwiłL AbwZ 241 Zg mfvi Kwhlei Yx**

“ I cwi evi Kj vY gšYvj țqi mmiqi miPe Rbre gY\$ úgvlđ Kiei Gũ mfviwZțZj Jl'a ubqšY Kigwli 241 Zg mfvi wMZ 20 țg 2012 ZwiłL mKvj 11:00 NuUKvq gšYvj țqi mfvi Kțŋ AbwZ nq|

**mfvi K**টির নিম্নবর্ণিত সদস্যগণ উপস্থিত ছিলেন (জ্যেষ্ঠতার ক্রমানুসারে নয়) :

- 1| țgRi tRbvțij țgvt iweDj tnřmb, Kbmij UvU wdU Rŋkqrb, evsj v`k AvwW tđvtmŋ țgwłțKj mwfŋm|
- 2| Aa`vcK Wrt G Gd Gg mvBdž Bmj vq& AwZwi 3 gnvciwi Pvj K, cťY gnvciwi Pvj K, “ I Awa`Bi, XvKv|
- 3| Rbre mfvi P`ami Kvi, hM# miPe, Rb“ I nek, “ I cwi evi Kj vY gšYvj q, evsj v`k miPeij q, XvKv|
- 4| Wrt țgt AvBbj nK, cťŋ gnvciwi Pvj K, cłm=ú` Awa`Bi, XvKv|
- 5| Aa`vcK dvi`v teMg, mKwbK`vj dvtgŋ I dvtgŋKvj wR wfvM, XvKv nekje`ij q|
- 6| Aa`vcK țgt AvRRj Kvnłvi, țgwłmb wfvM, XvKv țgwłțKj Kț R|
- 7| Aa`vcK Wrt G tK Gg kvđž Bmj vq, Pgł thšb tiwM wtklÁ, m`vi mij gYwłțgwłțKj Kț R, XvKv|
- 8| Aa`vcK Wrt țgt miv`j i ngvb, dvtgŋKvj wR wfvM, cťY DciPvře%eÜžkL gwRe țgwłțKj nekje`ij q, XvKv|
- 9| Aa`vcK Wrt țgt Bmgbj Lib, Wxb wPwKrmv Abj, XvKv nekje`ij q I cłZubwa, dvtgŋKvj wR wfvM, XvKv țgwłțKj Kț R|
- 10| W. tdit`šm K`ix, fivKmb wtklÁ, AvBimwAvi we, XvKv|
- 11| Rbre mKgvi iAb tNvl, cłZubwa, evsj v`k dvtgŋmDwUK`ij m&Bž=úvUvm`Gtmwłqkb, XvKv|
- 12| Aa`vcK Wrt Avdmbv Kvi g, cťŋ mfviwZ, evsj v`k țgwłțKj Gtmwłqkb, XvKv|
- 13| Rbre mfvi msn ivq, cłZubwa, evsj v`k dvtgŋ KvdWj |
- 14| nřKig Gg BDMđ nvi ab fBq, cłZubwa, evsj v`k BDbvbx I Avhje`K tevW`
- 15| Kiei vR kł Kò. Kviš ivq, cłZubwa, evsj v`k BDbvbx I Avhje`K tevW`
- 16| Wrt țgt bRi aj Bmj vq, cłZubwa, evsj v`k trnvgI c`w\_K tevW`
- 17| W. țvtgbj nK, mmiqi mn mfviwZ, evsj v`k Jl'a wki mvgwZ Ges e`e`vcbv cwi Pvj K, tRbvțij dvtgŋmDwUK`ij m& wj t|
- 18| Rbre Ave`j gYw`i, gnv-miPe, evsj v`k Jl'a wki mvgwZ Ges e`e`vcbv cwi Pvj K, Bbtmcłv dvtgŋmDwUK`ij m&w t|
- 19| țgRi tRbvțij țgvt Avej Kvj vq AvRi, gnvciwi Pvj K, Jl'a ckvmb Awa`Bi, XvKv|

**mfvi Avtj vP` w lq mgn-t**

- 1| wMZ 11-08-2011 ZwiłL AbwZ Jl'a ubqšY Kigwli 240 Zg mfvi Kwhlei Yx wbuōZKiY cłt½|
- 2| Jl'a ubqšY Kigwli tUKwbK`ij mve Kigwli MZ 14-02-2012 ZwiłL AbwZ 58 Zg mfvi mszwikmgñi w lq Avtj vPbv I wvšlMłY cłt½|
- 3| সভাপতি মহোদয়ের অনুমতিক্রমে যে কোন বিষয়।

mfivq Dcwi D<sup>3</sup> weiqmgn we<sup>3</sup>hwi Z AvtjvPbvceR ubgeivYZ imxvšMhY Kiv nj t

1/ weMZ 11-08-2011 ZwiłL AbyðZ JIa ubqšY Kugui 240 Zg mfvi Kihłei Yx ubwðZKiY cłtł½|

K/ weMZ 11-08-2011 ZwiłL AbyðZ JIa ubqšY Kugui 240 Zg mfvi Kihłei Yx mfivq Dc<sup>3</sup>vcb Kiv nq/ D<sup>3</sup> Kihłei Yx 75 bs cłvi (ae) Ges 96 bs cłvi (c) নং ক্রমিকে সিদ্ধান্তের Kj vtg ewYZ ÒD<sup>3</sup> JIaUi wełtq Aa<sup>3</sup>vck cłY tMvciy `É etj b GB RvZxq Kw<sup>3</sup>tktb eq<sup>3</sup> t i vMx<sup>3</sup> i cvk<sup>3</sup> অতিক্রিয়া রয়েছে এই বিষয়ে বিত্কIA<sup>3</sup> i gZvgZ MhY Kiv thZ cłfi Ó AskUKzD<sup>3</sup> Kj vq t<sup>3</sup>K ev<sup>3</sup> t<sup>3</sup>qv nj |

L/ Kihłei Yxi weiea AvtjvPbvi 2bs AbtPQ<sup>3</sup> ÚB<sup>3</sup>ÁKkb RvZxq JI<sup>3</sup>ai cłZuU c<sup>3</sup>vK m<sup>3</sup>vB<sup>3</sup>Ri Rb<sup>3</sup> c<sup>3</sup>K c<sup>3</sup>K t i R<sup>3</sup>t<sup>3</sup>kb Mh<sup>3</sup>tYi imxvšMpxZ nqł|

D<sup>3</sup> imxvš cłqg<sup>3</sup>vq<sup>3</sup>bi Rb<sup>3</sup> JIa ubqšY Kugui tUKubK<sup>3</sup>ij mve Kugui mfivq clyivq Dc<sup>3</sup>vcbi Rb<sup>3</sup> ejv nj |

Dij mŁZ mstkrabxmn 240 Zg mfvi Kihłei Yx ubwðZ Kiv nq|

2/ JIa ubqšY Kugui tUKubK<sup>3</sup>ij mve Kugui MZ 14-02-2012 ZwiłL AbyðZ 58 Zg mfvi mgywikmgłni wełtq AvtjvPbv I imxvšMhY cłtł½|

2.1 Avg<sup>3</sup>vbxKZ.tnngl c<sup>3</sup>w\_K I evtqtKugK JI<sup>3</sup>ai t i R<sup>3</sup>t<sup>3</sup>kb i wełtq imxvšMhY cłtł½|

1940 m<sup>3</sup>tj cłxZ JIa AvB<sup>3</sup>tb tnngl c<sup>3</sup>w\_K, Avqje<sup>3</sup> K, BDvbx I evtqtKugK JI<sup>3</sup>ai tKvb AvBbMZ młKwZ. mQj b<sup>3</sup>| JIa ubqšY Aa<sup>3</sup>v<sup>3</sup>k 1982 tZ tnngl c<sup>3</sup>w\_K, Avqje<sup>3</sup> K, BDvbx, I evtqtKugK c<sup>3</sup>xwZ Abyri<sup>3</sup>tY cłZKZ. `è<sup>3</sup>v<sup>3</sup>łK JIa imt<sup>3</sup>te młKwZ. t<sup>3</sup>qv nq| JIa ubqšY Aa<sup>3</sup>v<sup>3</sup>k 1982 Gi 3 (M) avivq ubgełc D<sup>3</sup>tjŁ i tqłQ- “Drug” shall have the same meaning as in the Act and shall also include any substance exclusively used or prepared for use in accordance with the ayurvedic, Unani and Homoeopathic or biochemic system of Medicine.

JIa ubqšb Aa<sup>3</sup>v<sup>3</sup>k 1982 Gi 5 avivq mKj c<sup>3</sup>xwZi JI<sup>3</sup>ai t i R<sup>3</sup>t<sup>3</sup>kb m<sup>3</sup>ú<sup>3</sup>tK<sup>3</sup> b<sup>3</sup> ełc fite D<sup>3</sup>tjŁ i tqłQ

- (1) No Medicine of any kind shall be manufactured for sale or be imported, distributed or sold unless it is registered with the licensing authority.
- (2) The licensing authority shall not register a medicine unless such registration is recommended by the Committee.
- (3) A registration shall be granted on such conditions as may be specified by the licensing authority.
- (4) A registration shall, unless cancelled earlier. be valid for a period of five years.

RvZxq JIa bxwZ 2005 Gi Abt<sup>3</sup>Q<sup>3</sup> 3 L (5) G ubgełc ejv ntqtQ, Ògv<sup>3</sup> vi wUsPvi, AłkwaZ UłBP<sup>3</sup>łi kbm I 12w evtqtKugK JI<sup>3</sup>ai 1x cłU<sup>3</sup>Yxi Rb<sup>3</sup> ubeÚ<sup>3</sup>bi cłqvRb nte, wKš<sup>3</sup> tnngl c<sup>3</sup>w\_K I evtqtKugK JI<sup>3</sup>amgłni cłU<sup>3</sup>Yx Avi I ew<sup>3</sup>x<sup>3</sup> Rb<sup>3</sup> ubeÚ<sup>3</sup>bi cłqvRb nte b<sup>3</sup>vł|

evsjv<sup>3</sup>łk ubeÚ<sup>3</sup> b<sup>3</sup>v<sup>3</sup> vKtj I `xM<sup>3</sup> b<sup>3</sup> evcx tnngl c<sup>3</sup>w\_K wełkIłÁi gZvgłZi wfi<sup>3</sup>łZ tnngl c<sup>3</sup>w\_K I evtqtKugK JI<sup>3</sup>amgł miKvłi ÓStanding Committee for Import of PharmaceuticalsÓ Gi অনুমোদনক্রমে tnngl c<sup>3</sup>w\_K I evtqtKugK JI<sup>3</sup>amgł Avg<sup>3</sup>vbx ntq AvmłQ| Zte<sup>3</sup> `nvbxqfite cłZKZ.tnngl c<sup>3</sup>w\_K I evtqtKugK JI<sup>3</sup>amgł JIa AvBb Abyri<sup>3</sup>YceR h<sup>3</sup>\_vh<sup>3</sup>\_fite ubeÚ<sup>3</sup> KiZt Drcv<sup>3</sup>b I evRviRvZ Kiv nł<sup>3</sup>Q| eZ<sup>3</sup>łt<sup>3</sup> t<sup>3</sup>łk 78w tnngl c<sup>3</sup>w\_K I evtqtKugK JIa cłZ<sup>3</sup>KiłYi jvB<sup>3</sup>łY AvłQ Ges G mKj cłZ<sup>3</sup>ov miKviłK h<sup>3</sup>\_vh<sup>3</sup>\_łd cłvb KiZt JIa cłvmb Awa<sup>3</sup>Bi ntZ Zv<sup>3</sup>ł i ubeW<sup>3</sup>Z cł i tgroKmvglM I KvPrguj Abt<sup>3</sup>gv<sup>3</sup>b Ges KviLv<sup>3</sup> cwi<sup>3</sup>łk<sup>3</sup>bi e<sup>3</sup>e<sup>3</sup>nv MhYmn mKj Kgr<sup>3</sup>vłÚi Abt<sup>3</sup>gv<sup>3</sup>b ubtq Drcv<sup>3</sup>b I evRviRvZ Kłi AvmłQ| dtj, `nvbxqfite Drcw<sup>3</sup>Z GmKj JI<sup>3</sup>ai gvb I ubivc<sup>3</sup> e<sup>3</sup>en<sup>3</sup>vłi wełtq miKvłi ubqšY cłZ<sup>3</sup>ov ntqtQ| ZvO<sup>3</sup>ov miKvi G t<sup>3</sup>łł cłqvRbxq

ivRm! cvtPQ| A\_P Avg`vbxKZ.tnngl c`vw\_K I evtqvtKngK JI tai ubeÜb br `vKvq Gt`i Dcti JIa AvBb  
 Ablyq jvBtmYs KZt`i mbq`Y Avtvc ntPQ br| dtj G mKj Avg`vbxKZ.tnngl c`vw\_K I evtqvtKngK  
 JI tai gvb I mbivc` e`envi m`utK`Jla c`kmb Awa`Bi KvhRi tKvb fngKv cvj b KitZ cvtQ br Ges mi Kvi G  
 mKj Avg`vbxKZ.JI tai t`q`i c`c` eo AstKi ivRm! cvtPQ br| `nvbxq c`ZKvi KMY Avg`vbxKZ.tnngl c`vw\_K I  
 evtqvtKngK JI tai ubeÜb br `vKvq Zvt`i c`Z mi Kvtii `elg`gj-K AvPitYi c`kZy`Q|

cw`exi AtbK t`tk wtkl Kti fviZ, drY, Avtgui Kv, Rvgf`bx, At`-ij qv c`f`Z t`tk tnngl c`vw\_K I evtqvtKngK  
 JIa Avg`vbx t`q`i t`mRt`-kb c`xwZ Pvj AvtQ| t`mRt`-kb e`wZt`iK tnngl c`vw\_K I evtqvtKngK JIa  
 Avg`vbx Kiv ntj Avg`vbxKZ.Gme JI tai gvbmn mbivc` e`envt`i melq mi Kvtii mbq`y `vtK br Ges JI tai  
 tgvotK Avc`Eki Owe, Abbt`g`w`Z tivM mb`Rbr `vKvq RbmvaviYi gvtS tnngl c`vw\_K JIa m`utK`weifc  
 প্রতিক্রিয়া সৃষ্টি হয়।

Avg`vbxKZ.tnngl c`vw\_K JI tai t`mRt`-k`bi melq Avtj vPbv I m`xv`st`i Rb` Dc`vcb Kiv nq|

**Avtj vPbv t** Avg`vbxKZ.tnngl c`vw\_K I evtqvtKngK JI tai t`mRt`-k`bi melq mfvq w`w`iZ Avtj vPbv nq|  
 m`m`MY gZ c`k`v`k`tib th, JIa mbq`y Aa`v`k` 1982 tgvZvteK mKj JI tai t`mRt`-kb eva`Zvgj-K| gv`vi  
 uSvri I WvBij Dkb dtg`k`w`KZ.JIa) tnngl c`vw\_K I evtqvtKngK JI amgn Avg`vbx Kiv ntq `vtK| Rivxq  
 JIa b`w`Z 2005-G Avg`vbx D`i`k` JIa ubeÜtbi Avt`b wetePbvi t`q`i m`sk`w` JIa GKB c`Y` brtg Rvcb,  
 drY, Rvgf`bx, At`-ij qv, BDtK, BDGmG Ges m`B`Rvij`vU t`kmg`tni Kgct`q` th tKvb 1w DbZ t`tk evRvi RvtZi  
 Rb` ubeÜZ `vKtZ nte etj D`j`L i`qtQ| Rivxq JIa b`w`Z 2005 Gi Ab`y`Q` 3 L (5)-Gi e`Y`v`gtZ, gv`vi  
 uSvri, A`k`w`Z U`BP`i`k`b`n I 12w evtqvtKngK JI tai 1x c`U`Y`i Rb` ubeÜtbi c`q`v`Rb nte m`K`S  
 tnngl c`vw\_K I evtqvtKngK JI amgn c`U`Y` Avt`v`e`x`i Rb` ubeÜtbi c`q`v`Rb nte br|

GgZv`vq, Avg`vbx D`i`k` tnngl c`vw\_K I evtqvtKngK JIa ubeÜtbi Avt`b wetePbvi Rb` Criteria m`b`f`Y  
 Kiv c`q`v`Rb etj m`m`MY Awf`g`Z e`<sup>3</sup> Ktib|

**tUKibK`vj mve-Kug`Di m`g`uik t** tnngl c`vw\_K I evtqvtKngK JIa Avg`vbx D`i`k` ubeÜtbi Avt`b wetePbvi  
 Rb` Criteria m`b`f`Yi j`q`i m`sk`w` wtkl`A`i` mg`st`q` GKw` Kug`u` MVtbi Rb` g`nvc`w` Pvj K, JIa c`k`mb  
 Awa`Bi tK ej v`thZ cvt|

**m`fvi m`xv`st` t** tnngl c`vw\_K I evtqvtKngK JIa Avg`vbx D`i`k` ubeÜtbi Avt`b wetePbvi Rb` Criteria  
 m`b`f`Yi j`q`i m`sk`w` wtkl`A`i` mg`st`q` GKw` Kug`u` MVtbi Rb` g`nvc`w` Pvj K, JIa c`k`mb Awa`Bi tK ej v`nj |

**2.2| Viola Vitalis tKv`ubx KZR Drcw`Z Arsenicure & Ars-Detox c` `g`u`i melq m`xv`st`M`Y c`h`i`/`**

m`f`-`v`c`g` Gi Rb`-`v`-2 kvLv Gi `y`i`K bs-45.161.053.00. 00.001.2011.185, Zwi`L-22.11.2011 Ges  
 JIa c`k`mb Awa`Bti i `y`i`K bs-`w`G`w`e`a-3/03/12218, Zwi`L t 28-11-2011

`v`-` I c`w`i`v`i` Kj`v`Y` g`S`y`j`q`i `y`i`K bs-45.161.00.00.001.2011-125, Zwi`L t 08-06-2011 tgvZvteK  
 Avt`m`b`t`K`w`m`m` tivMx I c`y`v`x`b`i` m`P`v`K`r`m`v` melq Viola Vitalis কোম্পানী কর্তৃক উৎপাদিত ঔষধ ক্রয়ের লক্ষ্যে  
 D<sup>3</sup> JI tai `Y`M`Z` gvb Ges tivMx`i` m`P`v`K`r`m`v`i` c`q`v`R`b` ক্রেয়া-চািতক্রিয়া সম্পর্কে বিশ` Avtj vPbv-ch`i`j` vPbrce`R`  
 ঔষধটি ক্রয় করা যায় কিনা তা যাচাই বাছাই করার জন্য নিম্নবর্ণিত সদস্যদের সমন্বয়ে কমিটি গঠন করা হয় :

- 1| Aa`v`c`K Wrt tgv`Bj` tnv`mb .. .. m`f`v`c`w`Z  
 Dcra`y, XvKv tgv`W`Kj` Ktj`R, XvKv
- 2| Aa`v`c`K Wrt w`i` l`q`v`b`j` i`ngvb .. .. m`m`  
 Aa`v`c`K I w`f`v`M`x`q` c`v`b, tgv`w`m`b w`f`v`M`  
 knx` t`m`v`i`v`l`qv`x`q`v`w`Kj` Ktj`R n`m`c`v`Z`j`

- 3/ *gnvcwi Pvj K, JI a cKvmb Awa`Bi Gi .. .. m`m`  
gfbvbxZ GKRb cZubra*
- 4/ *Wvt tgyt knx`jvn wK`vi, mnthvMx Aa`vcK .. .. m`m`  
Pg`I thSb wefvM I AvtmBOK wefklÁ  
weGmGgGgBD, kvnevM, XvKv*
- 5/ *Wvt tgyt bwni Dwi`b, mnthvMx Aa`vcK .. .. m`m`  
cYB wefklÁ, GbAvBwvfwW, tkfi evsjv bMi, XvKv*

D<sup>3</sup> c` `UUi nel tq MWZ KiguUi gZvgZ ubgdfc t-

(1) *thtnZzArsenicure Ges Ars-Detox contains the active ingredient Garlic oil (Allyl Mercaptan and Whey Protein), ZvB GUvK Nutraceutical etj MY` Kiv hvq|*

(2) *GB Product Gi Antioxidant properties AvtQ weavq US-FDA DcwiD<sup>3</sup> Product tk Food Supplement wnmvte wefepbv Kti Ges D<sup>3</sup> Product USA I Europe Gi wefbaet`tk Nutraceutical Health Product wnmvte wefbaeIndications G e`eüZ nq| Arsinocosis GKwU Chronic Health Problem in Bangladesh Ges Arsinocosis Gi wPwKrmvi Rb` GLb chSf tkib established JIa bvb| wefbaeMtel Yvq t`Lv hvq th, Arsinocosis patient Gi wKQzDcmM`GB RvZxq Nutritional Supplement Gi gva`tg Ktg|*

(3) *thtnZzUS-FDA D<sup>3</sup> product ,tjv`tk Food Supplement wnmvte wefepbv Kti Ges TD<sub>50</sub> value of these products are very high, tmtnZzGB Product ,tjv mnbkxj Ges GB Product e`envti Arsinocosis tivMxi q`wzi tkvb AvksKv bvb| mzijs, Nutritional Supplement wnmvte Arsenicure Ges Ars-Detox product ,tjv Arsinocosis Gi DcmM`qibvgtq e`envi Kiv thtZ cvti |*

(4) *GB `wU Product (Arsenicure Ges Ars-Detox) JIa wntmte wefepbv KitZ ntj AÍ KiguU Drug Ordinance 1982 (Chapter 1.- Introductory, page-4, article-3, definitions of drugs) Ablyvqx Drug Administration Gi gva`tg Permission tbi qvi mgzwik KitQ| wKŠ` Nutraceutical wntmte wefepZ ntj ubqg Ablyvqx c`qvrBxq e`e`v MhY Kiv thtZ cvti (KiguUi cZte`b mshy`)|*

D<sup>3</sup> KiguU c` `UUtK Nutritional Supplement wntmte e`envi Kiv thtZ cvti etj gZ w`tqtQb| Zviv gZvgtZ Avil D`tjL Kti`Qb, Arsinocosis GKwU Chronic Health Problem in Bangladesh Ges Arsinocosis Gi wPwKrmvi Rb` GLb chSf tkib Established JIa tbB| wefbaeMtel Yvq t`Lv hvq th, Arsinocosis Patient Gi wKQzDcmM`GB RvZxq Nutritional Supplement Gi gva`tg Ktg|

c` `UJ JIa wntmte wefepbv Kiv hvte wKbv wmvtsf` Rb` Dc`vcv Kiv nq|

**AvtjvPbv t** KiguUi cZte`tbi Dci mfvq we`wi Z AvtjvPbv nq| KiguU c` `UUtK Nutritional Supplement wntmte e`envi Kiv thtZ cvti etj gZ w`tqtQb| KiguU Avil D`tjL Kti`Q th, Arsenicure Ges Ars-Detox এর সক্রিয় উপাদান Garlic oil (Allyl Mercaptan and Whey Protein), weavq G, tjv Nutraceutical etj MY` Kiv hvq Ges wefbaeMtel Yvq t`Lv hvq th, Arsinocosis Patient Gi wKQzDcmM`GB RvZxq Nutritional Supplement Gi gva`tg nwm cvq|

m`m`MY KiguUi gZvgtZi mvt`\_ GKgZ tcvly Ktib|

**ჰუკუბკ“ij mve-Kiguli mgwik t** Arsenicure Ges Ars-Detox c` ǵUჰK Nutraceutical unჰmჰe MY“ Kiv  
thჰZ cvჰi |

**mfvi AvჰjPbv t** Arsenicure Ges Ars-Detox wელჰq mfivq we-ღvi Z Avჰj vPbv nq | m`m`MY gZ ცKivk Kჰib th,  
AvჰmღბჰKwm Gi wPwKrmvq D<sup>3</sup> c` ǵU e`envi KiჰZ nჰj Gჰ`i Safety, Efficacy & Usefulness mჰuჰK wღwღZ  
nჰZ nჰe | JIa ცKvmb Awჰ`Bჰi i gnvciw Pჰj K etj b th, c` ǵU i Sefety, Efficacy wღwღZ nI qvi Rb“ wKubK“ij  
Uღqvჰj i weKí ჰbB | mfivcuZ gჰnr`q etj b, D<sup>3</sup> c` ǵU i wKubK“ij Uღqvჰj i Rb“ wღwღ Awჰ`Bi e`e`v MღჰY KiჰZ  
cvჰi |

**mfvi unxvst t** c` ǵU i wKubK“ij Uღqvჰj i e`e`v MღჰY i Rb“ wღwღ Awჰ`BiჰK Abჰjiva Kiv nj | wKubK“ij Uღqvჰj  
mჰuჰbჰe ci Z\_“ DcvEmn ti wRჰ`kჰbi Rb“ JIa ცKvmb Awჰ`Bჰi Avჰe`b `vლtჰj i Rb“ ejv nj |

2.3/ mfvq ubgeWZ bZb JIa Ges cPij Z JI tai bZly grivi JI tai tiuRt ÷ kb m=utK@e ~hwi Z Avtj vPbv Kti ubtge<sup>3</sup> umxvšlMhY Kiv nq t

2.3.1 Proposed Product for Locally manufacture (Human)

bs	cŪZKvi:Ki big	JI tai big I iRibiK big	ib: Rbv	Status (New Molecule/Existing)	Ate`bKvix cŪE USFDA or MHRA Reference	IKubK'ij me-Kuglji 58 Zg mfvq umxvšl	mfvq umxvšl
01.	Square Pharmaceuticals Ltd., Pabna Unit, Salgaria, Pabna	1) <b>Ulipristal Acetate 30mg Tablet</b> Ulipristal Acetate INN 30mg	It is indicated for prevention of pregnancy following unprotected intercourse or a known or suspected contraceptive failure. It is not intended for routine use as a contraceptive	New	USFDA	Abjgr`b Kiv thtZ citi	Abjgr`b Kiv nj
		2) <b>Ticagrelor 90mg FC Tablet</b> Ticagrelor INN 90mg	It is a P2Y12 platelet inhibitor indicated to reduce the rate of thrombotic cardiovascular events in patients with acute coronary syndrome. It has been shown to reduce the rate of a combined endpoint of cardiovascular death, myocardial infarction or stroke compared to clopidogrel	New	USFDA	Abjgr`b Kiv thtZ citi	Abjgr`b Kiv nj
		3) <b>Eslicarbazepine Acetate 400 mg Tablet</b> Eslicarbazepine Acetate INN 400 mg	It is indicated as an add-on therapy for partial seizure with or without secondary generalization	New		Abjgr`b Kiv thtZ citi	Abjgr`b Kiv nj
		4) <b>Eslicarbazepine Acetate 800 mg Tablet</b> Eslicarbazepine Acetate INN 800 mg	It is indicated as an add-on therapy for partial seizure with or without secondary generalization	New		GB griv cŪqRb tbB weavq Ate`b bigAjy Kiv thtZ citi	GB griv cŪqRb tbB weavq Ate`b bigAjy Kiv nj
		5) <b>Bilastine 20mg Tablet</b> Bilastine INN 20mg	It is indicated for the Symptomatic treatment of allergic rhino-conjunctivitis (seasonal and perennial) and urticaria	New		cŪqRb tbB weavq Ate`b bigAjy Kiv thtZ citi	cŪqRb tbB weavq Ate`b bigAjy Kiv nj

<i>bs</i>	<i>cŃZKviŃKi big</i>	<i>JlŃai big l ŃRŃwiK big</i>	<i>ŃbŃ Rbv</i>	Status (New Molecule/Existing)	<i>AŃe`bKvix cŃĖ USFDA or MHRA Reference</i>	<i>ŃUKŃbK`vj mve-KŃgŃlŃi 58 Zg mŃvi Ńm`vŃŃŃ</i>	<i>mŃvi Ńm`vŃŃŃ</i>
	Square Pharmaceuticals Ltd., Pabna Unit, Salgaria, Pabna	6) <b>Hydrocodone bitartrate 5mg + Chlorpheniramine Maleate 4mg + Pseudoephedrine HCl 60mg/5ml Oral Solution</b>  Hydrocodone bitartrate USP 5mg + Chlorpheniramine Maleate BP 4mg + Pseudoephedrine HCl BP 60mg/5ml	Relief of cough and nasal congestion associated with common cold and symptoms including nasal congestion associated with upper respiratory allergies	New	USFDA	<i>Ace`enŃŃi i m`Ńebv AvŃQ Ńeavq AvŃe`b bigĂjy Kiv thŃZ cŃŃi  </i>	<i>Ace`enŃŃi i m`Ńebv AvŃQ Ńeavq AvŃe`b bigĂjy Kiv nj  </i>
	Square Pharmaceuticals Ltd., Pabna Unit, Salgaria, Pabna	7) <b>Vildagliptin 50 mg + Metformin HCl 1000 mg FC Tablet</b>  Vildagliptin INN 50 mg + Metformin HCl BP 1000 mg	Treatment of type 2 diabetes mellitus patients who are unable to achieve sufficient glycaemic control at their maximally tolerated dose of oral metformin alone or who are already treated with the combination of vildagliptin and metformin as separate tablets	New		<i>GB KŃr`Ńbkb cŃŃqŃRb ŃbB Ńeavq AvŃe`b bigĂjy Kiv thŃZ cŃŃi  </i>	<i>GB KŃr`Ńbkb cŃŃqŃRb ŃbB Ńeavq AvŃe`b bigĂjy Kiv nj  </i>
		8) <b>Linagliptin 5mg Tablet</b>  Linagliptin INN 5mg	Linagliptin is indicated in the treatment of type 2 diabetes mellitus	New	USFDA	<i>AbŃgr`b Kiv thŃZ cŃŃi  </i>	<i>AbŃgr`b Kiv nj  </i>
		9) <b>Cetylpyridinium Chloride 0.07gm/100ml Mouthwash (alcohol Free)</b>  Cetylpyridium Chloride BP 0.07gm/100ml Mouthwash	For patients who prefer an alcohol free rinses. It- - prevents and reduces plaque - fights against bad breath - kills germs between teeth - fights against gingivitis	New		<i>AbŃgr`b Kiv thŃZ cŃŃi  </i>	<i>AbŃgr`b Kiv nj  </i>
		10) <b>Menthol 0.042 gm + Thymol 0.064 gm + Methyl Salicylate 0.060gm + Eucalyptol 0.092 gm + Sodium Fluoride 0.02 gm/100ml Mouthwash (Alcohol free preparation)</b>  Menthol USP 0.042 gm + Thymol BP 0.064 gm + Methyl Salicylate BP 0.060gm + Eucalyptol USP 0.092 gm + Sodium Fluoride BP 0.02 gm/100ml	For patients who prefer an alcohol free rinses and need anticavity action. It- -gives anticavity action -prevents and reduces plaque and gingivitis -Fights against bad breath -kills germs between teeth -control tartar that can discolor teeth	New		<i>AbŃgr`b Kiv thŃZ cŃŃi  </i>	<i>AbŃgr`b Kiv nj  </i>

<i>bs</i>	<i>cŃZKviŃKi big</i>	<i>JlŃai big l ŃRŃwiK big</i>	<i>ŃbŃŃ Rbv</i>	Status (New Molecule/Existing)	<i>AŃe`bKvix cŃĚ USFDA or MHRA Reference</i>	<i>ŃUKŃbK`vj me-KŃglŃi 58 Zg mŃvi Ńm`vŃŃŃ</i>	<i>mŃvi Ńm`vŃŃŃ</i>
Square Pharmaceuticals Ltd., Pabna Unit, Salgaria, Pabna	11) <b>Ciclopirox Olamine 1gm eq. to Ciclopirox 0.77gm/100gm Topical Cream</b>  Ciclopirox Olamine BP 1gm eq. to Ciclopirox 0.77gm/100gm	Ciclopirox olamine BP cream is indicated for the topical treatment of the following dermal infections: tinea pedis, tinea cruris, and tinea corporis due to Trichophyton rubrum, Trichophyton mentagrophytes, Epidermophyton floccosum, and Microsporum canis; candidiasis (moniliasis) due to Candida albicans; and tinea (pityriasis) versicolor due to Malassezia furfur	New	USFDA	<i>AbŃgr`b Kiv thŃZ cŃŃi  </i>	<i>AbŃgr`b Kiv nj  </i>	
	12) <b>Ciclopirox Olamine 1.295gm eq. to Cicloprox 1gm /100gm Shampoo</b>  Ciclopirox Olamine BP 1.295gm eq. to Cicloprox 1gm /100gm	Indicated for the treatment for tropical treatment and prophylaxis of dandruff or the treatment of seborrheic dermatitis in which the yeast Malassezia furfur is involved	New	USFDA	<i>AbŃgr`b Kiv thŃZ cŃŃi  </i>	<i>AbŃgr`b Kiv nj  </i>	
	13) <b>Retapamulin 1gm/100gm Ointment</b>  Retapamulin INN 1gm/100gm	Retapamulin ointment is indicated for the topical treatment of impetigo (up to 100 cm2 in total area in adults or 2% total body surface area in children) caused by Staphylococcus aureus (methicillin-susceptible isolates only) or Streptococcus pyogenes in patients 9 months of age and older. Retapamulin has received approvable status from the Food and Drug Administration (FDA) for the treatment of secondarily infected traumatic lesions; however, the FDA requested additional studies before it would consider approvable status for use in the treatment of secondarily-infected dermatoses. The potential indications for retapamulin are compared with mupirocin's approved indications.	New	USFDA	<i>AbŃgr`b Kiv thŃZ cŃŃi  </i>	<i>AbŃgr`b Kiv nj  </i>	

<i>bs</i>	<i>cÖZKvi#Ki big</i>	<i>Jl#ai big l #Ri#wiK big</i>	<i>ib# Rbv</i>	Status (New Molecule/Existing)	<i>Ar#e`bKvix cÖE USFDA or MHRA Reference</i>	<i>#UKibK'ij me-Kigvli 58 Zg m#vi im#v#l</i>	<i>m#vi im#v#l</i>
Square Pharmaceuticals Ltd., Pabna Unit, Salgaria, Pabna	14)	<b>Amlodipine 5mg + Olmesartan Medoxomil 20mg + Hydrochlorthiazide 12.5mg Tablet</b>  Amlodipine Besylate BP 6.934 mg eq. to Amlodipine 5mg + Olmesartan Medoxomil INN 20mg + Hydrochlorthiazide BP 12.5mg	Antihypertensive	New	USFDA	<i>GB Kiv#tbkb cÖqvRb #bB #eavq Ar#e`b bigÄjy Kiv th#Z c#i#i  </i>	<i>GB Kiv#tbkb cÖqvRb #bB #eavq Ar#e`b bigÄjy Kiv nj  </i>
	15)	<b>Amlodipine 5mg + Olmesartan Medoxomil 40mg + Hydrochlorthiazide 12.5mg Tablet</b>  Amlodipine Besylate BP 6.934 mg eq. to Amlodipine 5 mg + Olmesartan Medoxomil INN 40.0 mg + Hydrochlorothiazide BP 12.5 mg	Antihypertensive	New	USFDA	<i>GB Kiv#tbkb cÖqvRb #bB #eavq Ar#e`b bigÄjy Kiv th#Z c#i#i  </i>	<i>GB Kiv#tbkb cÖqvRb #bB #eavq Ar#e`b bigÄjy Kiv nj  </i>
	16)	<b>Azithromycin suspension 5.56gm contains Azithromycin 200mg as Azithromycin Dihydrate /5ml</b>  Azithromycin suspension Ph. Grade 5.56gm contains Azithromycin USP 200mg as Azythromycin Dihydrate/5ml	Azithromycin is indicated for infections in lower respiratory tract infections including bronchitis and pneumonia, in upper respiratory tract infections including sinusitis and pharyngitis/tonsillitis, in otitis media, and in skin and soft tissue infections. In sexually transmitted diseases in men and women, Azithromycin is indicated in the treatment of non-gonococcal urethritis and cervicitis due to Chlamydia trachomatis	200 mg/5 ml Powder for Suspension		<i>cÖqvRb #bB #eavq Ar#e`b bigÄjy Kiv th#Z c#i#i  </i>	<i>cÖqvRb #bB #eavq Ar#e`b bigÄjy Kiv nj  </i>
	17)	<b>Sterile and Lyophilized Acyclovir Sodium 550mg eq to 500mg Acyclovir/Vial Injection for IV Infusion; Along with 0.9% NaCl, 100ml Solution</b>  Sterile and Lyophilized Acyclovir Sodium USP 550mg eq to 500mg Acyclovir /Vial; Along with 0.9% NaCl, 100ml Solution	It is indicated for the treatment of following infections: Herpes Simplex Virus Infections in Immunocompromised patients, Initial Episodes of Herpes Genitalis, Herpes Simplex Encephalitis, Neonatal Herpes Simplex Virus Infections	250 mg/Vial Injection	USFDA	<i>Ab#jgv`b Kiv th#Z c#i#i  </i>	<i>Ab#jgv`b Kiv nj  </i>

<i>bs</i>	<i>cŌZKviŃKi big</i>	<i>JlŃai big l ŃRŃwiK big</i>	<i>ŃbŃ Rbv</i>	Status (New Molecule/Existing)	<i>AŃe`bKvix cŌĔ USFDA or MHRA Reference</i>	<i>ŃUKŃbK'vj me-KigŃŃi 58 Zg mŃvi ŃmŃvŃŃ</i>	<i>mŃvi ŃmŃvŃŃ</i>
Square Pharmaceuticals Ltd., Pabna Unit, Salgaria, Pabna	18)	<b>Sterile and Lyophilized Acyclovir Sodium 1100mg eq to 1000 mg Acyclovir/Vial Injection for IV Infusion; Along with 0.9% NaCl 150ml Solution</b>  Sterile and Lyophilized Acyclovir Sodium USP 1100mg eq to 1000mg Acyclovir USP/Vial ; Along with 0.9% NaCl 150ml Solution	It is indicated for the treatment of following infections: Herpes Simplex Virus Infections in Immunocompromised patients, Initial Episodes of Herpes Genitalis, Herpes Simplex Encephalitis, Neonatal Herpes Simplex Virus Infections	250 mg/Vial Injection	USFDA	<i>AbŃgr`b Kiv thŃZ cŃti  </i>	<i>AbŃgr`b Kiv nj  </i>
	19)	<b>Paracetamol 250mg/5ml Suspension</b>  Paracetamol BP 250mg/5ml	It is indicated for fever, Common Cold, Influenza, headache ,toothache, earache, bodyache, myalgia, dysmenorrhoea, neuralgia, sprains, pain of colic, back pain, post operative pain, postpartum pain, chronic pain of cancer, inflammatory pain and post vaccination pain	120 mg/5ml Suspension & Syrup	MHRA	<i>GB grŃv cŃŃqvRb ŃbB Ńeavq AŃe`b bigŃj Kiv thŃZ cŃti  </i>	<i>GB grŃv cŃŃqvRb ŃbB Ńeavq AŃe`b bigŃj Kiv nj  </i>
	20)	<b>Calcipotriol 5 mg + Betamethasone 50 mg/100 gm Scalp Suspension</b>  Calcipotriol Monohydrate BP 0.0052 gm eq. to Calcipotriol 0.005gm + Betamethasone Dipropionate BP 0.064gm eq. to Betamethasone 0.05 gm/100 gm	It is indicated for the topical treatment of moderate to severe psoriasis vulgaris of the scalp in adults 18 years and older			<i>AbŃgr`b Kiv thŃZ cŃti  </i>	<i>AbŃgr`b Kiv nj  </i>

<i>bs</i>	<i>cŃZKvi`Ki big</i>	<i>Jl`tai big l tRiwiK big</i>	<i>ib`ť Rbv</i>	Status (New Molecule/Existing)	<i>Arte`bKvix cŃE USFDA or MHRA Reference</i>	<i>ťUKubK`ij me-Kigvli 58 Zg mfv i m`xvřl</i>	<i>mfvi i m`xvřl</i>
	Square Pharmaceuticals Ltd., Pabna Unit, Salgaria, Pabna	<p><b>21) Taurine 20mg + Retinol (Vit A 3000IU) 10mg +( Vit A +Vit D) Water miscible Grade 20 mg + Ascorbic Acid (Vit C) 30mg + Thiamine HCl 2.4 mg + Riboflavin Phosphate Sodium 1.2mg + Pyridoxine HCl 1.2 mg + Tocopherol Acetate 10mg + Nicotinamide 24 mg + D panthenol 11mg/5ml Syrup</b></p> <p>Taurine BP 20mg +Retinol (Vit A 3000IU) BP 10mg +( Vit A +Vit D) Water miscible Grade Phr. Grade 20 mg + Ascorbic Acid (Vit C) BP 30mg + Thiamine HCl BP 2.4mg + Riboflavin Phosphate Sodium BP 1.2mg + Pyridoxine HCl BP1.2mg + Tocopherol Acetate BP 10mg + Nicotinamide BP 24mg + D panthenol USP 11mg/5ml</p>	<p>1) For intellectual and eyes development 2) Facilitates signal transmission in the brain and eyes 3) Ensure good eye sight 4) Maintenance of proper calcium level in the body 5) Ensures healthy bones and teeth 6) Necessary for the normal process in protein, fat and carbohydrate metabolism 7) For red blood cells formation and correct functioning of nervous system and proper food assimilation 8) Essential for cell formation especially red blood cells and they are vital in prevention of certain form of anaemia</p>			<i>GB Kiv`tbkb cŃqRb tbB ieavq Arte`b bigAjy Kiv thtZ cvti  </i>	<i>GB Kiv`tbkb cŃqRb tbB ieavq Arte`b bigAjy Kiv nj  </i>
	Square Pharmaceuticals Ltd., Pabna Unit, Salgaria, Pabna	<p><b>22) L-Lysine HCl 100mg + Vitamin A 5000 IU + Vitamin D3 400 IU + Vitamin E 10IU + Vitamin B1 2mg + Vitamin B2 1mg + Vitamin B6 1mg + Vitamin C 30mg + Nicotinamide 20mg + D-Panthenol 10mg/5ml Syrup</b></p> <p>L-Lysine HCl BP 100mg + Vitamin A BP 5000 IU + Vitamin D3 BP 400 IU + Vitamin E BP 10IU + Vitamin B1 BP 2mg + Vitamin B2 BP 1mg + Vitamin B6 BP 1mg + Vitamin C BP 30mg + Nicotinamide BP 20mg + D-Panthenol USP10mg/5ml</p>	<p>1) Promotes muscle growth, weight gain and calcium retention 2) Helps to enhance body height and weight gain 3) Ensure good eye sight 4) Necessary for the normal process in protein, fat and carbohydrate metabolism 5) For red blood cells formation and correct functioning of nervous system and proper food assimilation 6) For proper cell function and protect body cells from free radicals 7) Helps to maintain healthy nervous system 8) Helps to control fat metabolism 9) Essential for cell formation especially red blood cells and they are vital in prevention of certain form of anemia</p>			<i>GB Kiv`tbkb cŃqRb tbB ieavq Arte`b bigAjy Kiv thtZ cvti  </i>	<i>GB Kiv`tbkb cŃqRb tbB ieavq Arte`b bigAjy Kiv nj  </i>
		<p><b>23) Lidocaine Hydrochloride 100 mg/5 ml Injection Ampoule</b></p> <p>Lidocaine Hydrochloride USP 100mg/5ml</p>	Local anesthetic	10mg/ml, 20mg/ml & 40mg/ml Injection	USFDA	<i>Abťgv`b Kiv thtZ cvti  </i>	<i>Abťgv`b Kiv nj  </i>

<i>bs</i>	<i>cŌZKviŃKi big</i>	<i>JlŃai big l ŃRŃwiK big</i>	<i>ŃŃŃ Rbv</i>	Status (New Molecule/Existing)	<i>ArŃe`bKviŃ cŌĒ USFDA or MHRA Reference</i>	<i>ŃUKŃbK`vj me-KŃgŃlŃi 58 Zg mŃvi ŃmŃvŃŃŃ</i>	<i>mŃvi ŃmŃvŃŃŃ</i>
Square Pharmaceuticals Ltd., Pabna Unit, Salgaria, Pabna	24)	<b>Ibuprofen 200 mg + Diphenhydramine Citrate 38 mg Tablet</b>  Ibuprofen BP 200 mg + Diphenhydramine Citrate USP 38 mg	For relief of occasional sleep lessness when associated with minor acutes and adhes pains	New	USFDA	<i>GB KŃŃŃbkb cŃŃqŃRb ŃbB Ńeavq ArŃe`b bigŃŃj Kiv ŃŃZ cŃŃi  </i>	<i>GB KŃŃŃbkb cŃŃqŃRb ŃbB Ńeavq ArŃe`b bigŃŃj Kiv nj  </i>
	25)	<b>Famotidine 10 mg + Calcium Carbonate 800 mg + Magnesium Hydroxide 165 mg Chewable Tablet</b>  Famotidine USP 10 mg + Calcium Carbonate BP 800 mg + Magnesium Hydroxide USP 165 mg	Relieves heartburn associate with acid indigestion and sour stomach	New	USFDA	<i>GB KŃŃŃbkb cŃŃqŃRb ŃbB Ńeavq ArŃe`b bigŃŃj Kiv ŃŃZ cŃŃi  </i>	<i>GB KŃŃŃbkb cŃŃqŃRb ŃbB Ńeavq ArŃe`b bigŃŃj Kiv nj  </i>
	26)	<b>Simvastatin 10 mg + Sitagliptin 100 mg FC Tablet</b>  Simvastatin USP 10 mg + Sitagliptin Phosphate Monohydrate INN 128.50mg eq. to 100 mg Sitagliptin	<b>Sitagliptin:</b> Sitagliptin is indicated as an adjunct to diet and exercise to improve glycemic control in adults with type 2 diabetes mellitus.  <b>Simvastatin:</b> Reduce elevated total cholesterol, LDL cholesterol, apolipoprotein B (Apo B) and TG and to increase HDL cholesterol in patients with primary hyperlipidemia (Fredrickson type IIa, heterozygous familial and nonfamilial) or mixed dyslipidemia (Fredrickson type IIb). Moreover Simvastatin is used,  To reduce the risk of total mortality by reducing CHD deaths. To reduce the risk of non-fatal myocardial infarction and stroke. To reduce the need for coronary and non-coronary revascularization procedures.	New	USFDA	<i>GB KŃŃŃbkb cŃŃqŃRb ŃbB Ńeavq ArŃe`b bigŃŃj Kiv ŃŃZ cŃŃi  </i>	<i>GB KŃŃŃbkb cŃŃqŃRb ŃbB Ńeavq ArŃe`b bigŃŃj Kiv nj  </i>

<i>bs</i>	<i>cōZKviḥKi big</i>	<i>Jlḥai big l ḥRībwiK big</i>	<i>ibḥ Rbv</i>	Status (New Molecule/Existing)	<i>Aḥe`bKviix cōĒ USFDA or MHRA Reference</i>	<i>ḥUKubK'ij me-Kiḡli 58 Zg mfi imxvšl</i>	<i>mfi imxvšl</i>
	Square Pharmaceuticals Ltd., Pabna Unit, Salgaria, Pabna	27) <b>Simvastatin 20 mg + Sitagliptin 100 mg FC Tablet</b>  Simvastatin USP 20 mg + Sitagliptin Phosphate Monohydrate INN 128.50mg eq. to 100 mg Sitagliptin	<b>Sitagliptin:</b> Sitagliptin is indicated as an adjunct to diet and exercise to improve glycemic control in adults with type 2 diabetes mellitus. <b>Simvastatin:</b> Reduce elevated total cholesterol, LDL cholesterol, apolipoprotein B (Apo B) and TG and to increase HDL cholesterol in patients with primary hyperlipidemia (Fredrickson type IIa, heterozygous familial and nonfamilial) or mixed dyslipidemia (Fredrickson type IIb). Moreover Simvastatin is used, To reduce the risk of total mortality by reducing CHD deaths. To reduce the risk of non-fatal myocardial infarction and stroke. To reduce the need for coronary and non-coronary revascularization procedures.	New	USFDA	<i>GB Kḥḥḥḥḥḥ cōḡiRb ḥḥB ḥḥḥḥḥḥ ḥḥḥḥḥḥ `b bigĀy Kiv ḥḥḥḥḥḥ cḥi  </i>	<i>GB Kḥḥḥḥḥḥ cōḡiRb ḥḥB ḥḥḥḥḥḥ ḥḥḥḥḥḥ `b bigĀy Kiv nj  </i>
		28) <b>Taurine 20.0 mg + L-lysine Hydrochloride 20.0 mg + Retinol (Vitamin A 1500 IU) 5.0mg + Colecalciferol (Vitamin D 400IU) 0.4mg + Ascorbic Acid (Vitamin C) 35.0mg + Thiamine HCl 0.60mg + Riboflavin Phosphate Sodium 0.72 mg + Pyridoxine HCl 0.48 mg + Tocopherol Acetate 5.0mg + Nicotinamide 9.60mg + Cyanocobalamine 2.4mcg/100 ml Paediatric Drops</b>  Taurine USP 20.0 mg + L-lysine Hydrochloride BP 20.0mg + Retinol (Vitamin A 1500 IU) BP 5.0mg + Colecalciferol (Vitamin D 400IU) BP 0.4mg + Ascorbic Acid (Vitamin C) BP 35.0mg + Thiamine HCl BP 0.60mg + Riboflavin Phosphate Sodium BP 0.72 mg + Pyridoxine HCl BP 0.48 mg + Tocopherol Acetate BP 5.0mg + Nicotinamide BP 9.60mg + Cyanocobalamine USP 2.4mcg/100ml	<ul style="list-style-type: none"> <li>• Ensure good eye sight</li> <li>• Maintenance of proper calcium level in the body</li> <li>• Ensures healthy bones and teeth</li> <li>• For proper cell function and protect body cells from free radicals</li> <li>• Necessary for the normal process in carbohydrate, protein and fat metabolisms</li> <li>• For red blood cells formation</li> <li>• Correct functioning of nervous system</li> <li>• proper food assimilation</li> <li>• For normal skin condition and nervous system</li> <li>• Helps to increase body resistance toward infection</li> <li>• Prevent the occurrence of scurvy</li> <li>• Essential for cell formation especially red blood cells and they are vital in prevention of certain form of anemia</li> <li>• Helps in brain development, memory, attention, improve learning ability</li> <li>• For eye healthiness and development</li> <li>• Promotes muscle growth, weight gain and calcium retention</li> <li>• Helps to enhance body height and weight gain which have been proven in a Japan study</li> </ul>	New		<i>GB Kḥḥḥḥḥḥ cōḡiRb ḥḥB ḥḥḥḥḥḥ ḥḥḥḥḥḥ `b bigĀy Kiv ḥḥḥḥḥḥ cḥi  </i>	<i>GB Kḥḥḥḥḥḥ cōḡiRb ḥḥB ḥḥḥḥḥḥ ḥḥḥḥḥḥ `b bigĀy Kiv nj  </i>

<i>bs</i>	<i>cŌZKviŕKi big</i>	<i>Jlŕai big l ŕRŕwiK big</i>	<i>ŕbŕŕ Rbv</i>	Status (New Molecule/Existing)	<i>Arŕe`bKvix cŌĒ USFDA or MHRA Reference</i>	<i>ŕUKŕbK'vj me-Kigŕŕŕi 58 Zg mŕvi ŕmŕvŕŕŕ</i>	<i>mŕvi ŕmŕvŕŕŕ</i>
02.	Delta Pharma Ltd.	1) <b>Acetaminophen 250 mg + Aspirin 250 mg + Caffeine 65 mg Tablet</b>  Acetaminophen USP 250 mg + Aspirin BP 250 mg + Caffeine BP 65 mg	It is indicated for the management of migraine.	New	USFDA	<i>GB Kŕŕŕbkb cŕŕqvRb ŕbB ŕeavq Arŕe`b bigÄjy Kiv thŕZ cŕŕi  </i>	<i>GB Kŕŕŕbkb cŕŕqvRb ŕbB ŕeavq Arŕe`b bigÄjy Kiv nj  </i>
		2) <b>Ticagrelor 90 mg FC Tablet</b>  Ticagrelor INN 90 mg	It is indicated to reduce the rate of thrombotic cardiovascular events in patients with acute coronary syndrome (ACS) (unstable angina, non-ST elevation myocardial infarction, or ST elevation myocardial infarction).	New	USFDA	<i>Abŕŕv`b Kiv thŕZ cŕŕi  </i>	<i>Abŕŕv`b Kiv nj  </i>
		3) <b>Methotrexate 7.5 mg Tablet</b>  Methotrexate 7.5 mg	It is indicated to treat psoriasis and some cancers. It is used to treat rheumatoid arthritis and other forms of inflammatory arthritis.	2.5 mg & 10 mg Tablet		<i>Abŕŕv`b Kiv thŕZ cŕŕi  </i>	<i>Abŕŕv`b Kiv nj  </i>
03	Novartis (Bangladesh) Limited	1) <b>Azithromycin 600 mg tablet</b>  Azithromycin dihydrate USP 628.84 mg eq. to 600 mg Azithromycin	Non-gonococcal urethritis and cervicitis due to Chlamydia trachomatis, Prophylaxis & treatment of Disseminated Mycobacterium avium complex (MAC) Disease.	Azithromycin 500 mg Tab., Azithromycin 250 mg Cap. & Azithromycin 200 mg/5 ml Susp.	USFDA	<i>GB grŕv cŕŕqvRb ŕbB ŕeavq Arŕe`b bigÄjy Kiv thŕZ cŕŕi  </i>	<i>GB grŕv cŕŕqvRb ŕbB ŕeavq Arŕe`b bigÄjy Kiv nj  </i>
		2) <b>Aceclofenac 200 mg CR tablet</b>  Aceclofenac BP 200 mg	Pain and inflammation in rheumatoid arthritis, osteoarthritis and ankylosing spondylitis.	Aceclofenac 100 mg Tab.		<i>GB grŕv cŕŕqvRb ŕbB ŕeavq Arŕe`b bigÄjy Kiv thŕZ cŕŕi  </i>	<i>GB grŕv cŕŕqvRb ŕbB ŕeavq Arŕe`b bigÄjy Kiv nj  </i>
04.	Popular Pharmaceuticals Ltd.	1) <b>Acyclovir 500mg/Vial Injection along with 0.9% Sodium Chloride injection 100 ml</b>  Acyclovir Sodium USP 581mg eq. to Acyclovir 500mg lyophilized powder /Vial	Acyclovir is indicated in the treatment of Herpes Simplex Infections in Immunocompromised Patients, Initial Episodes of Herpes Genitalis, Herpes Simplex Encephalitis, Neonatal Herpes Simplex Virus Infection and Varicella-Zoster Infections in Immunocompromised Patients.	250 mg/vial	US-FDA	<i>Abŕŕv`b Kiv thŕZ cŕŕi  </i>	<i>Abŕŕv`b Kiv nj  </i>
		2) <b>Acyclovir 1gm/vial Injection along with 0.9% Sodium Chloride injection 100 ml</b>  Acyclovir Sodium USP 1.162gm eq. to Acyclovir 1 gm/Vial lyophilized powder	Do	250 mg/vial	US-FDA	<i>Abŕŕv`b Kiv thŕZ cŕŕi  </i>	<i>Abŕŕv`b Kiv nj  </i>

<i>bs</i>	<i>cōZKvi!Ki big</i>	<i>Jl!ai big l !R!biK big</i>	<i>ib! Rbv</i>	Status (New Molecule/Existing)	<i>A!te`bKviX cōĒ USFDA or MHRA Reference</i>	<i>!UK!bK'ij me-Kig!li 58 Zg m!vi imx!š!</i>	<i>m!vi imx!š!</i>
Popular Pharmaceuticals Ltd.	3)	<b>Hypromellose 0.360gm+ Polyethylene Glycol 1gm+ Glycerol 0.20gm/100 ml Eye Drops</b>  Hypromellose (Hydroxypropyl Methylcellulose) USP 0.360gm+ Polyethylene Glycol 400 (Macrogol 400) BP 1.00gm+ Glycerol (Glycerin) BP 0.20gm/100ml	It is indicated for the temporary relief of burning, irritation, and discomfort due to dryness of the eye or exposure to wind or sun. It is also indicated for protection against further irritation.	New		<i>Ab!gvi`b Kiv th!Z c!ti  </i>	<i>Ab!gvi`b Kiv nj  </i>
	4)	<b>Medroxyprogesterone Acetate 100 mg Tablet</b>  Medroxyprogesterone Acetate USP 100mg	It is indicated for treatment of breast cancer	5 mg & 10 mg Tab. 150mg/ml Injection		<i>Ab!gvi`b Kiv th!Z c!ti  </i>	<i>Ab!gvi`b Kiv nj  </i>
	5)	<b>Medroxyprogesterone Acetate 50 mg Tablet</b>  Medroxyprogesterone Acetate USP 50mg	It is indicated for treatment of breast cancer	5 mg & 10 mg Tab. 150mg/ml Injection		<i>Ab!gvi`b Kiv th!Z c!ti  </i>	<i>Ab!gvi`b Kiv nj  </i>
	6)	<b>Amlodipine 5 mg + Bisoprolol Fumarate 5 mg Tablet</b>  Amlodipine Besilate BP 6.930mg eq. to Amlodipine 5mg + Bisoprolol Fumarate USP 5mg	It is indicated to • Treatment of high blood pressure (hypertension) • Treatment of coronary heart disease (angina pectoris) • Treatment of stable chronic heart failure	New		<i>GB K!r!tbkb c!q!Rb !bB !eavq A!te`b big!jy Kiv th!Z c!ti  </i>	<i>GB K!r!tbkb c!q!Rb !bB !eavq A!te`b big!jy Kiv nj  </i>
	7)	<b>Amlodipine 5 mg + Bisoprolol Fumarate 2.5 mg Tablet</b>  Amlodipine Besilate BP 6.930mg eq. to Amlodipine 5mg + Bisoprolol Fumarate USP 2.5mg	It is indicated to • Treatment of high blood pressure (hypertension) • Treatment of coronary heart disease (angina pectoris) • Treatment of stable chronic heart failure	New		<i>GB K!r!tbkb c!q!Rb !bB !eavq A!te`b big!jy Kiv th!Z c!ti  </i>	<i>GB K!r!tbkb c!q!Rb !bB !eavq A!te`b big!jy Kiv nj  </i>
	8)	<b>Prasugrel 60 mg Tablet</b>  Prasugrel Hydrochloride INN 65.880mg eq. to Prasugrel 60mg	Co-administered with aspirin indicated for the prevention of atherothrombotic events (myocardial infarction, stroke and cardiovascular death) in patients with acute coronary syndromes (moderate to high risk unstable angina (UA), non ST-segment elevation myocardial infarction (NSTEMI) or ST-segment elevation myocardial infarction (STEMI) who are to undergo percutaneous coronary intervention (PCI)	5 mg & 10 mg Tab.		<i>GB g!r!v c!q!Rb !bB !eavq A!te`b big!jy Kiv th!Z c!ti  </i>	<i>GB g!r!v c!q!Rb !bB !eavq A!te`b big!jy Kiv nj  </i>

<i>bs</i>	<i>cōZKviḥKi big</i>	<i>Jlḥai big I ḥRḥbiK big</i>	<i>ibḥḥ Rbv</i>	Status (New Molecule/Existing)	<i>Avḥe`bKvix cōĒ USFDA or MHRA Reference</i>	<i>ḥUKubK'ij me-Kigulḥi 58 Zg mḥvi imxvḥḥ</i>	<i>mḥvi imxvḥḥ</i>
05.	Sun Pharmaceutical (Bangladesh) Ltd.	1) <b>Dapoxetine 30 mg Tablet</b>  Dapoxetine Hydrochloride INN 33.60 mg eq. to Dapoxetine 30 mg	Treatment of premature ejaculation in men 18-64 years	New		<i>cḥḥqirB ḥḥB weavq Avḥe`b bigĀy Kiv ḥḥZ cḥḥi  </i>	<i>cḥḥgḥ ḥḥḥḥbi Rb` ḥUKubK'ij me Kigulḥi mḥḥiq Dc`ḥcb Kivi Rb` ej v nj  </i>
		2) <b>Dapoxetine 60 mg Tablet</b>  Dapoxetine Hydrochloride INN 67.20 mg eq. to Dapoxetine 60 mg	Treatment of premature ejaculation in men 18-64 years	New		<i>cḥḥqirB ḥḥB weavq Avḥe`b bigĀy Kiv ḥḥZ cḥḥi  </i>	<i>cḥḥgḥ ḥḥḥḥbi Rb` ḥUKubK'ij me Kigulḥi mḥḥiq Dc`ḥcb Kivi Rb` ej v nj  </i>
		3) <b>Pregabalin 75 mg Extended Release Tablet</b>  Pregabalin INN 75 mg	Pregabalin is indicated for the treatment of peripheral and central neuropathic pain in adults.	25mg, 50, 75 mg, 100mg, 150mg, 300 mg capsule		<i>cḥḥqirB ḥḥB weavq Avḥe`b bigĀy Kiv ḥḥZ cḥḥi  </i>	<i>cḥḥgḥ ḥḥḥḥbi Rb` ḥUKubK'ij me Kigulḥi mḥḥiq Dc`ḥcb Kivi Rb` ej v nj  </i>
06.	Sharif Pharmaceuticals Ltd.	1) <b>Lysozyme 40mg, Lactoferrin 15 mg, Glucose Oxidase 2,500 units, Lactoperodidase 2,500 units/473 ml Mouthwash</b>  Lysozyme INN 40mg, Lactoferrin INN 15 mg, Glucose Oxidase INN 2,500 units, Lactoperodidase INN 2,500 units/473 ml	Management of <u>dry mouth</u> and mucositis. Kills bacteria found in oral infection and <u>gingivitis</u> . Prevents mouth odors and promotes gingival health.	New		<i>Abḥḥgr`b Kiv ḥḥZ cḥḥi  </i>	<i>Abḥḥgr`b Kiv nj  </i>
		2) <b>Linagliptin 5 mg Tablet</b>  Linagliptin INN 5 mg	Linagliptin is a dipeptidyl peptidase-4 (DPP-4) inhibitor indicated as an adjunct to diet and exercise to improve glycemic control in adults with type 2 diabetes mellitus.	New	USFDA	<i>Abḥḥgr`b Kiv ḥḥZ cḥḥi  </i>	<i>Abḥḥgr`b Kiv nj  </i>
		3) <b>Bilastine 20 mg Tablet</b>  Bilastine INN 20 mg	Symptomatic relief of allergic rhinoconjunctivitis and urticaria.	New	UK-MHRA,	<i>cḥḥqirB ḥḥB weavq Avḥe`b bigĀy Kiv ḥḥZ cḥḥi  </i>	<i>cḥḥqirB ḥḥB weavq Avḥe`b bigĀy Kiv nj  </i>
		4) <b>Camphor 4 gm+Menthol 10 gm +Methyl Salicylate 30 gm/100 gm Cream</b>  Camphor USP 4 gm +Menthol USP 10 gm +Methyl Salicylate BP 30gm /100 gm	This combined preparation provides temporary relief of minor aches and pains of muscles and joints associated with backache,lumbago, strains, bruises, sprains and arthritis or rheumatic pain, pain of tendons and ligaments.	New		<i>Abḥḥgr`b Kiv ḥḥZ cḥḥi  </i>	<i>Abḥḥgr`b Kiv nj  </i>

bs	cōZKvi:Ki big	Jl:ai big I tRibiK big	ib:t`Rbv	Status (New Molecule/Existing)	Aite`bKvix cōĒ USFDA or MHRA Reference	tUKubK'ij me-Kigulji 58 Zg mfi v imxvšf	mfi v imxvšf
	Sharif Pharmaceuticals Ltd.	5) <b>Racecadotril 100 mg Capsule</b>  Racecadotril INN 100 mg	Acute symptomatic watery diarrhoea	New		Abjgr`b Kiv thtZ cifti	clggj`vqfbi Rb` tUKubK'ij me Kigulji mfiq Dc`lcb Kivi Rb` ej v nj
		6) <b>Lactic Acid 4.9% + Glycogen 0.1% Vaginal Gel</b>  Lactic Acid BP 4.9 gm + Glycogen INN 0.1gm/100 ml Gel	Disruption to the normal flora of the vagina, which can lead to the opportunistic growth of anaerobic bacteria, such as <i>Gardnerella vaginalis</i> , <i>Prevotella</i> species, <i>Mycoplasma hominis</i> , and <i>Mobiluncus</i> species has been identified	New		GB Kiv`tbkb cōqirb tbB weavq Aite`b bigAjy Kiv thtZ cifti	GB Kiv`tbkb cōqirb tbB weavq Aite`b bigAjy Kiv nj
07.	Orion Pharma Ltd.	1) <b>Rabeprazole Sodium 20mg Capsule</b>  Rabeprazole Sodium INN 20mg	Indicated for the treatment of duodenal ulcer, gastric ulcer, symptomatic erosive or ulcerative gastro-oesophageal reflux disease, gastro-oesophageal reflux disease long-term management, symptomatic treatment of moderate to very severe gastro-oesophageal reflux disease, zollinger-ellison syndrome and in combination with appropriate antibacterial therapeutic regimens for the eradication of helicobacter pylori in patients with peptic ulcer disease	10mg & 20mg Tab.		GB tWtRm dig cōqirb tbB weavq Aite`b bigAjy Kiv thtZ cifti	GB tWtRm dig cōqirb tbB weavq Aite`b bigAjy Kiv nj
		2) <b>Rabeprazole Sodium 20mg Injection (Lyophilized)</b>  Rabeprazole Sodium INN 20mg	Indicated for the treatment of duodenal ulcer, gastric ulcer, symptomatic erosive or ulcerative gastro-oesophageal reflux disease, gastro-oesophageal reflux disease long-term management, symptomatic treatment of moderate to very severe gastro-oesophageal reflux disease, zollinger-ellison syndrome and in combination with appropriate antibacterial therapeutic regimens for the eradication of helicobacter pylori in patients with peptic ulcer disease	10mg & 20mg Tab.		GB tWtRm dig cōqirb tbB weavq Aite`b bigAjy Kiv thtZ cifti	GB tWtRm dig cōqirb tbB weavq Aite`b bigAjy Kiv nj
		3) <b>Ticagrelor 90mg Tablet</b>  Ticagrelor INN 90mg	Indicated for the treatment of thrombotic events in patients with acute coronary syndrome or myocardial infarction with ST elevation.	NEW	USFDA	Abjgr`b Kiv thtZ cifti	Abjgr`b Kiv nj

<i>bs</i>	<i>cōZKvi#Ki big</i>	<i>Jl#ai big I #RbwiK big</i>	<i>ib# Rbv</i>	Status (New Molecule/Existing)	<i>Ar#e`bKvix cōE USFDA or MHRA Reference</i>	<i>#KubK'ij me-Kigvli 58 Zg m#vi im#všl</i>	<i>m#vi im#všl</i>
	Orion Pharma Ltd	4) <b>Butalbital 50mg + Paracetamol 325mg + Caffeine 40mg Tablet</b>  Butalbital USP 50mg + Paracetamol BP 325mg + Caffeine USP 40mg	Indicated for the relief of the symptom complex of tension headache.	NEW	USFDA	<i>GB Kiv#tbkb cōqirb tbB #eavq Ar#e`b big#ij Kiv th#Z c#ti  </i>	<i>GB Kiv#tbkb cōqirb tbB #eavq Ar#e`b big#ij Kiv nj  </i>
		5) <b>Naproxen Sodium 500mg + Sumatriptan 85mg F/C Tablet</b>  Naproxen Sodium BP 500mg + Sumatriptan Succinate BP 119 mg eq. to Sumatriptan 85mg	Indicated for the treatment of migraine.	New	USFDA	<i>GB Kiv#tbkb cōqirb tbB #eavq Ar#e`b big#ij Kiv th#Z c#ti  </i>	<i>GB Kiv#tbkb cōqirb tbB #eavq Ar#e`b big#ij Kiv nj  </i>
		6) <b>Aminoguanidine HCl 75mg Tablet</b>  Aminoguanidine HCl INN 75mg	Indicated for the treatment of Aging disorders, Diabetic nephropathy, renal disorders, atherosclerosis.	NEW		<i>cōqirb tbB #eavq Ar#e`b big#ij Kiv th#Z c#ti  </i>	<i>cōqirb tbB #eavq Ar#e`b big#ij Kiv nj  </i>
		7) <b>Tranexamic Acid 500mg + Mefenamic Acid 250mg Tablet</b>  Tranexamic Acid BP 500mg + Mefenamic Acid BP 250mg	Menorrhagia associated with pain	New		<i>GB Kiv#tbkb cōqirb tbB #eavq Ar#e`b big#ij Kiv th#Z c#ti  </i>	<i>GB Kiv#tbkb cōqirb tbB #eavq Ar#e`b big#ij Kiv nj  </i>
08.	Navana Pharmaceuticals Ltd.	1) <b>Tentoprazole 20mg E/C Tablet</b>  Tentoprazole INN 20 mg	Indicated in the management of gastro-esophageal reflux and other acid related disorders	New		<i>cōqirb tbB #eavq Ar#e`b big#ij Kiv th#Z c#ti  </i>	<i>cōqirb tbB #eavq Ar#e`b big#ij Kiv nj  </i>
		2) <b>Ilaprazole 20mg E/C Tablet</b>  Ilaprazole INN 20 mg	Ilaprazole significantly prevented the development of Reflux oesophagitis	New		<i>cōqirb tbB #eavq Ar#e`b big#ij Kiv th#Z c#ti  </i>	<i>cōqirb tbB #eavq Ar#e`b big#ij Kiv nj  </i>
		3) <b>Colesevelam Hydrochloridel 625mg Tablet</b>  Colesevelam Hydrochloride INN 625 mg	Colesevelam is indicated to reduce elevated Low density lipoprotein cholesterol in patients with primary hyperlipidemia, to improve glycemic control in adults with type 2 diabetes mellitus	New	USFDA	<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>

<i>bs</i>	<i>cōZKvi!Ki big</i>	<i>Jl!ai big I !R!biK big</i>	<i>ib! Rbv</i>	Status (New Molecule/Existing)	<i>A!te`bKvix cōĒ USFDA or MHRA Reference</i>	<i>!UKubK'ij me-Kig!li 58 Zg mfvi imxvš!</i>	<i>mfvi imxvš!</i>
Navana Pharmaceuticals Ltd.	4)	<b>Metronidazole 750mg Tablet</b>  Metronidazole BP 750mg	Vaginal Infections, Symptomatic Trichomoniasis, Asymptomatic Trichomoniasis, Asymptomatic Consorts, Amebiasis, Anaerobic Bacterial Infections.	200mg, 250 mg, 400mg & 500 mg Tab.		<i>GB gr!v c!q!Rb !bB !eavq Av!e`b big!jy Kiv !htZ c!ti  </i>	<i>GB gr!v c!q!Rb !bB !eavq Av!e`b big!jy Kiv nj  </i>
	5)	<b>Ticagrelor 90mg Tablet</b>  Ticagrelor INN 90 mg	Indicated to reduce the rate of thrombotic cardiovascular events in patients with Acute Coronary Syndromes	New	USFDA	<i>Ab!gr`b Kiv !htZ c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	6)	<b>Rivaroxaban 10mg Tablet</b>  Rivaroxaban INN 10mg	Prevention of venous thromboembolism (VTE) in adult patients who have undergone major orthopedic surgery of the lower limbs.	New	USFDA	<i>Ab!gr`b Kiv !htZ c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	7)	<b>Naproxen 500mg +Sumatriptan 85mg Tablet</b>  Naproxen BP 500mg +Sumatriptan Succinate BP 119 mg eq.to.85mg Sumatriptan	It is indicated for the acute treatment of migraine attacks with or without aura in adults	New	USFDA	<i>GB K!r!tkb c!q!Rb !bB !eavq Av!e`b big!jy Kiv !htZ c!ti  </i>	<i>GB K!r!tkb c!q!Rb !bB !eavq Av!e`b big!jy Kiv nj  </i>
	8)	<b>Paracetamol 325mg+Caffeine 40mg + Butalbital 50mg Tablet</b>  Paracetamol BP 325mg+Caffeine USP 40mg+Butalbital USP 50mg	It is indicated in the relief of the complex of symptoms known as tension headache.	New		<i>GB K!r!tkb c!q!Rb !bB !eavq Av!e`b big!jy Kiv !htZ c!ti  </i>	<i>GB K!r!tkb c!q!Rb !bB !eavq Av!e`b big!jy Kiv nj  </i>

bs	cŃZKviŃKi big	JlŃai big I ŃRŃwiK big	ibŃŃ Rbv	Status (New Molecule/Existing)	AŃŃe`bKvix cŃŃE USFDA or MHRA Reference	ŃUKŃbK`ij mve-KŃgŃŃi 58 Zg mŃvi ŃmŃvŃŃi	mŃvi ŃmŃvŃŃi
09.	Beximco Pharmaceuticals Limited	<p>1) <b>Vitamin A 3500 IU + Vitamin C 120 mg + Vitamin D 400 IU + Vitamin E 60 IU+ Vitamin K 25 mcg+ Thiamin 4.5 mg+ Riboflavin 5.1 mg+ Niacin 40 mg+ Vitamin B6 6 mg+ Folic Acid 400 mcg+ Vitamin B12 18 mcg+ Biotin 50 mcg+ Pantothenic Acid 12 mg+ Calcium 100 mg+ Iron 18 mg+ Phosphorus 48 mg+ Iodine 150 mcg+ Magnesium 40 mg+ Zinc 11 mg+ Selenium 70 mcg+ Copper 0.9 mg+ Manganese 4 mg+ Chromium 120 mcg+ Molybdenum 75 mcg+ Chloride 72 mg + Potassium 80 mg+ Ginseng Root 50 mg+ Boron 60 mcg+ Nickel 5 mcg+ Silicon 4 mg+ Tin 10 mcg+ Vanadium 10 mcg Tablet.</b></p> <p>Vitamin A (As Beta-Carotene 20%) USP 10.4790mg eq.to 3500IU Beta Carotene+ Ascorbic Acid, 97%DC USP 123.7110mg eq.to Vitamin C 120mg + Dry Vitamin D3 Colecalciferol 1.00.000IU/g USP 4.000mg eq.to vitamin D 400 IU+ Dry Vitamin E Acetate 50% USP 120.000 mg eq.to Vitamin E 60 IU+ Dry Vitamin K15% USP 0.500mg eq. to Vitamin K 25mcg+Thiamine Mononitrate USP 4.5000mg (Vitamin B1) + Riboflavin USP 5.1000mg+Niacin USP 40.0000mg+Pyridoxine Hydrochloride USP 6.0000mg (Vitamin B6) + Folic Acid USP 0.4000mg) + Cyanocobalamin 0.1% USP 18.0000mg eq. to Vitamin B12 18mcg + Biotin USP 0.0500mg+ Calcium Pantothenate USP 13.0430mg eq.to Pantothenic Acid 12 mg+ Calcium Carbonate (Heavy) BP 94.63100 mg eq. to calcium 37.892 mg + Dried ferrous Sulphate BP 56.9300mg eq. to Iron 18 mg + Dibasic Calcium Phosphate Anhydrous USP 210.91200mg eq. to Calcium 62.108mg &amp; Phosphorus 48mg +Potassium Iodide USP 0.1962 mg eq.to Iodine 150mcg+ Magnesium Oxide (Heavy) USP 66.32400 mg eq.to Magnesium 40 mg + Zinc Oxide USP 13.69280 mg eq. to Zinc11mg + Sodium Selenate Anhydrous Ph.Grade 0.16740 mg eq.to Selenium 70 mcg + Cupric Oxide Ph. Grade 1.1266mg eq. to Copper 0.9mg + Manganese Sulfate USP 12.3044mg eq. to Manganese 4mg+ Chromic Chloride USP 0.6149mg eq. to Chromium 120 mcg + Sodium Molybdate Dihydrate USP 0.1890 mg eq. to Molybdenum 75 mcg + Potassium Chloride USP 152.5380 mg eq. to Potassium 80 mg &amp; Chloride 72 mg + Ginseng Root Ph. Grade 50 mg + Boron Citrate 5% Ph .Grade 1.20 mg eqv.to Boron 60 mcg + Nickel Sulphate Hexahydrate Ph. Grade 0.02240 mg eqv. to Nickel 5 mcg + Sodium Metasilicate Nonahydrate Ph. Grade 40.00 mg eqv. to Silicon 4 mg + Stannous Chloride Dihydrate BP 0.0190 mg eqv. to Tin 10 mcg+ Sodium Metavanadate Tetrahydrate Ph.Grade 0.03810 mg eqv. to Vanadium 10 mcg.</p>	<p>To unlock energy from food needed for the body and mind. To sustain energy and stamina for physical performance. To maintain a healthy heart. To maintain healthy blood with Iron need for concentration and normal work performance.</p>	New		GB KŃŃŃbkb cŃŃqŃRb ŃbB Ńeavq AŃŃe`b bŃgŃŃj Kiv thŃZ cŃŃi	GB KŃŃŃbkb cŃŃqŃRb ŃbB Ńeavq AŃŃe`b bŃgŃŃj Kiv nj

bs	cōZKvi#Ki big	Jl#ai big I t#RbwiK big	ib# Rbv	Status (New Molecule/Existing)	A#e`bKvix cōE USFDA or MHRA Reference	#UKibK`vj me-Kigv#i 58 Zg m#vi im#v#i	m#vi im#v#i
	Beximco Pharmaceuticals Ltd.	<p>2) <b>Vitamin A (20% as beta-carotene) 2500 IU + Vitamin C 120 mg+ Vitamin D 400 IU+ Vitamin E 30 IU+ Vitamin K 25 mcg+ Thiamin (B1) 3.75 mg + Riboflavin (B2) 4.25 mg + Niacin 30 mg+ Vitamin B6 5 mg+ Folic Acid 400 mcg+ Vitamin B12 15 mcg+ Biotin 300 mcg+ Pantothenic Acid 10 mg+ Calcium 200 mg+ Iron 9 mg+ Magnesium 100 mg+ Zinc 15 mg+ Selenium 20 mcg+ Copper 2 mg+ Manganese 2 mg + Chromium 120 mcg Tablet</b></p> <p>Beta-Carotene 20% USP 1.4970mg eq. to Vitamin A 500IU + Dry Vitamin A Acetate Type 500-60 USP 4.00mg eq. to Vitamin A 2000 IU + Ascorbic Acid 97% DC USP 123.7110 mg (eq. to Vitamin C 120mg) + Dry Vitamin D3 Colecalciferol 1,00,000IU/g USP 4.00mg eq. to Vitamin D 400 IU + Dry Vitamin E Acetate 50% USP 60.00 mg eq. to Vitamin E 30 IU+ Vitamin K1 5% USP 0.500 mg eq. to Vitamin K 25 mcg +Thiamine Mononitrate USP 3.750 mg (Vitamin B1)+Riboflavin USP 4.250 mg +Niacin USP 30.00 mg + Pyridoxine Hydrochloride USP 5.00 mg (Vitamin B6)+Folic Acid USP 0.4000mg + Cyanocobalamin 0.1% USP 15.00 mg eq. to Vitamin B12 15 mcg + Biotin USP 0.300mg+ Calcium Pantothenate USP 10.8692 mg eq. to Pantothenic Acid 10 mg +Calcium Carbonate BP 499.4775 mg eq.to calcium 200.00 mg+ Dried Ferrous Sulphate BP 28.4650mg eq.to Iron 9.00 mg+ Magnesium Oxide USP 165.8100 mg eq.to Magnesium 100mg + Zinc Oxide USP 18.6720 mg eq.to Zinc15mg+ Sodium Selenate Anhydrous Ph.Grade 0.0478 mg eq.to Selenium 20 mcg + Cupric Oxide Ph.Grade 2.5036 mg eq.to Copper 2 mg+ Manganese Sulfate USP 6.1522 mg eq.to Manganese 2.00 mg+ Chromic Chloride USP 0.6149mg eq. to Chromium 120 mcg.</p>	Healthy muscle functions with magnesium. Bone strength with calcium, vitamin D, and magnesium. Healthy immune system.	New		Abjgr`b Kiv th#Z c#i	Abjgr`b Kiv nj

<i>bs</i>	<i>cōZKviḥKi big</i>	<i>Jlḥai big I ḥRḥwiK big</i>	<i>ḥbḥḥ Rbv</i>	Status (New Molecule/Existing)	<i>Avḥe`bKvix cōḐE USFDA or MHRA Reference</i>	<i>ḥUKḥbK'vj mve-KigḥḥJi 58 Zg mḥvi ḥmḥvḥḥḥ</i>	<i>mḥvi ḥmḥvḥḥḥ</i>
	Beximco Pharmaceuticals Ltd.	<p>3) <b>Vitamin A 2500IU + Vitamin C 60mg + Vitamin D3 400IU + Vitamin E 30IU + Vitamin B1 1.5mg+ Riboflavin Sodium 5-Phosphate USP 1.7mg + Niacin 20mg + Vitamin B6 2mg + Folic Acid 400mcg + Vitamin B12 6mcg + Biotin 50mcg + Panthothenic acid 10mg + Calcium 100mg + Iodine 150mcg + Magnesium 100 mg + Zinc 15mg + Selenium 70mcg + Copper 2mg + Manganese 2mg + Chromium 120mcg + Molybdenum 75mcg + Potassium 99mg + Boron 150mcg + Phytosterol 100mg Tablet</b></p> <p>Vitamin A (As Beta-Carotene 20%) USP 7.500mg eq. to Vitamine A 2500IU) + Vitamin C ( As Ascorbic Acid.) USP 61.8560 mg eq. to Vitamin C 60 mg + Vitamin D3 (As Dry Vitamin D3 i,e Colecalciferol 1,00,000IU/g) USP 4.000mg eq. to Vitamin D 400 IU+ Vitamin E(As Dry Vitamin E Acetate 50%) USP 60.00 mg eq.to Vitamin E 30 IU+ Vitamin B1 (As Thiamine Mononitrate) USP 1.500mg+Riboflavin 5-Phosphate Sodium USP 1.700 mg+ Niacin USP 20.000mg+ Vitamin B6 (As Pyridoxine Hydrochloride USP 2.000 mg +Folic Acid USP 0.400mg+ Vitamin B12 (As Cyanocobalamin 0.1%) USP 6.00 mg eq. to Vitamin B12 6 mcg+ Biotin USP 0.050 mg+ Calcium Pantothenate USP 10.869 mg eq. to Pantothenic Acid 10 mg+ Calcium Carbonate USP 250.000 mg eq.to calcium 100 mg + Potassium Iodide USP 0.1962 mg eq. to Iodine 150 mcg + Magnesium Oxide USP 184.230 mg eq. to Magnesium 100mg+ Zinc Oxide USP 18.6705 mg eq. to Zinc 15mg+ Sodium Selenate Anhydrous Ph. Grade 0.1674 mg eq. to Selenium 70 mcg + Cupric Oxide Ph. Grade 2.5034 mg eq. to Copper 2 mg+ Manganese Sulfate USP 6.1522 mg eq. to Manganese 2 mg+ Chromic Chloride USP 0.6147mg eq.to Chromium 120 mcg+ Sodium Molybdate Dihydrate BP 0.189mg eq. to Molybdenum 75mcg+ Potassium Chloride USP 188.744mg eq. to Potassium 99mg +Boron Citrate Blend 5% Ph. Grade 3.000 mg eq.to Boron 150mcg + Phytosterol BP 100 mg</p>	Used as a supplement for the management of Hypercholesterolemia	New		<i>GB Kḥḥḥḥḥḥ cḥḥqḥRb ḥḥB ḥeavq Avḥe`b bigÄjy Kiv ḥḥḥZ cḥḥi  </i>	<i>GB Kḥḥḥḥḥḥ cḥḥqḥRb ḥḥB ḥeavq Avḥe`b bigÄjy Kiv nj  </i>

bs	cōZKvi#Ki big	Jl#ai big I #RiwiK big	ib# Rbv	Status (New Molecule/Existing)	A#e`bKvix cōĒ USFDA or MHRA Reference	#UKibK'vj me-Kig#li 58 Zg m#vi im#v#l	m#vi im#v#l
	Beximco Pharmaceuticals Ltd.	<p>4) <b>Vitamin 2500 IU + Vitamin C 120 mg+ Vitamin D 800 IU+ Vitamin E 30 IU+ Vitamin K 25 mcg+ Thiamin (B1) 2.3 mg+ Riboflavin (B2) 2.6 mg+ Niacin 30 mg+ Vitamin B6 3 mg+Folic Acid 400 mcg+ Vitamin B12 9 mcg+ Biotin 300 mcg+ Pantothenic Acid 10 mg+ Calcium 300 mg+ Iron 18 mg+ Magnesium 50 mg+ Zinc 15 mg+ Selenium 20 mcg+ Copper 2 mg+ Manganese 2 mg + Chromium 120 mcg Tablet</b></p> <p>Vitamin A (As Beta-Carotene 20%) USP 7.50 mg eq. to Vitamine A 2500IU+ Vitamin C(As Ascorbic Acid) USP 123.711mg eq. to Vitamin C 120mg+ Vitamin D (As Dry vitamin D3 Colecalciferol 1,00,000IU/g) USP 8.000mg eq.to vitamin D 800 IU+ Vitamin E (As Dry vitamin E Acetate 50%) USP 60.00 mg eq. to vitamin E 30 IU+ Vitamin K (As Dry vitamin K1 5%) USP 0.500 mg eq. to vitamin K 25 mcg +Thiamine Mononitrate USP 2.300mg (Vitamin B1)+Riboflavin USP 2.60 mg (Vitamin B2) + Niacin USP 30.00 mg + Pyridoxine Hydrochloride USP 3.00mg (Vitamin B6)+Folic Acid USP0.400mg+ Cyanocobalamin (As Cyanocobalamin 0.1% ) USP 9.00 mg eq.to Vitamin B12 9 mcg+Biotin USP 0.300mg+ Calcium Pantothenate USP 10.869 mg eq .to Pantothenic Acid 10 mg + Calcium Carbonate BP 750.00 mg eq.to Calcium 300 mg + Dried ferrous Sulphate USP 56.934mg eq. to Iron 18 mg+ Magnesium Oxide USP 92.115 mg eq. to Magnesium 50mg + Zinc Oxide USP 18.6705 mg eq .to Zinc15mg + Sodium Selenate Anhydrous USP 0.0478 mg eq .to Selenium 20 mcg+ Cupric Oxide Ph. Grade 2.5034 mg eq .to Copper 2 mg+ Manganese Sulfate USP 6.1522 mg eq. to Manganese 2 mg+ Chromic Chloride USP 0.6147mg eq.to Chromium 120 mcg.</p>	Healthy skin with vitamins A and C, copper and iron. Bone strength with calcium, vitamin D, and magnesium. Healthy immune system with Vitamin A and C. Zinc Iron, and selenium.	New		Abjgr`b Kiv th#Z c#i	Abjgr`b Kiv nj

<i>bs</i>	<i>cōZKvi!Ki big</i>	<i>Jl!ai big I !R!biK big</i>	<i>ib! Rbv</i>	Status (New Molecule/Existing)	<i>A!te`bKvi x cōĒ USFDA or MHRA Reference</i>	<i>!UK!bK'vj me-K!g!li 58 Zg m!vi !m!x!š!</i>	<i>m!vi !m!x!š!</i>
Beximco Pharmaceuticals Ltd.	5)	<b>Vitamin C 1000mg + Zinc 10mg Chewable Tablet</b>  Ascorbic Acid USP 1030.928 eqv. to Vitamin C 1000 mg + Zinc Sulfate Monohydrate USP 27.500 mg eq. to Zinc 10 mg	This formulation is indicated -Increased risk with respect to infectious Disease, Colds. To meet a higher requirement for vitamin C and Zinc, for example in smokers, in infectious disease or wound healing.	New		<i>Ab!g!v`b Kiv th!Z c!ti  </i>	<i>cl!g!v!t!qi Rb` !UK!bK'vj me K!g!li m!fiq Dc`!cb Kivi Rb` ej v nj  </i>
	6)	<b>Metronidazole 750 mg ER Tablet</b>  Metronidazole BP 750 mg	Broad spectrum antiprotozoal activities. Antimicrobial activities. Bacterial Vaginosis.	200mg, 250mg, 400mg, 500mg, 800mg Tab.	US FDA	<i>c!q!Rb !bB !eavq A!te`b b!g!Aj Kiv th!Z c!ti  </i>	<i>c!q!Rb !bB !eavq A!te`b b!g!Aj Kiv nj  </i>
	7)	<b>Citicoline 500mg/4ml IM/IV Injection</b>  Citicoline Sodium INN 522.527 mg eqv. to Citicoline 500mg/4ml	Citicoline is indicated for patients suffering from Stroke, aged-associated memory impairment, head injury, cerebrovascular disorder. It is also indicated for cognitive support and support for nerves of the eye.	New		<i>Ab!g!v`b Kiv th!Z c!ti  </i>	<i>Ab!g!v`b Kiv nj  </i>
	8)	<b>Chlorpheniramine Maleate 0.040 g + Codeine Phosphate 0.2 gm/100 ml Oral Solution</b>  Chlorpheniramine Maleate BP 0.040 g + Codeine Phosphate BP 0.2 gm/100 ml	Temporarily relieves of runny nose and alleviates sneezing, itching of the nose or throat and itchy watery eyes due to hay fever or allergic rhinitis.	New		<i>GB K!v!tbkb c!q!Rb !bB !eavq A!te`b b!g!Aj Kiv th!Z c!ti  </i>	<i>GB K!v!tbkb c!q!Rb !bB !eavq A!te`b b!g!Aj Kiv nj  </i>
	9)	<b>Levocetirizine HCl 5 mg + Montelukast 10 mg Tablet</b>  Levocetirizine HCl INN 5 mg + Montelukast Sodium INN 10.40 mg eqv. to Montelukast 10 mg	It is indicated for the relief of symptoms of allergic rhinitis (Seasonal and Perennial) .	New		<i>GB K!v!tbkb c!q!Rb !bB !eavq A!te`b b!g!Aj Kiv th!Z c!ti  </i>	<i>GB K!v!tbkb c!q!Rb !bB !eavq A!te`b b!g!Aj Kiv nj  </i>
	10)	<b>Ferrous Ascorbate 275 mg Tablet</b>  Ferrous Ascorbate INN 275 mg eqv. to elemental Iron 33 mg	Used in the treatment of Iron Deficiency Anemia.	New		<i>Ab!g!v`b Kiv th!Z c!ti  </i>	<i>Ab!g!v`b Kiv nj  </i>

<i>bs</i>	<i>cŃZKviŃKi big</i>	<i>JlŃai big l ŃRŃwiK big</i>	<i>ŃbŃ Rbv</i>	Status (New Molecule/Existing)	<i>AŃe`bKviŃ cŃĖ USFDA or MHRA Reference</i>	<i>ŃUKŃbK'ij me-KŃgŃlŃi 58 Zg mŃvi ŃmŃvŃŃ</i>	<i>mŃvi ŃmŃvŃŃ</i>
Beximco Pharmaceuticals Ltd.	11) <b>Pantoprazole 20 mg + Domperidone 10 mg Tablet</b>  Pantoprazole Sodium USP 22.560 mg eqv. to Pantoprazole 20 mg + Domperidone BP 10 mg	Indicated for the treatment of Gastroesophageal Reflux Disease, Gastritis, Duodenal Ulcer, H. Pylori Infection	New		<i>GB KŃŃŃbkb cŃŃqŃRb ŃbB Ńeavq AŃe`b bigŃŃj Kiv ŃŃZ cŃŃi  </i>	<i>GB KŃŃŃbkb cŃŃqŃRb ŃbB Ńeavq AŃe`b bigŃŃj Kiv nj  </i>	
	12) <b>Pantoprazole 40 + Domperidone 20 mg Tablet</b>  Pantoprazole Sodium USP 45.120 mg eqv. to Pantoprazole 40 + Domperidone BP 20 mg	Indicated for the treatment of Gastroesophageal Reflux Disease, Gastritis, Duodenal Ulcer, H. Pylori Infection	New		<i>GB KŃŃŃbkb cŃŃqŃRb ŃbB Ńeavq AŃe`b bigŃŃj Kiv ŃŃZ cŃŃi  </i>	<i>GB KŃŃŃbkb cŃŃqŃRb ŃbB Ńeavq AŃe`b bigŃŃj Kiv nj  </i>	
	13) <b>Atorvastatin 10 mg + Aspirin 75 mg Tablet</b>  Atorvastatin Calcium Trihydrate Ph. Eur 10.820 mg eqv. to Atorvastatin 10 mg + Aspirin USP 75 mg	Atorvastatin is used for the treatment of elevated total cholesterol, LDL, Triglycerides and to elevate HDL. A low dose of aspirins used to prevent blood clots. This effect reduces the risk of stroke and heart attack.	New		<i>GB KŃŃŃbkb cŃŃqŃRb ŃbB Ńeavq AŃe`b bigŃŃj Kiv ŃŃZ cŃŃi  </i>	<i>GB KŃŃŃbkb cŃŃqŃRb ŃbB Ńeavq AŃe`b bigŃŃj Kiv nj  </i>	
	14) <b>Atorvastatin 10 mg + Aspirin 150 mg Tablet</b>  Atorvastatin Calcium Trihydrate Ph. Eur 10.820 mg eqv. to Atorvastatin 10 mg + Aspirin USP 150 mg	Atorvastatin is used for the treatment of elevated total cholesterol, LDL, Triglycerides and to elevate HDL. A low dose of aspirins used to prevent blood clots. This effect reduces the risk of stroke and heart attack.	New		<i>GB KŃŃŃbkb cŃŃqŃRb ŃbB Ńeavq AŃe`b bigŃŃj Kiv ŃŃZ cŃŃi  </i>	<i>GB KŃŃŃbkb cŃŃqŃRb ŃbB Ńeavq AŃe`b bigŃŃj Kiv nj  </i>	
	15) <b>Paracetamol 500 mg + Metoclopramide HCl 5 mg Tablet</b>  Paracetamol BP 500 mg + Metoclopramide HCl INN 5 mg	It is used to relieve the symptoms of migraine including headache, nausea and Vomiting. It helps to ease the pain of the migraine headache.	New	UK MHRA	<i>GB KŃŃŃbkb cŃŃqŃRb ŃbB Ńeavq AŃe`b bigŃŃj Kiv ŃŃZ cŃŃi  </i>	<i>GB KŃŃŃbkb cŃŃqŃRb ŃbB Ńeavq AŃe`b bigŃŃj Kiv nj  </i>	

<i>bs</i>	<i>cŃZKviŃKi big</i>	<i>JlŃai big I ŃRŃwiK big</i>	<i>ŃbŃŃ Rbv</i>	Status (New Molecule/Existing)	<i>AŃŃe`bKvix cŃŃE USFDA or MHRA Reference</i>	<i>ŃUKŃbK`vj me-KŃgŃŃi 58 Zg mŃvi ŃmŃvŃŃŃ</i>	<i>mŃvi ŃmŃvŃŃŃ</i>
	Beximco Pharmaceuticals Ltd.	16) <b>Calcium Orotate 400 mg Tablet</b>  Calcium Orotate INN 400 mg	It is used to treat osteoporosis, osteomalacia/rickets, decreased activity of the parathyroid gland and certain muscle disease(latent tetany)	New		<i>AbŃgŃv`b Kiv thŃZ cŃŃi  </i>	<i>AbŃgŃv`b Kiv nj  </i>
		17) <b>Calcium Citrate 1200 mg + Calcitriol 0.250 mcg Tablet</b>  Calcium Citrate USP 1200 mg eqv. to elemental Calcium 252 mg + Calcitriol BP 0.250 mcg	This combination is used to prevent or treat low blood calcium levels in people who do not get enough calcium from diet. It may also be used to treat conditions such as osteoporosis, osteomalacia/rickets, decrease the activity of the parathyroid gland (hyperparathyroidism) and latent tetany.	New		<i>AbŃgŃv`b Kiv thŃZ cŃŃi  </i>	<i>AbŃgŃv`b Kiv nj  </i>
		18) <b>Diacerein 50 mg + Glucosamine Sulphate 750 mg Tablet</b> Diacerein INN 50 mg + Glucosamine Sulphate USP 750 mg	It is indicated in conditions like Bone and joint injuries, Osteoarthritis, Rheumatoid arthritis.	New		<i>AbŃgŃv`b Kiv thŃZ cŃŃi  </i>	<i>AbŃgŃv`b Kiv nj  </i>
		19) <b>Paracetamol 325 mg + Dicycloverine 10 mg + Dextropropoxyphene 65 mg Capsule</b>  Paracetamol BP 325 mg+ Dicycloverine BP 10 mg + Dextropropoxyphene BP 65 mg	Gastrointestinal Tract Spasm.	New		<i>GB KŃŃe`Ńbkb cŃŃqŃRb ŃbB Ńeavq AŃŃe`b bŃgŃŃj Kiv thŃZ cŃŃi  </i>	<i>GB KŃŃe`Ńbkb cŃŃqŃRb ŃbB Ńeavq AŃŃe`b bŃgŃŃj Kiv nj  </i>

<i>bs</i>	<i>cōZKvi!Ki big</i>	<i>Jl!ai big l !R!biK big</i>	<i>ib! Rbv</i>	Status (New Molecule/Existing)	<i>Ar!e`bKvix cōĒ USFDA or MHRA Reference</i>	<i>!UK!bK'vj me-K!g!l!i 58 Zg mfvi !m!v!š!</i>	<i>mfvi !m!v!š!</i>
10.	Acme Laboratories Ltd.	1) <b>Norfloracin 400 mg Tablet</b>  Norfloracin BP 400 mg	Broad-spectrum quinolone bactericidal agent indicated for the treatment of upper and lower, complicated and uncomplicated acute and chronic urinary tract infections.	New	USFDA	<i>c!q!Rb !bB !eavq Ar!e`b bvg!j Kiv th!Z c!ti  </i>	<i>c!q!Rb !bB !eavq Ar!e`b bvg!j Kiv nj  </i>
		2) <b>Vildagliptin 50 mg + Metformin Hydrochloride 1000 mg Tablet</b>  Vildagliptin INN 50 mg + Metformin Hydrochloride USP 1000 mg	Indicated as an adjunct to diet and exercise to improve glycaemic control in patients with type 2 diabetes mellitus	New		<i>GB K!v!tkb c!q!Rb !bB !eavq Ar!e`b bvg!j Kiv th!Z c!ti  </i>	<i>GB K!v!tkb c!q!Rb !bB !eavq Ar!e`b bvg!j Kiv nj  </i>
		3) <b>Beclomethasone Dipropionate 0.05% Nasal Spary</b>  Baclomethasone Dipropionate BP 0.011 gm/22 gm	It is indicated for the relief of the symptoms of seasonal or perennial allergic and nonallergic rhinitis.	1 mcg/Spray		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
11.	JMI Pharma Ltd.	1) <b>Almotriptan 12.5 mg FC Tablet</b>  Almotriptan Malate USP 17.50 mg eq. to Almotriptan 12.50 mg	Indicated for the treatment of migraine.	New	USFDA Approved Marketing status : None	<i>c!q!Rb !bB !eavq Ar!e`b bvg!j Kiv th!Z c!ti  </i>	<i>c!q!Rb !bB !eavq Ar!e`b bvg!j Kiv nj  </i>
		2) <b>Almotriptan 6.25 mg FC Tablet</b>  Almotriptan Malate USP 8.75 mg eq. to Almotriptan 6.25 mg	Indicated for the treatment of migraine.	New		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
		3) <b>Cefpodoxime 200 mg + Clavulanic Acid 125mg Tablet</b>  Cefpodoxime Proxetil USP 260 mg eq. to Cefpodoxime 200 mg + Clavulanate Potassium USP 148.91 mg eq. to Clavulanic Acid 125 mg	Urinary tract, skin and soft tissue infection, upper respiratory infection.	New		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>

<i>bs</i>	<i>cōZKvi!Ki big</i>	<i>Jl!ai big I !R!biK big</i>	<i>ib! Rbv</i>	Status (New Molecule/Existing)	<i>A!te`bKvix cōĒ USFDA or MHRA Reference</i>	<i>!UK!bK'vj me-K!g!l!i 58 Zg mfvi !m!v!š!</i>	<i>mfvi !m!v!š!</i>
12.	Healthcare Pharmaceuticals Ltd.	1) <b>Doripenem 500 mg/vial IV Powder Infusion</b>  Doripenem Monohydrate INN 521.40 mg eq. to Doripenem 500 mg/Vial	It is indicated for the treatment of severe bacterial infection such as intra abdominal infection, pneumonia, complicated urinary tract infection.	New	USFDA	<i>Ab!g!v`b Kiv th!Z c!ti  </i>	<i>Ab!g!v`b Kiv nj  </i>
		2) <b>Doripenem 250 mg/vial IV Powder Infusion</b>  Doripenem Monohydrate INN 560.70 mg eq. to Doripenem 250 mg/Vial	It is indicated for the treatment of severe bacterial infection such as intra abdominal infection, pneumonia, complicated urinary tract infection.	New	USFDA	<i>Ab!g!v`b Kiv th!Z c!ti  </i>	<i>Ab!g!v`b Kiv nj  </i>
		3) <b>Ticagrelor 90 mg Tablet</b>  Ticagrelor INN 90 mg	It is indicated for the treatment of secondary prevention of atherothrombotic events in patients with acute coronary syndrome.	New	USFDA	<i>Ab!g!v`b Kiv th!Z c!ti  </i>	<i>Ab!g!v`b Kiv nj  </i>
		4) <b>Calcium 600 mg + Cholecalciferol 400 IU Tablet</b>  Calcium Carbonate USP 1500 mg eq. to Elemental Calcium 600 mg + Vitamin D3 USP 4 mg eq. to 400 IU Cholecalciferol	Treatment of calcium and vitamin D3 deficiency.	500 mg + 200 IU Tab. 500 mg + 400 IU Tab.		<i>Ab!g!v`b Kiv th!Z c!ti  </i>	<i>Ab!g!v`b Kiv nj  </i>
13	Incepta Pharmaceuticals Ltd.	1) <b>Ibuprofen 800mg+Famotidine 26.60mg Tablet</b>  Ibuprofen BP 800mg+Famotidine BP 26.60mg	Relief of rheumatoid arthritis and osteoarthritis and prevention of gastric ulcers	New	USFDA	<i>GB K!v!bkb c!q!Rb !bB !e!v!q A!te`b big!j!y Kiv th!Z c!ti  </i>	<i>GB K!v!bkb c!q!Rb !bB !e!v!q A!te`b b!g!j!y Kiv nj  </i>
		2) <b>Hypromellose 0.3%+Carboxymethyl Cellulose Sodium 0.25% Ophthalmic Solution</b>  Hypromellose BP 0.30gm+ Carboxymethyl Cellulose Sodium USP 0.25gm/100ml	Relieves dryness of the eye; temporarily relieves discomfort due to minor irritations of the eye or from exposure to wind or sun; as a protectant against further irritation; delivers advanced hydration for the long lasting relief of a gel with the comfort and convenience of a drop; preservative free in the eye, protects the eyes just like natural tears.	New		<i>Ab!g!v`b Kiv th!Z c!ti  </i>	<i>Ab!g!v`b Kiv nj  </i>

<i>bs</i>	<i>cōZKvi!Ki big</i>	<i>Jl!ai big l !R!biK big</i>	<i>ib! Rbv</i>	Status (New Molecule/Existing)	<i>A!e`bKvix cōĒ USFDA or MHRA Reference</i>	<i>!UK!bK'vj me-K!gn!i 58 Zg m!vi !m!v!š!</i>	<i>m!vi !m!v!š!</i>
Incepta Pharmaceuticals Ltd.	3)	<b>Dabigatran Etxilate 150mg Capsule</b>  Dabigatran Etxilate Mesylate INN 172.95mg eq. to Dabigatran Etxilate 150mg	Primary prevention of venous thromboembolic events in adult patients who have undergone elective total hip replacement surgery or total knee replacement surgery.	New	USFDA	<i>Ab!gn`b Kiv th!Z c!ti  </i>	<i>Ab!gn`b Kiv nj  </i>
	4)	<b>Dabigatran Etxilate 75mg Capsule</b>  Dabigatran Etxilate Mesylate INN 86.475mg eq. to Dabigatran Etxilate 75mg	Primary prevention of venous thromboembolic events in adult patients who have undergone elective total hip replacement surgery or total knee replacement surgery.	New	USFDA	<i>Ab!gn`b Kiv th!Z c!ti  </i>	<i>Ab!gn`b Kiv nj  </i>
	5)	<b>Darbepoietin Alfa 25mcg/0.42ml prefilled Syringe Injection</b>  Darbepoietin Alfa INN 0.025mg/0.42ml	Anemia Due to Chronic Kidney Disease; Anemia Due to Chemotherapy in Patients with Cancer	200mcg/0.4ml & 500mcg/ml Injection	USFDA As per approval Letter	<i>Ab!gn`b Kiv th!Z c!ti  </i>	<i>Ab!gn`b Kiv nj  </i>
	6)	<b>Darbepoietin Alfa 40mcg/0.4ml prefilled Syringe Injection</b>  Darbepoietin Alfa INN 0.040mg/0.4ml	Anemia Due to Chronic Kidney Disease; Anemia Due to Chemotherapy in Patients with Cancer	200mcg/0.4ml & 500mcg/ml Injection	USFDA As per approval Letter	<i>Ab!gn`b Kiv th!Z c!ti  </i>	<i>Ab!gn`b Kiv nj  </i>
	7)	<b>Bivalirudin 250mg/Vial Injection</b>  Bivalirudin INN 250mg/Vial	Bivalirudin is indicated as an anticoagulant in adult patients undergoing percutaneous coronary intervention (PCI), including patients with ST-Segment elevation myocardial infarction (STEMI) undergoing primary PCI.	New	USFDA	<i>Ab!gn`b Kiv th!Z c!ti  </i>	<i>Ab!gn`b Kiv nj  </i>
	8)	<b>Fenticonazole Nitrate 600mg Vaginal Capsule</b>  Fenticonazole Nitrate INN 600mg	Treatment of Vulvovaginal Candidiasis	2% Vaginal Cream		<i>Ab!gn`b Kiv th!Z c!ti  </i>	<i>Ab!gn`b Kiv nj  </i>

<i>bs</i>	<i>cōZKvi#Ki big</i>	<i>Jl#ai big I #RiwiK big</i>	<i>ib# Rbv</i>	Status (New Molecule/Existing)	<i>A#e`bKvix cōE USFDA or MHRA Reference</i>	<i>#UKubK'vj me-Kigulji 58 Zg m#vi im#všI</i>	<i>m#vi im#všI</i>
Incepta Pharmaceuticals Ltd.	9)	<b>Gatifloxacin 0.5% Eye Drops</b>  Gatifloxacin Sesquihydrate INN 0.5367gm eq. to Gatifloxacin 0.5gm/100ml	Bacterial conjunctivitis	0.3% Eye Drops, 200mg & 400mg Tablet	USFDA	<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>
	10)	<b>Imipenem 750mg+Cilastatin 750mg/Vial Injection</b>  Imipenem Monohydrate USP 795.015 mg eq. to Imipenem 750 mg +Cilastatin Sodium BP 798.26 mg eq. to Cilastatin 750mg/Vial	Intra-abdominal infections, Lower Respiratory tract infections, Gynaecological infections, Septicaemia, Genitourinary tract infections, Bone and joint infections, Skin and soft tissue infections, Endocarditis	Imipenem 500mg+ Cilastatin 500mg/Vial Injection	USFDA As per approval Letter	<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>
	11)	<b>Imipenem 250mg+Cilastatin 250mg/Vial Injection</b>  Imipenem Monohydrate USP 265.005 mg eq. to Imipenem 250mg +Cilastatin Sodium BP 266.087 mg eq. to Cilastatin 250mg/Vial	Intra-abdominal infections, Lower Respiratory tract infections, Gynaecological infections, Septicaemia, Genitourinary tract infections, Bone and joint infections, Skin and soft tissue infections, Endocarditis	Imipenem 500mg+ Cilastatin 500mg/Vial Injection	USFDA	<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>
	12)	<b>Mifepristone 200mg Tablet</b>  Mifepristone INN 200mg	Labour induction in foetal death in utero, Medical termination of developing intra- uterine pregnancy	New	USFDA	<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>
	13)	<b>Ticagrelor 90mg Tablet</b>  Ticagrelor INN 90mg	Ticagrelor is a P2Y12 platelet inhibitor indicated to reduce the rate of thrombotic cardiovascular events in patients with acute coronary Syndrome. Ticagrelor has been shown to reduce the rate of a combined endpoint of cardiovascular death, myocardial infarction, or stroke compared to clopidogrel.	New	USFDA	<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>
	14)	<b>Methimazole 20mg Tablet</b>  Methimazole BP 20mg	Treatment of hyperthyroidism. Long- term therapy may lead to remission of the disease. Methimazole may be used to ameliorate hyperthyroidism in preparation for subtotal thyroidectomy or radioactive iodine therapy.	5 & 10mg Tablet	USFDA	<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>

<i>bs</i>	<i>cōZKvi#Ki big</i>	<i>Jl#ai big l #RibiK big</i>	<i>ib# Rbv</i>	Status (New Molecule/Existing)	<i>Av#`bKvi# cōE USFDA or MHRA Reference</i>	<i>#UKibK'vj me-Kig#Ji 58 Zg m#vi im#v#l</i>	<i>m#vi im#v#l</i>
	Incepta Pharmaceuticals Ltd.	15) <b>Thalidomide 200mg Capsule</b>  Thalidomide USP 200mg	Acute treatment of cutaneous manifestations of moderate to severe erythema nodosum leprosum (ENL); maintenance therapy for prevention and suppression of cutaneous of cutaneous manifestations of ENL recurrence; treatment of newly diagnosed multiple myeloma in combination with dexamethasone.	50mg Capsule	USFDA	<i>Abjgr`b Kiv th#Z c#ti  </i>	<i>Abjgr`b Kiv nj  </i>
<b>14</b>	Incepta Vaccine Ltd.	1) <b>Tetanus antitoxin 1500 IU/ml</b>  Tetanus antitoxin (Equine) BP 1500 IU/ml	Tetanus antitoxins have been used to provide temporary passive immunity against tetanus.  <i>Prevention of Tetanus:</i> Tetanus antitoxin is given prophylactically to persons at the risk of tetanus infection by infected wounds, burns, frostbites or severe wounds. Prophylactic dose is also given in surgical operations as post operative care. Along with this passive immunization it is advisable to initiate active immunization with adsorbed Tetanus toxoid.	Adsorbed Tetanus Vaccine (Tetanus Toxoid) 40 IU/0.5ml		<i>Abjgr`b Kiv th#Z c#ti  </i>	<i>Jl a b#mZ 1982 t#Z Avg`vbiKZ.F#vKimb Tetanus Anti Toxin 1500 IU Ace`en#ti i (Misused) Kvi#Y #b#l x Kiv n#q#Q #earq Av#`b big#j Kiv nj  </i>
		2) <b>Tetanus antitoxin 3000 IU/ml</b>  Tetanus antitoxin (Equine) BP 3000 IU/ml	Tetanus antitoxins have been used to provide temporary passive immunity against tetanus.  <i>Prevention of Tetanus:</i> Tetanus antitoxin is given prophylactically to persons at the risk of tetanus infection by infected wounds, burns, frostbites or severe wounds. Prophylactic dose is also given in surgical operations as post operative care. Along with this passive immunization it is advisable to initiate active immunization with adsorbed Tetanus toxoid.	Adsorbed Tetanus Vaccine (Tetanus Toxoid) 40 IU/0.5ml		<i>Abjgr`b Kiv th#Z c#ti  </i>	<i>Abjgr`b Kiv nj  </i>

<i>bs</i>	<i>cŌZKviŋKi big</i>	<i>Jlŋai big I ŋRŋbiK big</i>	<i>ibŋ Rbv</i>	Status (New Molecule/Existing)	<i>Aŋe`bKviŋ cŌĒ USFDA or MHRA Reference</i>	<i>ŋUKŋbK`vj me-Kŋŋŋli 58 Zg mŋvi ŋmŋvŋŋŋ</i>	<i>mŋvi ŋmŋvŋŋŋ</i>
	Incepta Vaccine Ltd.	3) <b>Poliomyelitis Vaccine, Type 1</b>  Poliomyelitis Vaccine, Live (oral) Containing BP Attenuated Sabin Strain Type 1 virus $\geq 10^{6.0}$ CCID <sub>50</sub> infectious units	This live oral polio vaccine is indicated for active immunization against poliomyelitis virus type 1. Normally adults are not susceptible to poliomyelitis. However, the vaccine can be given to persons of any age who have not suffered from poliomyelitis and have not been vaccinated.	Poliomyelitis Vaccine, (Type1+type 2 + Type 3)		<i>Abŋŋv`b Kiv thŋZ cŋŋi  </i>	<i>Abŋŋv`b Kiv nj  </i>
		4) <b>Poliomyelitis Vaccine, Type 2</b>  Poliomyelitis Vaccine, Live (oral) Containing BP Attenuated Sabin Strain Type 2 virus $\geq 10^{5.0}$ CCID <sub>50</sub> Infectious units	This live oral polio vaccine is indicated for active immunization against poliomyelitis virus type 2. Normally adults are not susceptible to poliomyelitis. However, the vaccine can be given to persons of any age who have not suffered from poliomyelitis and have not been vaccinated.	Poliomyelitis Vaccine, (Type1+type 2 + Type 3)		<i>Abŋŋv`b Kiv thŋZ cŋŋi  </i>	<i>Abŋŋv`b Kiv nj  </i>
		5) <b>Poliomyelitis Vaccine, Type 3</b>  Poliomyelitis Vaccine, Live (oral) Containing BP Attenuated Sabin Strain Type 3 virus $\geq 10^{5.8}$ CCID <sub>50</sub> infectious units	This live oral polio vaccine is indicated for active immunization against poliomyelitis virus type 3. Normally adults are not susceptible to poliomyelitis. However, the vaccine can be given to persons of any age who have not suffered from poliomyelitis and have not been vaccinated.	Poliomyelitis Vaccine, (Type1+type 2 + Type 3)		<i>Abŋŋv`b Kiv thŋZ cŋŋi  </i>	<i>Abŋŋv`b Kiv nj  </i>
		6) <b>Poliomyelitis Vaccine, Type 1+2</b>  Poliomyelitis Vaccine, Live (oral) Containing BP Attenuated Sabin Strain Type 1 virus $\geq 10^{6.0}$ CCID <sub>50</sub> infectious units+Attenuated Sabin Strain Type 2 virus $\geq 10^{5.0}$ CCID <sub>50</sub> Infectious units	This live oral polio vaccine is indicated for active immunization against poliomyelitis virus type 1 and type 2. Normally adults are not susceptible to poliomyelitis. However, the vaccine can be given to persons of any age who have not suffered from poliomyelitis and have not been vaccinated.	Poliomyelitis Vaccine, (Type1+type 2 + Type 3)		<i>Abŋŋv`b Kiv thŋZ cŋŋi  </i>	<i>Abŋŋv`b Kiv nj  </i>

<i>bs</i>	<i>cōZKvi!Ki big</i>	<i>Jl!ai big I !R!bwiK big</i>	<i>ib! Rbv</i>	Status (New Molecule/Existing)	<i>Ar!e`bKvix cōĒ USFDA or MHRA Reference</i>	<i>!UKubK'ij me-Kigulji 58 Zg m!vi imxvš!</i>	<i>m!vi imxvš!</i>
	Incepta Vaccine Ltd.	7) <b>Poliomyelitis Vaccine, Type 1+3</b>  Poliomyelitis Vaccine, Live (oral) Containing PB Attenuated Sabin Strain Type 1 virus ≥ 10 <sup>6.0</sup> CCID <sub>50</sub> infectious units+Attenuated Sabin Strain Type 3 virus ≥ 10 <sup>5.8</sup> CCID <sub>50</sub> infectious units	This live oral polio vaccine is indicated for active immunization against poliomyelitis virus type 1 and type 3. Normally adults are not susceptible to poliomyelitis. However, the vaccine can be given to persons of any age who have not suffered from poliomyelitis and have not been vaccinated.	Poliomyelitis Vaccine, (Type1+Type 2 + Type 3)		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
		8) <b>Poliomyelitis Vaccine, Type 2+3</b>  Poliomyelitis Vaccine, Live (oral) Containing BP Attenuated Sabin Strain Type 2 virus ≥ 10 <sup>5.0</sup> CCID <sub>50</sub> Infectious units+Attenuated Sabin Strain Type 3 virus ≥ 10 <sup>5.8</sup> CCID <sub>50</sub> infectious units	This live oral polio vaccine is indicated for active immunization against poliomyelitis virus type 2 and type 3. Normally adults are not susceptible to poliomyelitis. However, the vaccine can be given to persons of any age who have not suffered from poliomyelitis and have not been vaccinated.	Poliomyelitis Vaccine, (Type1+type 2 + Type 3)		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
15.	Apex Pharma Ltd.	1) <b>Doxepin 25 mg Capsule</b>  Doxepin Hydrochloride USP 28.25 mg eq. to 25 mg of Doxepin	It is used to treat depression and anxiety disorders and as a second line treatment of chronic idiopathic urticara, Insomnia	75 mg Cap.	USFDA	<i>GB gr!v c!q!Rb !bB !eavq Ar!e`b brg!j Kiv th!Z c!ti  </i>	<i>GB gr!v c!q!Rb !bB !eavq Ar!e`b brg!j Kiv nj  </i>
		2) <b>Doxepin 6 mg Tablet</b>  Doxepin Hydrochloride USP 6.78 mg eq. to 6 mg of Doxepin	It is used to treat depression and anxiety disorders and as a second line treatment of chronic idiopathic urticara, Insomnia	75 mg Cap.	USFDA	<i>c!q!Rb !bB !eavq Ar!e`b brg!j Kiv th!Z c!ti  </i>	<i>c!q!Rb !bB !eavq Ar!e`b brg!j Kiv nj  </i>
		3) <b>Doxepin 3 mg Tablet</b>  Doxepin Hydrochloride USP 3.390 mg eq. to 3 mg of Doxepin	It is used to treat depression and anxiety disorders and as a second line treatment of chronic idiopathic urticara, Insomnia	75 mg Cap.	USFDA	<i>c!q!Rb !bB !eavq Ar!e`b brg!j Kiv th!Z c!ti  </i>	<i>c!q!Rb !bB !eavq Ar!e`b brg!j Kiv nj  </i>

<i>bs</i>	<i>cÖZKvi#Ki big</i>	<i>Jl#ai big I tRıbwıK big</i>	<i>ıbt`Rbv</i>	Status (New Molecule/Existing)	<i>Arte`bKvix cÖE USFDA or MHRA Reference</i>	<i>#UKıbK'vj me-KıgıUı 58 Zg mfi imxıSı</i>	<i>mfi imxıSı</i>
16.	Aristopharma Ltd.	1) <b>Dorzolamide 2% + Timolol 0.5% Sterile Eye Drops</b>  Dorzolamide Hydrochloride USP 2.226g eqv.to Dorzolamide 2g + Timolol Maleate BP 0.683g eqv.to Timolol 0.5g/100ml	Dorzolamide and Timolol Maleate eye drops are indicated in the treatment of elevated intraocular hypertension or open-angle glaucoma. Lowering high pressure inside the eye helps to prevent blindness.	New	USFDA	<i>Abjgr`b Kiv thtZ cıti  </i>	<i>Abjgr`b Kiv nj  </i>
		2) <b>Alcaftadine 0.25% Ophthalmic Solution</b>  Alcaftadine INN 0.25g / 100ml	Alcaftadine Ophthalmic Solution is a H1 histamine receptor antagonist indicated for the prevention of itching associated with allergic conjunctivitis.	New	USFDA	<i>Abjgr`b Kiv thtZ cıti  </i>	<i>Abjgr`b Kiv nj  </i>
		3) <b>Rabeprazole Sodium 20mg/Vial Lyophilized Injection (IV)</b>  Rabeprazole Sodium INN 20mg/Vial	Rabeprazole IV is an alternative in patients for whom oral administration of Rabeprazole is not indicated. Rabeprazole IV is indicated in the treatment of : 1. Sequential-therapy (Step-up) from oral Rabeprazole, e.g. a patient previously on oral Rabeprazole who is temporarily unable to take oral medication for any reason. 2. Active duodenal ulcer with bleeding or severe erosions. 3. Active gastric ulcer with bleeding or severe erosions. 4. Short-term treatment of erosive or ulcerative gastroesophageal reflux disease (GERD). 5. Prevention of acid-aspiration. 6. Stress-indicated mucosal injury in critical care. 7. Pathological hypersecretory conditions, including Zollinger-Ellison Syndrome.	20mg Tab.		<i>cÖqıRb tbB weavq Arte`b bigÄy Kiv thtZ cıti  </i>	<i>cÖqıRb tbB weavq Arte`b bigÄy Kiv nj  </i>
		4) <b>Rabeprazole Sodium 20mg + Domperidone 30mg Capsule</b>  Rabeprazole Sodium (as Enteric Coated Pellets) + Domperidone Maleate (as Sustained Release Pellets) Ph.Gr. 270 mg eqv.to Rabeprazole Sodium INN 20mg & Domperidone Maleate BP eqv.to Domperidone 30mg	Rabeprazole Sodium and Domperidone Maleate Capsule is indicated for the relief of symptoms including: Dyspepsia, Gastroesophageal reflux disease (GERD), Post-operative nausea and vomiting, Nausea associated with acid peptic disorders and Chronic gastritis.	New		<i>GB Kı#tbkb cÖqıRb tbB weavq Arte`b bigÄy Kiv thtZ cıti  </i>	<i>GB Kı#tbkb cÖqıRb tbB weavq Arte`b bigÄy Kiv nj  </i>

<i>bs</i>	<i>cÖZKviKi big</i>	<i>JlTai big I tRbwiK big</i>	<i>ibT`Rbv</i>	Status (New Molecule/Existing)	<i>Avte`bKvix cÖE USFDA or MHRA Reference</i>	<i>tUKubK'ij me-Kigvli 58 Zg mfvI imxvSi</i>	<i>mfvi imxvSi</i>
	Aristopharma Ltd.	5) <b>Bisoprolol Fumarate 2.50mg + Amlodipine 5mg Film Coated Tablet</b>  Bisoprolol Fumarate USP 2.50 mg + Amlodipine Besilate BP 6.94mg eqv.to Amlodipine 5mg	Bisoprolol Fumarate and Amlodipine Tablet is indicated for the treatment of hypertension and angina.	New		<i>GB Kivtbkb cÖqvRb tbB weavq Avte`b bigÄjy Kiv thtZ cvti  </i>	<i>GB Kivtbkb cÖqvRb tbB weavq Avte`b bigÄjy Kiv nj  </i>
17.	Eskayef Bangladesh Ltd., Tongi, Gazipur	1) <b>Calcium Glubionate 21.80 gm + Calcium Lactobionate 14.54 gm/100ml Syrup</b>  Calcium Glubionate INN 21.80 gm + Calcium Lactobionate USP 14.54 gm/100ml	Treat low levels of calcium, Help to slow down or stop loss of calcium from bones in osteoporosis	New		<i>GB Kivtbkb cÖqvRb tbB weavq Avte`b bigÄjy Kiv thtZ cvti  </i>	<i>GB Kivtbkb cÖqvRb tbB weavq Avte`b bigÄjy Kiv nj  </i>
		2) <b>Esomeprazole 10 mg Delayed Release Powder for Suspension in Sachet</b>  Esomeprazole Magnesium Trihydrate USP 11.138 mg eq. to Esomeprazole 10 mg/Sachet	Treatment of Gastroesophageal Reflux disease	20mg & 40 mg Tab & Cap.		<i>cÖqvRb tbB weavq Avte`b bigÄjy Kiv thtZ cvti  </i>	<i>cÖqvRb tbB weavq Avte`b bigÄjy Kiv nj  </i>
		3) <b>Esomeprazole 20 mg Delayed Release Powder for Suspension in Sachet</b>  Esomeprazole Magnesium Trihydrate USP 22.275 mg eq. to Esomeprazole 20 mg/Sachet	Treatment of Gastroesophageal Reflux disease	20mg & 40 mg Tab & Cap.		<i>cÖqvRb tbB weavq Avte`b bigÄjy Kiv thtZ cvti  </i>	<i>cÖqvRb tbB weavq Avte`b bigÄjy Kiv nj  </i>
		4) <b>Esomeprazole 40 mg Delayed Release Powder for Suspension in Sachet</b>  Esomeprazole Magnesium Trihydrate USP 44.550 mg eq. to Esomeprazole 40 mg/Sachet	Treatment of Gastroesophageal Reflux disease	20mg & 40 mg Tab & Cap.		<i>cÖqvRb tbB weavq Avte`b bigÄjy Kiv thtZ cvti  </i>	<i>cÖqvRb tbB weavq Avte`b bigÄjy Kiv nj  </i>
		5) <b>Omeprazole 20 mg + Ketoprofen 100 mg Modified Release Capsule</b>  Omeprazole USP 20 mg + Ketoprofen USP 100mg	Treatment of rheumatoid arthritis, ankylosing spondylitis and osteoarthritis.	New		<i>GB Kivtbkb cÖqvRb tbB weavq Avte`b bigÄjy Kiv thtZ cvti  </i>	<i>GB Kivtbkb cÖqvRb tbB weavq Avte`b bigÄjy Kiv nj  </i>

<i>bs</i>	<i>cÖZKviKi big</i>	<i>Jl'ai big I tRibiK big</i>	<i>ibT` Rbv</i>	Status (New Molecule/Existing)	<i>Avte` bKvix cÖE USFDA or MHRA Reference</i>	<i>tUKubK'ij me-Kigvli 58 Zg mFvi imxvSi</i>	<i>mFvi imxvSi</i>
	Eskayef Bangladesh Ltd., Tongi, Gazipur	6) <b>Omeprazole 20 mg + Ketoprofen 200 mg Modified Release Capsule</b>  Omeprazole USP 20 mg + Ketoprofen USP 200mg	Treatment of rheumatoid arthritis, ankylosing spondylitis and osteoarthritis.	New		<i>GB Kiv`tbkb cÖqvRb tbB weavq Avte` b bigÄy Kiv thtZ citi  </i>	<i>GB Kiv`tbkb cÖqvRb tbB weavq Avte` b bigÄy Kiv nj  </i>
		7) <b>Omeprazole 20 mg + Ketoprofen 150 mg Modified Release Capsule</b>  Omeprazole USP 20 mg + Ketoprofen USP 150mg	Treatment of rheumatoid arthritis, ankylosing spondylitis and osteoarthritis.	New		<i>GB Kiv`tbkb cÖqvRb tbB weavq Avte` b bigÄy Kiv thtZ citi  </i>	<i>GB Kiv`tbkb cÖqvRb tbB weavq Avte` b bigÄy Kiv nj  </i>
18.	IBN SINA Pharmaceutical Industries Ltd.	1) <b>Carglumic Acid 200 mg Tablet</b>  Carglumic Acid INN 200mg	Carglumic Acid is indicated as an adjunctive therapy in pediatric and adult patients for the treatment of acute hyperammonemia due to the deficiency of the hepatic enzyme N-acetylglutamate synthase (NAGS).	New	USFDA	<i>Abtgr` b Kiv thtZ citi  </i>	<i>Abtgr` b Kiv nj  </i>
		2) <b>Ceftaroline fosamil 400mg/Vial Powder for IV Infusion</b>  Ceftaroline fosamil INN 400mg Sterile powder/Vial IV Infusion	Ceftaroline is indicated for the treatment of acute bacterial skin and skin structure Infections and community-acquired bacterial <u>pneumonia</u> .	New	USFDA	<i>cÖqvRb tbB weavq Avte` b bigÄy Kiv thtZ citi  </i>	<i>cÖqvRb tbB weavq Avte` b bigÄy Kiv nj  </i>
		3) <b>Ceftaroline fosamil 600 mg/Vial Powder for IV Infusion</b>  Ceftaroline fosamil INN 600mg Sterile powder/Vial IV Infusion	Ceftaroline is indicated for the treatment of acute bacterial skin and skin structure Infections and community-acquired bacterial <u>pneumonia</u> .	New	USFDA	<i>cÖqvRb tbB weavq Avte` b bigÄy Kiv thtZ citi  </i>	<i>cÖqvRb tbB weavq Avte` b bigÄy Kiv nj  </i>
		4) <b>Dalfampridine 10 mg Extended Release Tablet</b>  Dalfampridine INN 10mg	It is indicated to improve walking in patients with multiple sclerosis.	New	USFDA	<i>Abtgr` b Kiv thtZ citi  </i>	<i>Abtgr` b Kiv nj  </i>

<i>bs</i>	<i>cōZKii#Ki big</i>	<i>Jl#ai big I #RiwiK big</i>	<i>ib# Rbv</i>	Status (New Molecule/Existing)	<i>Ar#e`bKvix cōE USFDA or MHRA Reference</i>	<i>#UKubK'ij me-Kigulji 58 Zg mfvi imxvšf</i>	<i>mfvi imxvšf</i>
IBN SINA Pharmaceutical Industries Ltd.	5)	<b>Denosumab 60 mg/ml Injection</b>  Denosumab INN 60mg/ml	Denosumab is indicated for the treatment of postmenopausal women with osteoporosis at high risk for fracture, defined as a history of osteoporotic fracture, or multiple risk factors for fracture; or patients who have failed or are intolerant to other available osteoporosis therapy. In postmenopausal women with osteoporosis, and it reduces the incidence of vertebral, nonvertebral, and hip fracture	New	USFDA	<i>Abjgr`b Kiv th#Z c#ti  </i>	<i>Abjgr`b Kiv nj  </i>
	6)	<b>Hydroxy Progesterone Caproate 1250 mg/5ml, Vial Injection</b>  Hydroxy progesterone Caproate USP 1250mg/5ml, Vial	Hydroxyprogesterone caproate is a progestin indicated to reduce the risk of preterm birth in women with a singleton pregnancy who have a history of singleton spontaneous preterm birth. The effectiveness of Hydroxyprogesterone caproate is based on improvement in the proportion of women who delivered < 37 weeks of gestation.	New	USFDA	<i>c#q#Rb tbB weavq Ar#e`b bigAj#Kiv th#Z c#ti  </i>	<i>c#q#Rb tbB weavq Ar#e`b bigAj#Kiv nj  </i>
	7)	<b>Imiquimod 5% Cream</b>  Imiquimod INN 5 gm/100 gm	It is indicated for the topical treatment of clinically typical visible or palpable actinic keratoses (AK), of the full face or balding scalp in immunocompetent adults, warts, superficial basal cell carcinoma.	New	USFDA	<i>Abjgr`b Kiv th#Z c#ti  </i>	<i>Abjgr`b Kiv nj  </i>
	8)	<b>Incobotulinumtoxin A 50 Units Lyophilized powder/vial, Injection</b>  Incobotulinumtoxin A INN sterile lyophilized powder 50 units/vial	Incobotulinumtoxin A injection is used to relieve the symptoms of cervical dystonia (spasmodic torticollis; uncontrollable tightening of the neck muscles that may cause neck pain and abnormal head positions) in adults and blepharospasm (uncontrollable tightening of the eyelid muscles that may cause blinking, squinting, and abnormal eyelid movements)	New	USFDA	<i>Abjgr`b Kiv th#Z c#ti    (Asif#i c#e#Drcr`b I g#b-#bqš#Yi m#h#M- m#eaw# #b#ōZ Ki#Z n#e)</i>	<i>Abjgr`b Kiv nj    (Asif#i c#e# Drcr`b I g#b- #bqš#Yi m#h#M- m#eaw# #b#ōZ Ki#Z n#e)</i>

<i>bs</i>	<i>cōZKvi#Ki big</i>	<i>Jl#ai big I #RibiK big</i>	<i>ib# kbv</i>	Status (New Molecule/Existing)	<i>Ar#e`bKvix cōE USFDA or MHRA Reference</i>	<i>#KubK'ij me-Kigulji 58 Zg m#vi im#všf</i>	<i>m#vi im#všf</i>
IBN SINA Pharmaceutical Industries Ltd.		9) <b>Incobotulinumtoxin A 100 Units Lyophilized Powder/Vial, Injection</b>  Incobotulinumtoxin A INN sterile lyophilized powder INN 100 units/vial	IncobotulinumtoxinA injection is used to relieve the symptoms of cervical dystonia (spasmodic torticollis; uncontrollable tightening of the neck muscles that may cause neck pain and abnormal head positions) in adults and blepharospasm (uncontrollable tightening of the eyelid muscles that may cause blinking, squinting, and abnormal eyelid movements)	New	USFDA	<i>Ab#gr`b Kiv th#Z citi    (As#f#i cte®Drcr`b I gib-ibqš#Yi m#h#M- m#eaw# ibwōZ Ki#Z n#e)</i>	<i>Ab#gr`b Kiv nj    (As#f#i cte® Drcr`b I gib- ibqš#Yi m#h#M- m#eaw# ibwōZ Ki#Z n#e)</i>
		10) <b>Lurasidone Hydrochloride 40 mg Tablet</b>  Lurasidone Hydrochloride INN 40mg	Lurasidone is indicated for the treatment of patients with <u>schizophrenia</u> .	New	USFDA	<i>c#q#Rb tbB weariq Ar#e`b big#Aj Kiv th#Z citi  </i>	<i>c#q#Rb tbB weariq Ar#e`b big#Aj Kiv nj  </i>
		11) <b>Lurasidone Hydrochloride 80 mg Tablet</b>  Lurasidone Hydrochloride INN 80mg	Lurasidone is indicated for the treatment of patients with <u>schizophrenia</u> .	New	USFDA	<i>c#q#Rb tbB weariq Ar#e`b big#Aj Kiv th#Z citi  </i>	<i>c#q#Rb tbB weariq Ar#e`b big#Aj Kiv nj  </i>
		12) <b>Pegloticase 8 mg/vial IV Injection</b>  Pegloticase INN 8 mg/vial	It is indicated for the treatment of chronic gout in adult patients refractory to conventional therapy.	New	USFDA	<i>Ab#gr`b Kiv th#Z citi  </i>	<i>Ab#gr`b Kiv nj  </i>
		13) <b>Telaprevir 375 mg Tablet</b>  Telaprevir INN 375mg	Telaprevir in combination with peginterferon alfa and ribavirin is indicated for the treatment of genotype 1 chronic hepatitis C in adult patients with compensated liver disease, including cirrhosis, who are treatment-naive or who have previously been treated with interferon-based treatment, including prior null responders, partial responders, and relapsers.	New	USFDA	<i>Ab#gr`b Kiv th#Z citi  </i>	<i>Ab#gr`b Kiv nj  </i>
		14) <b>Vilazodone Hydrochloride 10 mg Tablet</b>  Vilazodone Hydrochloride INN 10mg	It is indicated for the treatment of major depressive disorder.	New	USFDA	<i>c#q#Rb tbB weariq Ar#e`b big#Aj Kiv th#Z citi  </i>	<i>c#q#Rb tbB weariq Ar#e`b big#Aj Kiv nj  </i>

<i>bs</i>	<i>cōZKvi!Ki big</i>	<i>Jl!ai big l !R!biK big</i>	<i>ib! Rbv</i>	Status (New Molecule/Existing)	<i>Ar!e`bKvix cōĒ USFDA or MHRA Reference</i>	<i>!UK!bK'ij me-Kig!li 58 Zg m!vi imx!š!</i>	<i>m!vi imx!š!</i>
	IBN SINA Pharmaceutical Industries Ltd.	15) <b>Vilazodone Hydrochloride 20 mg Tablet</b>  Vilazodone Hydrochloride INN 20mg	It is indicated for the treatment of major depressive disorder.	New	USFDA	<i>c!q!Rb !bB !earq Ar!e`b big!Áy Kiv th!Z c!ti  </i>	<i>c!q!Rb !bB !earq Ar!e`b big!Áy Kiv nj  </i>
		16) <b>Vilazodone Hydrochloride 40 mg Tablet</b>  Vilazodone Hydrochloride INN 40mg	It is indicated for the treatment of major depressive disorder.	New	USFDA	<i>c!q!Rb !bB !earq Ar!e`b big!Áy Kiv th!Z c!ti  </i>	<i>c!q!Rb !bB !earq Ar!e`b big!Áy Kiv nj  </i>
19.	RAK Pharmaceuticals Ltd.	1) <b>Levodropropizine 600 mg/100 ml Syrup</b>  Levodropropizine INN 600 mg/100 ml	Symptomatic treatment of non-productive cough	New		<i>c!q!Rb !bB !earq Ar!e`b big!Áy Kiv th!Z c!ti  </i>	<i>c!q!Rb !bB !earq Ar!e`b big!Áy Kiv nj  </i>
		2) <b>Posaconazole 4 gm/100 ml Suspension</b>  Posaconazole INN 4 gm/100 ml	Treatment of oropharyngeal candidiasis, prophylaxis of invasive fungal infections	New	USFDA	<i>Ab!g!v`b Kiv th!Z c!ti  </i>	<i>Ab!g!v`b Kiv nj  </i>
		3) <b>Acebrophylline 100 mg Capsule</b>  Acebrophylline INN 100 mg	Acute or chronic bronchitis, chronic obstructive or asthma like bronchitis, recurrence of chronic bronchitis	New		<i>c!q!Rb !bB !earq Ar!e`b big!Áy Kiv th!Z c!ti  </i>	<i>c!q!Rb !bB !earq Ar!e`b big!Áy Kiv nj  </i>
		4) <b>Rabeprazole 20 mg + Domperidone 30 mg Capsule</b>  Rabeprazole Sodium INN 21.20 mg eq. to Rabeprazole 20 mg + Domperidone BP 30 mg	Indicated for the relief of symptoms of dyspepsia, GERD, Nausea associated with acid peptic disorders, post operative nausea and vomiting, chronic gastritis	New		<i>GB K!r!tbkb c!q!Rb !bB !earq Ar!e`b big!Áy Kiv th!Z c!ti  </i>	<i>GB K!r!tbkb c!q!Rb !bB !earq Ar!e`b big!Áy Kiv nj  </i>
		5) <b>Hexetidine 0.1 gm/100 ml Oral Solution (Mouth Wash)</b>  Hexetidine BP 0.1 gm/100ml	Used as a mouthwash against local infections as well as for oral hygiene maintenance	New		<i>Ab!g!v`b Kiv th!Z c!ti  </i>	<i>Ab!g!v`b Kiv nj  </i>
		6) <b>Omeprazole 20 mg + Ketoprofen 100 mg Capsule</b>  Omeprazole BP 20 mg + Ketoprofen BP 100 mg	Treatment of rheumatoid arthritis, ankylosing spondylitis and osteoarthritis in patients.	New		<i>GB K!r!tbkb c!q!Rb !bB !earq Ar!e`b big!Áy Kiv th!Z c!ti  </i>	<i>GB K!r!tbkb c!q!Rb !bB !earq Ar!e`b big!Áy Kiv nj  </i>

<i>bs</i>	<i>cōZKviḥKi big</i>	<i>Jlḥai big I ḥRḥwiK big</i>	<i>ḥbḥ`Rbv</i>	Status (New Molecule/Existing)	<i>Aḥe`bKvix cōĒ USFDA or MHRA Reference</i>	<i>ḥUKḥbK`vj me-Kigḥli 58 Zg mḥvi ḥm×vḥḥ</i>	<i>mḥvi ḥm×vḥḥ</i>
	RAK Pharmaceuticals Ltd.	7) <b>Omeprazole 20 mg + Ketoprofen 200 mg Capsule</b>  Omeprazole BP 20 mg + Ketoprofen BP 200 mg	Treatment of rheumatoid arthritis, ankylosing spondylitis and osteoarthritis in patients.	New		<i>GB Kḥḥḥbkb cōḥqḥRb ḥbB ḥeavq Aḥe`b bḥgĀjy Kiv ḥḥḥZ cḥḥi  </i>	<i>GB Kḥḥḥbkb cōḥqḥRb ḥbB ḥeavq Aḥe`b bḥgĀjy Kiv nj  </i>
		8) <b>Linagliptin 5 mg Tablet</b>  Linagliptin INN 5 mg	Indicated as an adjunct to diet and exercise to improve glycemic control in adults with type 2 diabetes mellitus	New	USFDA	<i>Abḥgr`b Kiv ḥḥḥZ cḥḥi  </i>	<i>Abḥgr`b Kiv nj  </i>
		9) <b>Ulipristal Acetate 30 mg Tablet</b>  Ulipristal Acetate INN 30 mg	Emergency contraception within 120 hours (5 days) of unprotected sexual intercourse or contraceptive failure	New	USFDA	<i>Abḥgr`b Kiv ḥḥḥZ cḥḥi  </i>	<i>Abḥgr`b Kiv nj  </i>
20.	UniMed & UniHealth Manufacturers Ltd.	1) <b>Prazosin 5mg Extended-Release Tablet</b>  Prazosin HCl BP 5.476mg Eq. to 5mg Prazosin	For the treatment of all grades of essential hypertension and of all grades of secondary hypertension of varied aetiology	1 mg & 2 mg Tab.	US FDA as Prazosin HCl 5 mg	<i>Abḥgr`b Kiv ḥḥḥZ cḥḥi  </i>	<i>Abḥgr`b Kiv nj  </i>
		2) <b>Prazosin 2.5mg Extended-Release Tablet</b>  Prazosin HCl BP 2.738mg Eq. to 2.5mg Prazosin	For the treatment of all grades of essential hypertension and of all grades of secondary hypertension of varied aetiology	1 mg & 2 mg Tab.	US FDA as Prazosin HCl 2.5 mg	<i>Abḥgr`b Kiv ḥḥḥZ cḥḥi  </i>	<i>Abḥgr`b Kiv nj  </i>
		3) <b>Bromocriptine 1mg Tablet</b>  Bromocriptine Mesilate BP 1.147 mg eqv.to 1mg Bromocriptine	For the treatment menstrual cycle disorders, Female infertility associated with hyper prolactinaemia or luteal phase deficiency.	2.5 mg Tab.		<i>Abḥgr`b Kiv ḥḥḥZ cḥḥi  </i>	<i>Abḥgr`b Kiv nj  </i>
		4) <b>Betahistine Dihydrochloride 16mg Tablet</b>  Betahistine Dihydrochloride BP 16mg	For the treatment of vertigo, tinnitus and hearing loss associated with meniere's syndrome.	8 mg Tab.	MHRA	<i>Abḥgr`b Kiv ḥḥḥZ cḥḥi  </i>	<i>Abḥgr`b Kiv nj  </i>

<i>bs</i>	<i>cōZKvi!Ki big</i>	<i>Jl!ai big I !R!biK big</i>	<i>ib! Rbv</i>	Status (New Molecule/Existing)	<i>A!e`bKviX cōĒ USFDA or MHRA Reference</i>	<i>!UK!bK'vj me-K!g!l!i 58 Zg m!vi !m!v!š!</i>	<i>m!vi !m!v!š!</i>
UniMed & UniHealth Manufacturers Ltd.	5)	<b>Sulfasalazine 500mg Suppository</b> Sulfasalazine BP 0.500gm	For the treatment of ulcerative colitis or crohn's disease affecting the rectum.	500 mg Tab.		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	6)	<b>Mesalazine 1gm Suppository</b> Mesalazine BP 1.00gm	For the treatment of acute mild to moderate ulcerative colitis that is limited to the rectum (ulcerative proctitis)	250 mg & 500 mg ER Tablet	MHRA	<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	7)	<b>Mesalazine Granules 500mg/Sachet</b> Mesalazine BP 0.500gm/Sachet	For the treatment of acute episodes and the maintenance of remission of ulcerative colitis.	250 mg & 500 mg ER Tab.		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	8)	<b>Benzoyl Peroxide Wash 5% w/w Gel</b> Hydrous Benzoyl Peroxide BP 6.500gm eqv.to 5.00gm Benzoyl Peroxide/100 gm	For the topical treatment of mild to moderate acne vulgaris.	4 gm/100 gm & 8 gm/100 gm Lotion		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	9)	<b>Ofloxacin 0.300gm + Clotimazole 1.00gm + Beclomethasone Dipropionate 0.025 gm/100 ml Ear Drops</b> Ofloxacin USP 0.300gm + Clotimazole BP 1.00gm + Beclomethasone Dipropionate BP 0.025gm /100ml	For the treatment of superficial bacterial and fungal infections of the external auditory canal and middle ear.	New		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	10)	<b>Selegiline Hydrochloride 10mg Tablet</b> Selegiline Hydrochloride BP 10mg	For the treatment of Parkinson's disease or symptomatic Parkinsonism.	5 mg Tablet		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	11)	<b>Infliximab 100 mg/10 ml Vial Injection</b> Infliximab INN 100 mg/10 ml Vial	Indicated for the treatment of Rheumatoid arthritis, adult crohn's disease, paediatric crohn's disease, Ulcerative colitis, ankylosing spondylitis, psoriatic arthritis, psoriasis	New	USFDA	<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	12)	<b>Bortezomib 3.5 mg/vial IV Injection</b> Bortezomib (as mannitol boronic ester) Sterile lyophilized powder INN 3.5 mg/vial	It is indicated for the treatment of patients with previously treated multiple myeloma who are not eligible for high dose chemotherapy with bone marrow transplant.	New		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>

<i>bs</i>	<i>cōZKvi:Ki big</i>	<i>Jl'ai big I tRibiK big</i>	<i>ibt`Rbv</i>	Status (New Molecule/Existing)	<i>Ate`bKvix cōE USFDA or MHRA Reference</i>	<i>ʃUKubK'vj me-Kigvli 58 Zg mfi imxvšl</i>	<i>mfi imxvšl</i>
21.	Beacon Pharmaceuticals Ltd.	1) <b>Sorafenib 200 mg Tablet</b>  Sorafenib tosylate 274 mg eq.to Sorafenib INN 200 mg	Indicated for the treatment of patients with: Unresectable hepatocellular carcinoma & Advanced renal cell carcinoma.	New		<i>Abjgr`b Kiv thtZ cıti  </i>	<i>Abjgr`b Kiv nj  </i>
		2) <b>Lapatinib 250 mg Tablet</b>  Lapatinib INN 250 mg	Indicated in combination with: capecitabine, for the treatment of patients with advanced / metastatic breast cancer.	New		<i>Abjgr`b Kiv thtZ cıti  </i>	<i>Abjgr`b Kiv nj  </i>
		3) <b>Palonosetron 0.5 mg Capsule</b>  Palonosetron INN 0.5 mg	Indicated for the prevention of acute nausea and vomiting associated with initial and repeat courses of moderately emetogenic chemotherapy.	0.25 gm/Vial Inj.		<i>Abjgr`b Kiv thtZ cıti  </i>	<i>Abjgr`b Kiv nj  </i>
		4) <b>Nanoparticle albumin-bound paclitaxel 100 mg powder for injection/vial (10 ml)</b>  Nanoparticle albumin-bound Paclitaxel USP 100 mg /Vial	As first-line and subsequent therapy for the treatment of advanced carcinoma of the ovary. Adjuvant treatment of node-positive breast cancer.	New		<i>Abjgr`b Kiv thtZ cıti  </i>	<i>Abjgr`b Kiv nj  </i>
		5) <b>Pegfilgrastim 6 mg/0.6 ml Prefilled syringe</b>  Pegfilgrastim INN 6 mg/0.6 ml Prefilled Syringe	Indicated to decrease the incidence of infection, as manifested by febrile neutropenia, in patients with non-myeloid malignancies receiving myelosuppressive anti-cancer drugs associated with a clinically significant incidence of febrile neutropenia.	New		<i>Abjgr`b Kiv thtZ cıti  </i>	<i>Abjgr`b Kiv nj  </i>
		6) <b>Acyclovir 500 mg/20 ml vial Injection</b>  Acyclovir Sodium USP 549.00 mg eq. to Acyclovir 500 mg/20 ml vial	The treatment of initial and recurrent mucosal and cutaneous herpes simplex (HSV-1 and HSV-2) in immunocompromised patients.	250 mg/vial Inj	USFDA	<i>Abjgr`b Kiv thtZ cıti  </i>	<i>Abjgr`b Kiv nj  </i>
		7) <b>Etanercept 25 mg/0.5ml Pre filled Syringe Injection</b>  Etanercept INN 25 mg/0.5ml Pre filled Syringe	Is a tumor necrosis factor (TNF) blocker indicated for the treatment of: Rheumatoid Arthritis (RA), Polyarticular Juvenile Idiopathic Arthritis (JIA), Psoriatic Arthritis (PsA), Ankylosing Spondylitis (AS), Plaque Psoriasis (PsO)	New	USFDA (as 25 mg/vial)	<i>Abjgr`b Kiv thtZ cıti  </i>	<i>Abjgr`b Kiv nj  </i>

<i>bs</i>	<i>cōZKvi!Ki big</i>	<i>Jl!ai big l !R!biK big</i>	<i>ib! Rbv</i>	Status (New Molecule/Existing)	<i>Ar!e`bKvix cōĒ USFDA or MHRA Reference</i>	<i>!KubK'vj me-Kigvli 58 Zg m!vi imxvš!</i>	<i>m!vi imxvš!</i>
Beacon Pharmaceuticals Ltd.	8)	<b>Etanercept 50 mg/ml Pre filled Syringe Injection</b>  Etanercept INN 50 mg/ml Pre filled Syringe	Is a tumor necrosis factor (TNF) blocker indicated for the treatment of: Rheumatoid Arthritis (RA), Polyarticular Juvenile Idiopathic Arthritis (JIA), Psoriatic Arthritis (PsA), Ankylosing Spondylitis (AS), Plaque Psoriasis (PsO)	New	USFDA	<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	9)	<b>Ticagrelor 90 mg Tablet</b>  Ticagrelor INN 90 mg	Is Used to reduce the rate of thrombotic cardiovascular events in patients with acute coronary syndrome (ACS)	New	USFDA	<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	10)	<b>Aprepitant 40 mg Capsule</b>  Aprepitant INN 40 mg	It is indicated for the prevention of nausea and vomiting. It is indicated for the prevention of postoperative nausea and vomiting	New	USFDA	<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	11)	<b>Aprepitant 80 mg Capsule</b>  Aprepitant INN 80 mg	Prevention of nausea and vomiting, Prevention of acute and delayed nausea and vomiting associated with initial and repeat courses of highly emetogenic cancer chemotherapy (HEC) including high-doses cisplatin.	New	USFDA	<i>c!q!Rb !bB weavq Ar!e`b big!j Kiv th!Z c!ti  </i>	<i>c!q!Rb !bB weavq Ar!e`b big!j Kiv nj  </i>
	12)	<b>Aprepitant 125 mg Capsule</b>  Aprepitant INN 125 mg	Prevention of acute and delayed nausea and vomiting associated with initial and repeat courses of highly emetogenic cancer chemotherapy (HEC) including high-doses cisplatin.	New	USFDA	<i>c!q!Rb !bB weavq Ar!e`b big!j Kiv th!Z c!ti  </i>	<i>c!q!Rb !bB weavq Ar!e`b big!j Kiv nj  </i>
	13)	<b>Ibuprofen 800 mg + Famotidine 26.6 mg Tablet</b>  Ibuprofen USP 800 mg + Famotidine USP 26.6 mg	It is indicated for the relief of signs and symptoms of rheumatoid arthritis and osteoarthritis and to decrease the risk of developing upper gastrointestinal ulcers,	New	USFDA	<i>c!q!Rb !bB weavq Ar!e`b big!j Kiv th!Z c!ti  </i>	<i>c!q!Rb !bB weavq Ar!e`b big!j Kiv nj  </i>
	14)	<b>Abirateron Acetate 250 mg tablet</b>  Abirateron Acetate USP 250 mg	Abiraterone Acetate in combination with prednisone is indicated for the treatment of patients with metastatic castration-resistant prostate cancer (CRPC) who have received prior chemotherapy containing docetaxel	New	USFDA	<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	15)	<b>Goserelin Acetate 3.6 mg/ml Pre-filled Syringe Injection</b>  Goserelin Acetate INN 3.6 mg/ml Pre-filled Syringe	Goserelin is indicated for use in combination with flutamide for the management of locally confined Stage T2b-T4 (Stage B2-C) carcinoma of the prostate	New		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>

<i>bs</i>	<i>cŃZKviŃKi big</i>	<i>JlŃai big l ŃRŃwiK big</i>	<i>ŃbŃ`Rbv</i>	Status (New Molecule/Existing)	<i>ArŃe`bKvix cŃE USFDA or MHRA Reference</i>	<i>ŃKŃbK`vj me-KŃglŃi 58 Zg mŃvi Ńm`vŃŃ</i>	<i>mŃvi Ńm`vŃŃ</i>
Beacon Pharmaceuticals Ltd.	16) <b>Itopride Hydrochloride 50 mg Tablet</b> Itopride Hydrochloride INN 50 mg	Treatment of GI symptoms of functional, non ulcer dyspepsia (chronic gastritis) ie, feeling of abdominal bloatedness, upper abdominal pain, heartburn, nausea and vomiting.	New		<i>cŃŃqŃRb ŃbB Ńeavq ArŃe`b bigÄjy Kiv thŃZ cvŃi  </i>	<i>cŃŃqŃRb ŃbB Ńeavq ArŃe`b bigÄjy Kiv nj  </i>	
	17) <b>Lafutidine 10 mg tablet</b> Lafutidine INN 10 mg	Gastric and duodenal ulcers,Stomal ulcers,Gastric mucosal lesions Pre-anaesthetic medication	New		<i>cŃŃqŃRb ŃbB Ńeavq ArŃe`b bigÄjy Kiv thŃZ cvŃi  </i>	<i>cŃŃqŃRb ŃbB Ńeavq ArŃe`b bigÄjy Kiv nj  </i>	
	18) <b>Fingolimod 0.5 mg Capsule</b> Fingolimod INN 0.5 mg	Fingolimod is used for reducing the frequency of relapses and for delaying the occurrence of physical disability in patients with relapsing forms of multiple sclerosis.	New		<i>AbŃjgr`b Kiv thŃZ cvŃi  </i>	<i>AbŃjgr`b Kiv nj  </i>	
	19) <b>Telaprevir 375 mg Tablet</b> Telaprevir INN 375 mg	Telaprevir, in combination with peg interferon alfa and ribavirin, is indicated for the treatment of genotype 1 chronic hepatitis C in adult patients with compensated liver disease, including cirrhosis.	New	USFDA	<i>AbŃjgr`b Kiv thŃZ cvŃi  </i>	<i>AbŃjgr`b Kiv nj  </i>	
	20) <b>Dantrolene Sodium 25 mg Capsule</b> Dantrolene Sodium USP 25 mg	Dantrolene sodium is indicated in controlling the manifestations of clinical spasticity resulting from serious chronic disorders such as spinal cord injury, stroke, cerebral palsy, or multiple sclerosis.	New	USFDA	<i>AbŃjgr`b Kiv thŃZ cvŃi  </i>	<i>AbŃjgr`b Kiv nj  </i>	
	21) <b>Temsirolimus 25 mg/ml Injection Vial</b> Temsirolimus USP 25 mg/ml	Temsirolimus is a kinase inhibitor indicated for the treatment of advanced renal cell carcinoma	New		<i>AbŃjgr`b Kiv thŃZ cvŃi  </i>	<i>AbŃjgr`b Kiv nj  </i>	
	22) <b>Otilonium Bromide 40 mg Tablet</b> Otilonium Bromide INN 40 mg	Otilonium bromide is used as an antispasmodic for treating spastic painful conditions of the distal section of the intestinal tract, including IBS.	New		<i>cŃŃqŃRb ŃbB Ńeavq ArŃe`b bigÄjy Kiv thŃZ cvŃi  </i>	<i>cŃŃqŃRb ŃbB Ńeavq ArŃe`b bigÄjy Kiv nj  </i>	
	23) <b>Sulbutiamine 200 mg Tablet</b> Sulbutiamine USP 200 mg	Symptomatic treatment of all forms of functional <u>asthenia</u> , eg: Physical and intellectual overwork; memory disorders, difficulty in concentration; fatigue not overcome by rest.	New		<i>cŃŃqŃRb ŃbB Ńeavq ArŃe`b bigÄjy Kiv thŃZ cvŃi  </i>	<i>cŃŃqŃRb ŃbB Ńeavq ArŃe`b bigÄjy Kiv nj  </i>	

<i>bs</i>	<i>cōZKvi!Ki big</i>	<i>Jl!ai big l !R!bwiK big</i>	<i>ib! Rbv</i>	Status (New Molecule/Existing)	<i>Ar!e`bKvix cōĒ USFDA or MHRA Reference</i>	<i>!UK!bK!vj me-K!g!l!i 58 Zg m!vi !m!v!š!</i>	<i>m!vi !m!v!š!</i>
Beacon Pharmaceuticals Ltd.	24)	<b>Eribulin Mesylate 440 mcg/ml Injection Vial</b>  Eribulin Mesylate INN 440mcg /ml Vial	Eribulin is a microtubule inhibitor indicated for the treatment of patients with metastatic breast cancer who have previously received at least two chemotherapeutic regimens for the treatment of metastatic disease	New		<i>Ab!jgr`b Kiv th!Z c!ti  </i>	<i>Ab!jgr`b Kiv nj  </i>
	25)	<b>Colistimethate Sodium 1 million IU/vial Injection</b>  Colistimethate Sodium USP 1 million IU/vial	Colistimethate injection is indicated for the treatment of acute or chronic infections due to sensitive strains of certain gram-negative bacilli	New		<i>c!q!Rb !bB !eavq Ar!e`b big!j!y Kiv th!Z c!ti  </i>	<i>c!q!Rb !bB !eavq Ar!e`b big!j!y Kiv nj  </i>
	26)	<b>Caroverine 20 mg Capsule</b>  Caroverine INN 20 mg	Caroverine has been shown to be effective in the treatment of the Convulsions of all hollow organs such as stomach cramps of the biliary tract (biliary colic), the urinary tract (renal colic) and in the female reproductive organs (eg painful periods)	New		<i>c!q!Rb !bB !eavq Ar!e`b big!j!y Kiv th!Z c!ti  </i>	<i>c!q!Rb !bB !eavq Ar!e`b big!j!y Kiv nj  </i>
	27)	<b>Triptorelin 3mg powder for injection/vial</b>  Triptorelin INN (as acetate) 3 mg/Vial	Treatment of patients with locally advanced, non-metastatic prostate cancer, as an alternative to surgical castration	New		<i>Ab!jgr`b Kiv th!Z c!ti  </i>	<i>Ab!jgr`b Kiv nj  </i>
	28)	<b>Erdosteine 300 mg Capsule</b>  Erdosteine INN 300 mg	For the treatment of acute bronchitis, chronic bronchitis and its exacerbations. Respiratory disorders characterized by abnormal bronchial secretions and impaired mucus transport	New		<i>c!q!Rb !bB !eavq Ar!e`b big!j!y Kiv th!Z c!ti  </i>	<i>c!q!Rb !bB !eavq Ar!e`b big!j!y Kiv nj  </i>
	29)	<b>Cabazitaxel 40 mg/ml Injection Vial</b>  Cabazitaxel INN 40 mg /ml Vial	In combination with oral Prednisone for treatment of Patients with hormone-refractory metastatic Prostate Cancer Previously treated with a docetaxel-containing treatment regimen	New		<i>Ab!jgr`b Kiv th!Z c!ti  </i>	<i>Ab!jgr`b Kiv nj  </i>
	30)	<b>Trihexiphenidyl Hydrochloride 2 mg Tablet</b>  Trihexiphenidyl Hydrochloride USP 2 mg	Trihexyphenidyl is indicated as an adjunct in the treatment of all forms of parkinsonism (postencephalitic, arteriosclerotic, and idiopathic).	100 mg/100 ml Solution		<i>Ab!jgr`b Kiv th!Z c!ti  </i>	<i>Ab!jgr`b Kiv nj  </i>
	31)	<b>Caroverine Hydrochloride 20 mg/ml Ampoule Injection</b>  Caroverine Hydrochloride INN 25.00mg eq. to Caroverine 20 mg/ml Ampoule	Caroverine has been shown to be effective in the treatment of the Convulsions of all hollow organs such as stomach cramps of the biliary tract (biliary colic)	New		<i>c!q!Rb !bB !eavq Ar!e`b big!j!y Kiv th!Z c!ti  </i>	<i>c!q!Rb !bB !eavq Ar!e`b big!j!y Kiv nj  </i>

<i>bs</i>	<i>cŃZKviŃKi big</i>	<i>JlŃai big l ŃRŃwiK big</i>	<i>ŃbŃŃ Rbv</i>	Status (New Molecule/Existing)	<i>ArŃe`bKviŃ cŃĔ USFDA or MHRA Reference</i>	<i>ŃUKŃbK`vj me-KŃgŃlŃi 58 Zg mŃvi ŃmŃvŃŃl</i>	<i>mŃvi ŃmŃvŃŃl</i>
22.	ACI Ltd.	1) <b>Acebrophylline 100 mg capsule</b> Acebrophylline INN 100 mg	It is indicated for treatment of chronic obstructive pulmonary disease, bronchial asthma, bronchitis & sinusitis.	New		<i>cŃŃqŃRb ŃbB Ńeavq ArŃe`b bŃgŃŃj Kiv thŃZ cŃŃi  </i>	<i>cŃŃqŃRb ŃbB Ńeavq ArŃe`b bŃgŃŃj Kiv nj  </i>
		2) <b>Acebrophylline 100mg Sachet for Syrup</b> Acebrophylline INN 100mg/Sachet	It is indicated for treatment of chronic obstructive pulmonary disease, bronchial asthma, bronchitis & sinusitis.	New		<i>cŃŃqŃRb ŃbB Ńeavq ArŃe`b bŃgŃŃj Kiv thŃZ cŃŃi  </i>	<i>cŃŃqŃRb ŃbB Ńeavq ArŃe`b bŃgŃŃj Kiv nj  </i>
		3) <b>Acebrophylline 1gm/100ml Syrup</b> Acebrophylline INN 1gm/100ml	It is indicated for treatment of chronic obstructive pulmonary disease, bronchial asthma, bronchitis & sinusitis.	New		<i>cŃŃqŃRb ŃbB Ńeavq ArŃe`b bŃgŃŃj Kiv thŃZ cŃŃi  </i>	<i>cŃŃqŃRb ŃbB Ńeavq ArŃe`b bŃgŃŃj Kiv nj  </i>
		4) <b>Beclomethasone Dipropionate 50mcg/spray Nasal Spray</b> Beclomethasone Dipropionate BP 50 mcg/spray	It is indicated for prophylaxis & treatment of seasonal and perennial allergic & non-allergic rhinitis.	1 mcg/Spray		<i>AbŃgŃr`b Kiv thŃZ cŃŃi  </i>	<i>AbŃgŃr`b Kiv nj  </i>
		5) <b>Butamirate Citrate Oral drops (5mg/ml)</b> Butamirate Citrate INN 0.5gm/100ml	It is indicated for treatment of Dry cough of any origin, Cough suppression during pre & post surgical interventions, cough associated with pertussis.	50 mg Tab.		<i>AbŃgŃr`b Kiv thŃZ cŃŃi  </i>	<i>AbŃgŃr`b Kiv nj  </i>
		6) <b>Butamirate Citrate 7.5mg/5ml Syrup</b> Butamirate Citrate INN 0.15gm/100ml	It is indicated for treatment of Dry cough of any origin, Cough suppression during pre & post surgical interventions, cough associated with pertussis.	50 mg Tab.		<i>AbŃgŃr`b Kiv thŃZ cŃŃi  </i>	<i>AbŃgŃr`b Kiv nj  </i>
		7) <b>Calcitriol 0.25 mcg + Calcium Carbonate 500 mg + Zinc Sulphate 7.5 mg tablet</b> Calcitriol BP 0.25 mcg + Calcium Carbonate BP 500 mg + Zinc Sulphate Monohydrate USP 8.34mg eqv. to 7.5 mg Zinc Sulphate	It is indicated for post-menopausal Osteoporosis, Senile Osteoporosis, Corticosteroid induced Osteoporosis.	New		<i>GB KŃr`Ńbkb cŃŃqŃRb ŃbB Ńeavq ArŃe`b bŃgŃŃj Kiv thŃZ cŃŃi  </i>	<i>GB KŃr`Ńbkb cŃŃqŃRb ŃbB Ńeavq ArŃe`b bŃgŃŃj Kiv nj  </i>
		8) <b>Cefpodoxime 100mg + Clavulanic Acid 62.5 mg tablet</b> Cefpodoxime Proxetil USP 130.45mg eqv. to 100mg Cefpodoxime + Potassium Clavulanate 74.45mg eqv. to Clavulanic Acid 62.5 mg	It is indicated for treatment of Acute bacterial exacerbations of chronic bronchitis, Acute community acquired pneumonia, Upper & lower RTI, SSTI, UTI.	New		<i>AbŃgŃr`b Kiv thŃZ cŃŃi  </i>	<i>AbŃgŃr`b Kiv nj  </i>

<i>bs</i>	<i>cŃZKviŃKi big</i>	<i>JlŃai big I ŃRŃwiK big</i>	<i>ŃbŃ`Rbv</i>	Status (New Molecule/Existing)	<i>ArŃe`bKvix cŃĚ USFDA or MHRA Reference</i>	<i>ŃUKŃbK`vj mve-KŃgŃŃi 58 Zg mŃvi Ńm`vŃŃŃ</i>	<i>mŃvi Ńm`vŃŃŃ</i>
ACI Ltd.	9)	<b>Cefpodoxime 200mg + Clavulanic Acid 125 mg tablet</b>  Cefpodoxime Proxetil USP 260.9mg eqv.to 200mg Cefpodoxime + Potassium Clavulanate INN 148.9mg eqv.to 125mg Clavulanic Acid	It is indicated for treatment of Acute bacterial exacerbations of chronic bronchitis, Acute community acquired pneumonia, Upper & lower RTI, SSTI, UTI.	New		<i>AbŃgr`b Kiv thŃZ cŃŃi  </i>	<i>AbŃgr`b Kiv nj  </i>
	10)	<b>Fluconazole 100mg/50ml vial IV Infusion</b>  Fluconazole (Pyrogen free) USP 100mg/50ml vial	It is indicated for treatment of Vaginal Candidiasis, Candida Banalities.	200 ml/100 ml, 400 mg/200 ml IV Infusion	USFDA	<i>AbŃgr`b Kiv thŃZ cŃŃi  </i>	<i>AbŃgr`b Kiv nj  </i>
	11)	<b>Fluconazole 50mg/25ml vial IV Infusion</b>  Fluconazole (Pyrogen free) USP 50mg/25ml vial	It is indicated for treatment of Vaginal Candidiasis, Candida Banalities.	200 ml/100 ml, 400 mg/200 ml IV Infusion	USFDA	<i>AbŃgr`b Kiv thŃZ cŃŃi  </i>	<i>AbŃgr`b Kiv nj  </i>
	12)	<b>Lymecycline 408 mg capsule</b>  Lymecycline BP 408 mg	It is indicated for treatment of acne vulgaris, brucella & pasteurilla infections, GUT & ophthalmological infections due to Chlamydia, gonococcal infections, etc.	New		<i>AbŃgr`b Kiv thŃZ cŃŃi  </i>	<i>AbŃgr`b Kiv nj  </i>
	13)	<b>Posaconazole 40 mg/ml Suspension</b>  Posaconazole INN 4gm/100ml	It is indicated for Prophylaxis of invasive Aspergillus and Candida infections in patients, 13 years of age and older, who are at high risk of developing these infections due to being severely immunocompromised, such as HSCT recipients with GVHD or those with hematologic malignancies with prolonged neutropenia from chemotherapy.	New	USFDA	<i>AbŃgr`b Kiv thŃZ cŃŃi  </i>	<i>AbŃgr`b Kiv nj  </i>
	14)	<b>Ranitidine 75mg Effervescent Tablet</b>  Ranitidine Hydrochloride USP 83.69mg eqv. to Ranitidine 75mg	It is indicated for Duodenal ulcer and benign gastric ulcer. Prevention of NSAID associated duodenal ulcers, especially in patients with a history of peptic ulcer disease. Post-operative ulcer. Symptom relief in GERD. Prophylaxis of stress ulceration in seriously ill patients. Prophylaxis of recurrent hemorrhage from peptic ulcer.	150 mg & 300 mg Tab.		<i>cŃŃqŃRb ŃbB Ńeavq ArŃe`b bŃgĀj Kiv thŃZ cŃŃi  </i>	<i>cŃŃqŃRb ŃbB Ńeavq ArŃe`b bŃgĀj Kiv nj  </i>

<i>bs</i>	<i>cŌZKviŃKi big</i>	<i>JlŃai big l ŃRŃwiK big</i>	<i>ŃbŃ Rbv</i>	Status (New Molecule/Existing)	<i>ArŃe`bKviŃ cŌE USFDA or MHRA Reference</i>	<i>ŃUKŃbK`vj me-KŃgŃlŃi 58 Zg mŃvi ŃmŃvŃŃl</i>	<i>mŃvi ŃmŃvŃŃl</i>
ACI Ltd.	15) <b>Sodium Fluoride 0.0221% Antiseptic Mouthwash</b>  Sodium Fluoride BP 0.0221/100ml	Antiseptic mouth wash for children & used to reduce tooth decay .	New		<i>AbŃgŃ`b Kiv thŃZ cŃti  </i>	<i>AbŃgŃ`b Kiv nj  </i>	
	16) <b>Tolnaftate 1% Cream</b>  Tolnaftate USP 1gm/100gm Cream	Tolnaftate is indicated to treat skin infections such as athlete's foot (Tinea pedis), jock itch (Tinea cruris), and ringworm (Tinea corporis). It is also effective for the relief of itchy, scaly skin between toes	New		<i>AbŃgŃ`b Kiv thŃZ cŃti  </i>	<i>AbŃgŃ`b Kiv nj  </i>	
	17) <b>Amlodipine 5mg + Olmesertan 20mg + Hydrochlorothiazide 12.5mg Tablet</b>  Amlodipine BP 6.935mg eqv. to Amlodipine 5mg + Olmesertan INN 20mg + Hydrochlorothiazide BP 12.5mg	This combination (Amlodipine, Olmesartan, and hydrochlorothiazide) is indicated for the treatment of hypertension.	New	USFDA	<i>GB KŃŃbkb cŃqŃRb ŃbB Ńeavq ArŃe`b bŃgŃj Kiv thŃZ cŃti  </i>	<i>GB KŃŃbkb cŃqŃRb ŃbB Ńeavq ArŃe`b bŃgŃj Kiv nj  </i>	
	18) <b>Amlodipine 5mg + Olmesertan 40mg + Hydrochlorothiazide 12.5mg Tablet</b>  Amlodipine BP 6.935mg eqv. to Amlodipine 5mg + Olmesertan INN 40mg + Hydrochlorothiazide BP 12.5mg	This combination (Amlodipine, Olmesartan, and hydrochlorothiazide) is indicated for the treatment of hypertension.	New	USFDA	<i>GB KŃŃbkb cŃqŃRb ŃbB Ńeavq ArŃe`b bŃgŃj Kiv thŃZ cŃti  </i>	<i>GB KŃŃbkb cŃqŃRb ŃbB Ńeavq ArŃe`b bŃgŃj Kiv nj  </i>	
	19) <b>Flucloxacillin 1gm Powder for Solution for Injection</b>  Flucloxacillin Sodium BP 1.09gm eqv. to Flucloxacillin 1gm/vial Injection	Flucloxacillin is indicated for the treatment of infections due to penicillinase producing staphylococci and other gram positive organisms susceptible to this anti-infective eg. osteomyelitis and endocarditis.	250 mg/vial & 500 mg/Vial Inj		<i>cŃqŃRb ŃbB Ńeavq ArŃe`b bŃgŃj Kiv thŃZ cŃti  </i>	<i>cŃqŃRb ŃbB Ńeavq ArŃe`b bŃgŃj Kiv nj  </i>	
	20) <b>Naproxen Sodium 500mg + Sumatriptan 85mg Film Coated Tab</b>  Naproxen Sodium USP 500mg + Sumatriptan Succinate BP 119mg eqv. to Sumatriptan 85mg	This combination drug is indicated for the acute treatment of migraine attacks with or without aura in adults.	New	USFDA	<i>GB KŃŃbkb cŃqŃRb ŃbB Ńeavq ArŃe`b bŃgŃj Kiv thŃZ cŃti  </i>	<i>GB KŃŃbkb cŃqŃRb ŃbB Ńeavq ArŃe`b bŃgŃj Kiv nj  </i>	

<i>bs</i>	<i>cōZKvi#Ki big</i>	<i>Jl'ai big I tRiwiK big</i>	<i>ib# Rbv</i>	Status (New Molecule/Existing)	<i>A#e`bKvix cōE USFDA or MHRA Reference</i>	<i>#UKubK'vj me-Kigulji 58 Zg m#vi imxvšl</i>	<i>m#vi imxvšl</i>
	ACI Ltd.	21) <b>Cefuroxime 500mg + Clavulanic Acid 125mg Tablet</b>  Cefuroxime Axetil USP 601.43mg eqv. to Cefuroxime 500mg + Potassium Clavulanate BP 148.9mg eqv. to Clavulanic Acid 125mg	Pharyngitis/Tonsillitis, Acute Bacterial Otitis Media, Maxillary Sinusitis, Acute Bacterial Exacerbations of Chronic Bronchitis and Secondary Bacterial Infections of Acute Bronchitis,	New		<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>
		22) <b>Cefuroxime 250 mg + Clavulanic Acid 62.5mg Tablet</b>  Cefuroxime Axetil 300.71mg eqv. to Cefuroxime 250mg + Potassium Clavulanate BP 74.45mg eqv. to Clavulanic Acid 62.5mg	Pharyngitis/Tonsillitis, Acute Bacterial Otitis Media, Maxillary Sinusitis, Acute Bacterial Exacerbations of Chronic Bronchitis and Secondary Bacterial Infections of Acute Bronchitis,	New		<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>
		23) <b>Cefuroxime 125mg + Clavulanic Acid 31.25mg Tablet</b>  Cefuroxime Axetil 150.36mg eqv. to Cefuroxime 125mg + Potassium Clavulanate BP 37.23mg eqv. to Clavulanic Acid 31.25mg	Pharyngitis/Tonsillitis, Acute Bacterial Otitis Media, Maxillary Sinusitis, Acute Bacterial Exacerbations of Chronic Bronchitis and Secondary Bacterial Infections of Acute Bronchitis,	New		<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>
		24) <b>Cefuroxime 125mg + Clavulanic Acid 31.25mg/5ml Powder for Suspension</b>  Cefuroxime Axetil 3.0072gm eqv. to Cefuroxime 2.5gm + Potassium Clavulanate BP 0.745gm eqv. to Clavulanic Acid 0.625gm/100ml	Pharyngitis/Tonsillitis, Acute Bacterial Otitis Media, Maxillary Sinusitis, Acute Bacterial Exacerbations of Chronic Bronchitis and Secondary Bacterial Infections of Acute Bronchitis,	New		<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>
		25) <b>Sertaconazole Nitrate 2% Cream</b>  Sertaconazole Nitrate BP 2gm/100gm	For the topical treatment of interdigital tinea pedis in immunocompetent patients 12 years of age and older and, caused by: <i>Epidermophyton floccosum</i> , <i>Trichophyton rubrum</i> , <i>Trichophyton mentagrophytes</i> .	New		<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>

<i>bs</i>	<i>cōZKvi!Ki big</i>	<i>Jl!ai big I !R!biK big</i>	<i>ib! Rbv</i>	Status (New Molecule/Existing)	<i>A!te`bKvix cōĒ USFDA or MHRA Reference</i>	<i>!UK!bK!vj me-K!g!li 58 Zg m!vi !m!v!š!</i>	<i>m!vi !m!v!š!</i>
ACI Ltd.	26)	<b>Ticagrelor 90mg Tablet</b>  Ticagrelor 90mg	Ticagrelor is a platelet inhibitor indicated to reduce the rate of thrombotic cardiovascular events in patients with acute coronary syndrome (ACS), unstable angina, non-ST elevation, myocardial infarction, or ST elevation myocardial infarction.	New		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	27)	<b>Clevidipine 0.5mg/ml IV Infusion</b>  Clevidipine Butyrate (Pyrogen free) INN 0.05gm/100ml	Clevidipine is indicated for the reduction of blood pressure when oral therapy is not feasible or not desirable.	New	USFDA	<i>c!q!Rb !bB we!vq A!te`b big!j Kiv th!Z c!ti  </i>	<i>c!q!Rb !bB we!vq A!te`b big!j Kiv nj  </i>
	28)	<b>Dipyridamole 25mg Tablet</b>  Dipyridamole USP 25mg	Dipyridamole tablets are indicated as an adjunct to other anticoagulants in the prevention of postoperative thromboembolic complications of cardiac valve replacement.	100 mg Tab.	USFDA	<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	29)	<b>Dipyridamole 50mg Tablet</b>  Dipyridamole USP 50mg	Dipyridamole tablets are indicated as an adjunct to other anticoagulants in the prevention of postoperative thromboembolic complications of cardiac valve replacement.	100 mg Tab.	USFDA	<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	30)	<b>Dipyridamole 75mg Tablet</b>  Dipyridamole USP 75mg	Dipyridamole tablets are indicated as an adjunct to other anticoagulants in the prevention of postoperative thromboembolic complications of cardiac valve replacement.	100 mg Tab.	USFDA	<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	31)	<b>Fidaxomicin 200mg F/C Tablet</b>  Fidaxomicin INN 200mg	To reduce the development of drug-resistant bacteria and maintain the effectiveness of fidaxomicin and other antibacterial drugs, fidaxomicin should be used only to treat infections that are proven or strongly suspected to be caused by <i>Clostridium difficile</i> .	New	USFDA	<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	32)	<b>Lornoxicam 4mg F/C Tablet</b>  Lornoxicam INN 4mg	Short-term treatment of moderate pain, such as pain after dental surgery. Treatment of pain associated with acute lumbo-sciatica. Symptomatic treatment of pain and inflammation in osteoarthritis and rheumatoid arthritis.	<b>New</b>		<i>c!q!Rb !bB we!vq A!te`b big!j Kiv th!Z c!ti  </i>	<i>c!q!Rb !bB we!vq A!te`b big!j Kiv nj  </i>

bs	cōZKvi!Ki big	Jl!tai big I !R!bwiK big	ib!t` Rbv	Status (New Molecule/Existing)	A!te` bKvix cōĒ USFDA or MHRA Reference	!UK!bK`vj me-K!g!l!i 58 Zg m!vi !m!x!s!i	m!vi !m!x!s!i
ACI Ltd.		33) <b>Lornoxicam 8mg F/C Tablet</b>  Lornoxicam INN 8mg	Short-term treatment of moderate pain, such as pain after dental surgery. Treatment of pain associated with acute lumbo-sciatica. Symptomatic treatment of pain and inflammation in osteoarthritis and rheumatoid arthritis.	New		c!q!Rb !bB !eavq A!te` b big!j Kiv th!Z c!ti	c!q!Rb !bB !eavq A!te` b big!j Kiv nj
		34) <b>Cefixime 50mg Dispersible Tablet</b>  Cefixime Trihydrate USP 56mg eqv. to Cefixime 50mg	<i>Upper Respiratory Tract Infections (URTI):</i> e.g. otitis media; and other URTI where the causative organism is known or suspected to be resistant to other commonly used antibiotics, or where treatment failure may carry significant risk. <i>Lower Respiratory Tract Infection:</i> e.g. bronchitis, pneumonia. <i>Urinary Tract Infections:</i> e.g. cystitis, cystourethritis, uncomplicated pyelonephritis <i>Enteric fever:</i> Typhoid	200 mg & 400 mg Tablet 100 mg, 200 mg & 400 mg Cap.		c!q!Rb !bB !eavq A!te` b big!j Kiv th!Z c!ti	c!q!Rb !bB !eavq A!te` b big!j Kiv nj
		35) <b>Cefixime 200mg Dispersible Tablet</b>  Cefixime Trihydrate USP 224mg eqv. to Cefixime 200mg	<i>Upper Respiratory Tract Infections (URTI):</i> e.g. otitis media; and other URTI where the causative organism is known or suspected to be resistant to other commonly used antibiotics, or where treatment failure may carry significant risk. <i>Lower Respiratory Tract Infection:</i> e.g. bronchitis, pneumonia. <i>Urinary Tract Infections:</i> e.g. cystitis, cystourethritis, uncomplicated pyelonephritis <i>Enteric fever:</i> Typhoid	200 mg & 400 mg Tablet 100 mg, 200 mg & 400 mg Cap.		c!q!Rb !bB !eavq A!te` b big!j Kiv th!Z c!ti	c!q!Rb !bB !eavq A!te` b big!j Kiv nj
		36) <b>Cefixime 25mg/ml Paed.drops</b>  Cefixime Trihydrate USP 2.8gm eqv. to Cefixime 2.5gm/100 ml	<i>Upper Respiratory Tract Infections (URTI):</i> e.g. otitis media; and other URTI where the causative organism is known or suspected to be resistant to other commonly used antibiotics, or where treatment failure may carry significant risk. <i>Lower Respiratory Tract Infection:</i> e.g. bronchitis, pneumonia. <i>Urinary Tract Infections:</i> e.g. cystitis, cystourethritis, uncomplicated pyelonephritis <i>Enteric fever:</i> Typhoid	100 mg/5ml Powder for Suspension		Ab!jgr` b Kiv th!Z c!ti	Ab!jgr` b Kiv nj

<i>bs</i>	<i>cÖZKvi#Ki big</i>	<i>Jl#ai big l #Ri#wiK big</i>	<i>ib# Rbv</i>	Status (New Molecule/Existing)	<i>A#e`bKvix cÖE USFDA or MHRA Reference</i>	<i>#UKibK'vj me-Kig#li 58 Zg m#vi im#v#l</i>	<i>m#vi im#v#l</i>
23.	General Pharmaceutical Ltd.	1) <b>Rivaroxaban 15mg Tablet</b>  Rivaroxaban INN 15mg	a) Prevention of venous thromboembolism (VTE) in patients who have undergone elective total hip replacement or total knee replacement surgery b) Prophylaxis of deep vein thrombosis (DVT), which may lead to pulmonary embolism (PE), in adults undergoing hip and knee replacement surgery. c) Stroke prophylaxis in patients with non-valvular atrial fibrillation.	10mg Tab.	US-FDA	<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>
		2) <b>Rivaroxaban 20mg Tablet</b>  Rivaroxaban INN 20mg	a) Prevention of venous thromboembolism (VTE) in patients who have undergone elective total hip replacement or total knee replacement surgery b) Prophylaxis of deep vein thrombosis (DVT), which may lead to pulmonary embolism (PE), in adults undergoing hip and knee replacement surgery. c) Stroke prophylaxis in patients with non-valvular atrial fibrillation.	10mg Tab.	US-FDA	<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>
		3) <b>Methyl Salicylate 15% w/w + Menthol 1% w/w Cream</b>  Methyl Salicylate USP 15gm + Menthol USP 1gm/ 100 gm	Indicated for temporary relief of minor aches and pains of muscles and joints associated with 1) arthritis 2) Simple Backaches 3) strains 4) bruises 5) Lack of Mobility 6) Muscle soreness, aches and stiffness and 7) sprains	Methyl Salicylate 15 gm + Menthol 10 gm/100 gm Cream		<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>

<i>bs</i>	<i>cōZKvi!Ki big</i>	<i>Jl!ai big I !R!bwiK big</i>	<i>ib! Rbv</i>	Status (New Molecule/Existing)	<i>A!e`bKvix cōĒ USFDA or MHRA Reference</i>	<i>!K!bK'vj me-K!g!l!i 58 Zg m!vi !m!v!š!</i>	<i>m!vi !m!v!š!</i>
General Pharmaceutical Ltd.	4)	<b>Glucosamine Sulfate 2% w/w &amp; Chondroitin Sulfate Sodium 3% Cream</b>  Glucosamine Sulfate USP 2 gm & Chondroitin Sulfate Sodium USP 3 gm/ 100 gm	This pain relieving cream is applied topically and provides powerful pain relief of arthritis pain, Muscle sprains, simple backache, tendonitis, Bursitis, bruises, muscle strains, Cramps.	Glucosamine 250 mg + Chondroitin 200 mg Tab.		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	5)	<b>Methylprednisolone 2mg Tablet</b>  Methylprednisolone USP 2mg	Primary or Secondary Adrenocortical Insufficiency, Congenital Adrenal <u>Hyperplasia</u> , Nonsuppurative <u>Thyroiditis</u> , <u>Hypercalcemia</u> associated with Cancer. As adjunctive therapy for short-term management of Rheumatoid Arthritis, Juvenile Rheumatoid Arthritis, Ankylosing Spondylitis, Acute and Subacute Bursitis, Synovitis of Osteoarthritis, Acute nonspecific Tenosynovitis, Post-traumatic Osteoarthritis, Psoriatic Arthritis, Epicondylitis, Acute Gouty Arthritis	4 mg Tablet		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	6)	<b>Menthol 1% w/w + Pramoxine Hydrochloride 1% w/w Cream</b>  Menthol USP 1gm + Pramoxine Hydrochloride USP 1gm/ 100 gm	Temporary relief of pain and itching associated with- 1) minor skin irritations, 2) Minor cuts, 3) Minor burns, 4) Minor sunburns 5) Scrapes, 6) Insect bites, 7) Rashes due to poison Ivy, Oak and Sumac	New		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>

<i>bs</i>	<i>cōZKvi!Ki big</i>	<i>Jl!ai big l !R!biK big</i>	<i>ib! Rbv</i>	Status (New Molecule/Existing)	<i>A!e`bKvix cōĒ USFDA or MHRA Reference</i>	<i>!UK!bK'vj me-K!g!l!i 58 Zg m!vi !m!v!š!</i>	<i>m!vi !m!v!š!</i>
General Pharmaceutical Ltd.	8)	<b>Eucalyptol Oil 0.091% w/w+ Menthol 0.042% w/w + Thymol 0.063% w/w Mouthwash</b>  Eucalyptol Oil USP 0.091 gm+ Menthol USP 0.042 gm + Thymol USP 0.063 gm/ 100 ml	1. Dental Plaque 2. Gingivitis 3. Discolored Teeth 4. Oral Bacterial Infection 5. Bad Breath ( Halitosis)	New		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	9)	<b>Sodium Fluoride 0.022% w/w Mouthwash</b>  Sodium Fluoride BP 0.022 gm/ 100 ml	1. Teeth discoloration 2. prevention dental cavities 3. Plaque	New		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	10)	<b>Fidaxomicin 200 mg Tablet</b>  Fidaxomicin INN 200 mg	Fidaxomicin is a macrolide antibacterial drug indicated in adults (≥ 18 years of age) for treatment of clostridium difficile-associated diarrhea (CDAD)	New	US-FDA	<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	11)	<b>Lubiprostone 24 mcg Liquid Filled Hard Gelatin Capsule</b>  Lubiprostone INN 0.024 mg	Chronic idiopathic constipation in adults	8mcg Cap.	US-FDA	<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	12)	<b>Astaxanthin 4 mg Liquid Filled Hard Gelatin Capsule</b>  Astaxanthin INN 4 mg	1. Muscle Recovery and physical endurance in sports 2. Relieve Eye fatigue e.g. Macular degeneration 3. Improve Skin Condition (such as a) Fine wrinkles b) Elasticity c) Moisture Levels d) Smoothness e) Spots and freckles	New		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	13)	<b>Astaxanthin 2 mg Liquid Filled Hard Gelatin Capsule</b>  Astaxanthin INN 2 mg	1. Muscle Recovery and physical endurance in sports 2. Relieve Eye fatigue e.g. Macular degeneration 3. Improve Skin Condition (such as a) Fine wrinkles b) Elasticity c) Moisture Levels d) Smoothness e) Spots and freckles	Mew		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>

<i>bs</i>	<i>cōZKvi!Ki big</i>	<i>Jl!ai big l !R!bwiK big</i>	<i>ib! Rbv</i>	Status (New Molecule/Existing)	<i>Ar!e`bKvix cōĒ USFDA or MHRA Reference</i>	<i>!UKubK'vj me-Kigvli 58 Zg mfv! imxvš!</i>	<i>mfvi imxvš!</i>
General Pharmaceutical Ltd.	14) <b>Evening Primrose oil 500mg Liquid Filled Hard Gelatin Capsule</b>  Primrose oil INN 500mg	Dermatitis • Eczema • Psoriasis • Roacea • Rheumatoid arthritis • Acne • Allergies • Discomforts of PMS • Diabetic nerve damage • Multiple sclerosis • Alzheimer's related memory disturbance • Inflammation • Lupus • Prevent alcohol withdrawal symptoms	New		<i>Ab!jgr`b Kiv th!Z c!ti  </i>	<i>Ab!jgr`b Kiv nj  </i>	
	15) <b>Sumatriptan 85 mg + Naproxen Sodium 500 mg Tablet</b>  Sumatriptan Succinate USP 119 mg (equivalent to Sumatriptan 85 mg) + Naproxen Sodium USP 500 mg	Sumatriptan Succinate and Naproxen is indicated for the acute treatment of migraine attacks with or without aura in adults	New	US-FDA	<i>GB K!r!tbkb c!q!Rb !bB weavq Ar!e`b big!j!y Kiv th!Z c!ti  </i>	<i>GB K!r!tbkb c!q!Rb !bB weavq Ar!e`b big!j!y Kiv nj  </i>	
	16) <b>Tapentadol 200 mg Extended Release Tablet</b>  Tapentadol Hydrochloride INN 233 mg equivalent to Tapentadol 200 mg	Tapentadol is an opioid analgesic indicated for the management of moderate to severe chronic pain in adults when a continuous, around-the-clock opioid analgesic is needed for an extended period of time	New	US-FDA	<i>GB K!r!tbkb c!q!Rb !bB weavq Ar!e`b big!j!y Kiv th!Z c!ti  </i>	<i>GB K!r!tbkb c!q!Rb !bB weavq Ar!e`b big!j!y Kiv nj  </i>	
	17) <b>Tapentadol 100 mg Extended Release Tablet</b>  Tapentadol Hydrochloride INN 116.50 mg equivalent to Tapentadol 100 mg	Tapentadol is an opioid analgesic indicated for the management of moderate to severe chronic pain in adults when a continuous, around-the-clock opioid analgesic is needed for an extended period of time	New	US-FDA	<i>Ab!jgr`b Kiv th!Z c!ti  </i>	<i>Ab!jgr`b Kiv nj  </i>	
	18) <b>Telaprevir 375 mg Tablet</b>  Telaprevir INN 375 mg	Telaprevir, in combination with peginterferon alfa and ribavirin, is indicated for the treatment of genotype 1 chronic hepatitis C in adult patients with compensated liver disease (including cirrhosis) who are treatment-naive or have previously been treated with interferon-based treatment, including prior null responders, partial responders and relapsers.	New	US-FDA	<i>Ab!jgr`b Kiv th!Z c!ti  </i>	<i>Ab!jgr`b Kiv nj  </i>	

<i>bs</i>	<i>cōZKvi!Ki big</i>	<i>Jl!ai big l !R!biK big</i>	<i>ib! Rbv</i>	Status (New Molecule/Existing)	<i>A!e`bKvi x cōĒ USFDA or MHRA Reference</i>	<i>!UK!bK'vj me-K!gn!ji 58 Zg m!vi !m x!š!</i>	<i>m!vi !m x!š!</i>
General Pharmaceutical Ltd.	19)	<b>Hydrocortisone 20mg Tablet</b>  Hydrocortisone USP 20mg	For use as replacement therapy in primary, secondary, or acute adrenocortical insufficiency, Addison's disease, Shock, Hypersensitivity Reactions e.g. Anaphylaxis and Angioedema, Asthma, Severe Inflammatory Bowel Disease, Haemorrhoids, Rheumatic disease etc.	10 mg Tab.	US-FDA	<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	20)	<b>Coenzyme Q-10 30 mg Liquid Filled Hard Gelatin Capsule</b>  Coenzyme Q-10 INN 30 mg	<ul style="list-style-type: none"> <li>• 'HMG CoA reductase inhibitor' mediated decreased level of CQ-10 in blood</li> <li>• Drug induced Myopathy</li> <li>• Protects body against free radical damage with its antioxidant property</li> <li>• Adjunct therapy in cardiovascular disease especially in angina and congestive heart failure.</li> <li>• Immune system depression</li> <li>• Obesity</li> <li>• Cognitive decline</li> <li>• Useful in the management of Periodontal Disease</li> </ul>	New		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	21)	<b>Coenzyme Q-10 60 mg Liquid Filled Hard Gelatin Capsule</b>  Coenzyme Q-10 INN 60 mg	<ul style="list-style-type: none"> <li>• 'HMG CoA reductase inhibitor' mediated decreased level of CQ-10 in blood</li> <li>• Drug induced Myopathy</li> <li>• Protects body against free radial damage with its antioxidant property</li> <li>• Adjunct therapy in cardiovascular disease especially in angina and congestive heart failure.</li> <li>• Immune system depression</li> <li>• Obesity</li> <li>• Cognitive decline</li> <li>• Useful in the management of Periodontal Disease</li> </ul>	New		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>

<i>bs</i>	<i>cōZKvi#Ki big</i>	<i>Jl#ai big l #RiwiK big</i>	<i>ib# Rbv</i>	Status (New Molecule/Existing)	<i>Ar#e`bKvix cōĒ USFDA or MHRA Reference</i>	<i>#UKubK`vj me-Kigvli 58 Zg mfvi imxvšl</i>	<i>mfvi imxvšl</i>
General Pharmaceutical Ltd.	22) <b>Linagliptin 5 mg Tablet</b> Linagliptin INN 5 mg	Linagliptin tablet are indicated as an adjunct to diet and exercise to improve glycemic control in adult with Type 2 Diabetes Mellitus. It may be given as Monotherapy or Combination Therapy	New	US-FDA	<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>	
	23) <b>Rufinamide 200 mg Tablet</b> Rufinamide INN 200 mg	Adjunctive treatment of seizures associated with Lennox-Gastaut syndrome (LGS) in children 4 year and older adults	New	US-FDA	<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>	
	24) <b>Rufinamide 400 mg Tablet</b> Rufinamide INN 400 mg	Adjunctive treatment of seizures associated with Lennox-Gastaut syndrome (LGS) in children 4 year and older adults	New	US-FDA	<i>c#q#Rb tbB weav# Ar#e`b bvg#y Kiv th#Z c#ti  </i>	<i>c#q#Rb tbB weav# Ar#e`b bvg#y Kiv nj  </i>	
	25) <b>Rufinamide 40 mg/ml Suspension</b> Rufinamide INN 4gm/100 ml	Adjunctive treatment of seizures associated with Lennox-Gastaut syndrome (LGS) in children 4 year and older adults	New	US-FDA	<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>	
	26) <b>Ticagrelor 90 mg Tablet</b> Ticagrelor INN 90 mg	1. Reduce the rate of thrombotic cardiovascular events in patients with acute coronary syndrome (ACS) (unstable angina, non-ST elevation myocardial infarction, or ST elevation myocardial infarction). 2. Reduce the rate of a combined endpoint of cardiovascular death, myocardial infarction, or stroke compared to Clopidogrel.	New	US-FDA	<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>	
	27) <b>Salicylic Acid 0.5% w/w Gel</b> Salicylic Acid BP 0.500gm/ 100 gm	Acne, Seborrheic Dermatitis, Psoriasis, Hyperkeratosis, Tinea Versicolor	6 gm/100 gm cream 12 gm/100 gm cream	US-FDA	<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>	

<i>bs</i>	<i>cōZKvi:Ki big</i>	<i>Jl'ai big I tRibiK big</i>	<i>ib't Rbv</i>	Status (New Molecule/Existing)	<i>Arte`bKvix cōĒ USFDA or MHRA Reference</i>	<i>ʃUKubK'vj me-Kigvli 58 Zg mfi imxvšl</i>	<i>mfi imxvšl</i>
24.	General Pharmaceutical Ltd. (Unit-2) Karol Surichala, Mouchak, Kaliakair, Gazipur	1) <b>Adalimumab 20mg/0.4ml Injection (Prefilled syringe)</b>  Adalimumab INN 20mg/ 0.4ml Prefilled Syringe	Rheumatoid arthritis, Ankylosing spondylitis, Psoriatic arthritis, Juvenile idiopathic arthritis, Psoriasis, Inflammatory Bowel Disease, Rheumatoid arthritis, Ankylosing spondylitis, Psoriatic arthritis, Juvenile idiopathic arthritis, Psoriasis, Inflammatory Bowel Disease,	New	US-FDA	<i>Abʃgr`b Kiv thtZ cti  </i>	<i>Abʃgr`b Kiv nj  </i>
		2) <b>Adalimumab 40mg/0.8ml Injection (Prefilled syringe)</b>  Adalimumab INN 40mg/ 0.8ml Prefilled Syringe	Rheumatoid arthritis, Ankylosing spondylitis, Psoriatic arthritis, Juvenile idiopathic arthritis, Psoriasis, Inflammatory Bowel Disease, Rheumatoid arthritis, Ankylosing spondylitis, Psoriatic arthritis, Juvenile idiopathic arthritis, Psoriasis, Inflammatory Bowel Disease,	New	US-FDA	<i>Abʃgr`b Kiv thtZ cti  </i>	<i>Abʃgr`b Kiv nj  </i>
		3) <b>Liraglutide 18mg/3ml Prefilled Injection Pen</b>  Liraglutide INN 18mg/3ml Prefilled Syringe	Liraglutide is indicated as an adjunct to diet and exercise to improve glycemic control in adult with Type 2 Diabetes Mellitus. It may be given as Monotherapy or Combination Therapy	New	US-FDA	<i>Abʃgr`b Kiv thtZ cti  </i>	<i>Abʃgr`b Kiv nj  </i>
25.	Ziska Pharmaceuticals Ltd.	1) <b>Amlodipine 5 mg + Valsartan 160 mg + Hydrochlorothiazide 12.5 mg Tablet</b>  Amlodipine Besilate BP 6.94 mg (eqv. to 5 mg Amlodipine)+ Valsartan USP 160 mg + Hydrochlorothiazide BP 12.5 mg	Used to treat Hypertension	New	USFDA	<i>GB Kivʃbkb cʃqRb tB weavq Arte`b bigAj Kiv thtZ cti  </i>	<i>GB Kivʃbkb cʃqRb tB weavq Arte`b bigAj Kiv nj  </i>
		2) <b>Amlodipine 10 mg+ Valsartan 160 mg + Hydrochlorothiazide 12.5 mg Tablet</b>  Amlodipine Besilate BP 13.88 mg (eqv. to 10 mg Amlodipine),+ Valsartan USP 160 mg + Hydrochlorothiazide BP 12.5 mg	Used to treat Hypertension	New	USFDA	<i>GB Kivʃbkb cʃqRb tB weavq Arte`b bigAj Kiv thtZ cti  </i>	<i>GB Kivʃbkb cʃqRb tB weavq Arte`b bigAj Kiv nj  </i>

<i>bs</i>	<i>cōZKvi!Ki big</i>	<i>Jl!ai big l !R!bwiK big</i>	<i>ib! Rbv</i>	Status (New Molecule/Existing)	<i>A!te`bKvix cōĒ USFDA or MHRA Reference</i>	<i>!UK!bK'ij me-K!g!l!i 58 Zg m!vi !m!v!š!</i>	<i>m!vi !m!v!š!</i>
	Ziska Pharmaceuticals Ltd.	3) <b>Amlodipine 5 mg + Valsartan 160 mg + Hydrochlorothiazide 25 mg Tablet</b>  Amlodipine Besilate BP 6.94 mg (eqv. to 5 mg Amlodipine)+ Valsartan USP 160 mg + Hydrochlorothiazide BP 25 mg	Used to treat Hypertension	New	USFDA	<i>GB K!v!tbkb c!q!Rb !bB !eavq A!te`b big!j!y Kiv !htZ c!ti  </i>	<i>GB K!v!tbkb c!q!Rb !bB !eavq A!te`b big!j!y Kiv nj  </i>
		4) <b>Amlodipine 10 mg+ Valsartan 160 mg + Hydrochlorothiazide 25 mg Tablet</b>  Amlodipine Besilate BP 13.88 mg (eqv. to 10 mg Amlodipine)+ Valsartan USP 160 mg + Hydrochlorothiazide BP 25 mg	Used to treat Hypertension	New	USFDA	<i>GB K!v!tbkb c!q!Rb !bB !eavq A!te`b big!j!y Kiv !htZ c!ti  </i>	<i>GB K!v!tbkb c!q!Rb !bB !eavq A!te`b big!j!y Kiv nj  </i>
		5) <b>Amlodipine 10 mg + Valsartan 320 mg + Hydrochlorothiazide 25 mg Tablet</b>  Amlodipine Besilate BP 13.88 mg (eqv. to 10 mg Amlodipine) + Valsartan USP 320 mg + Hydrochlorothiazide BP 25 mg	Used to treat Hypertension	New	USFDA	<i>GB K!v!tbkb c!q!Rb !bB !eavq A!te`b big!j!y Kiv !htZ c!ti  </i>	<i>GB K!v!tbkb c!q!Rb !bB !eavq A!te`b big!j!y Kiv nj  </i>
		6) <b>Clobetasol propionate 0.05% and Salicylic acid 3% Ointment</b>  Clobetasol propionate BP 0.05 gm + Salicylic acid BP 3 gm/100 gm	For the relief of the inflammatory manifestations of hyperkeratotic and dry corticosteroid-responsive dermatoses such as : psoriasis, chronic atopic dermatitis, neurodermatitis (lichen simplex chronicus), lichen planus, eczema (including nummular eczema, hand eczema, eczematous dermatitis), dyshidrosis (pompholyx), seborrheic dermatitis of the scalp, ichthyosis vulqaris and other ichthyotic conditions	New	USFDA	<i>Ab!j!v!`b Kiv !htZ c!ti  </i>	<i>Ab!j!v!`b Kiv nj  </i>
		7) <b>Famotidine 10 mg + Magnesium Hydroxide 165 mg + Calcium Carbonate 800 mg chewable tablet</b>  Famotidine BP 10 mg + Magnesium Hydroxide BP 165 mg + Calcium Carbonate USP 800 mg Tablet	The short-term symptomatic relief of heartburn, indigestion, and hyperacidity.	New	USFDA	<i>GB K!v!tbkb c!q!Rb !bB !eavq A!te`b big!j!y Kiv !htZ c!ti  </i>	<i>GB K!v!tbkb c!q!Rb !bB !eavq A!te`b big!j!y Kiv nj  </i>

<i>bs</i>	<i>cōZKvi#Ki big</i>	<i>Jl#ai big I #RiwiK big</i>	<i>ib# Rbv</i>	Status (New Molecule/Existing)	<i>A#e`bKvix cōE USFDA or MHRA Reference</i>	<i>#UKubK'vj me-Kigvli 58 Zg m#vi im#v#l</i>	<i>m#vi im#v#l</i>
Ziska Pharmaceuticals Ltd.	8)	<b>Imiquimod 5% Cream</b>  Imiquimod INN 5 gm/100 gm	Used for topical treatment of clinically typical, nonhyperkeratotic, onhypertrophic actinic keratoses (AK) on the face or scalp in immunocompetent adults. Used for the topical treatment of biopsy-confirmed, primary superficial basal cell carcinoma (sBCC) in immunocompetent adults.	New	USFDA	<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>
	9)	<b>Methoxsalen 1% Lotion</b>  Methoxsalen USP 1 gm/100 ml	Used as a topical repigmenting agent in vitiligo in conjunction with controlled doses of ultraviolet A (320-400 nm) or sunlight.	New	USFDA	<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>
	10)	<b>Ticagrelor 90 mg Tablet</b>  Ticagrelor INN 90 mg	Reduce the rate of thrombotic event (including stent thrombosis) for patients with ACS (unstable angina, non ST elevation myocardial infarction or ST elevation myocardial infarction)	New	USFDA	<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>
	11)	<b>Tadalafil 5 mg Film-coated Tablet</b>  Tadalafil INN 5 mg	Used to treat the signs and symptoms of benign prostatic hyperplasia (BPH), a condition in which the prostate gland becomes enlarged, and for the treatment of BPH and erectile dysfunction (ED), when the conditions occur simultaneously.	New	USFDA	<i>BZtc#e`i#lmm-Gi ne#fbae m#vq Dc`ucZ Tadalafil and Sildenafil RvZiq c#`i #l#q Ab#p0`-4.3 G gZigZ cōvb Kiv nj  </i>	<i>im#v#l Ab#p0` 3.3 `be`  </i>
	12)	<b>Methylprednisolone Sodium Succinate 125 mg/ Vial Injection</b>  Methylprednisolone Sodium Succinate USP 125 mg/ vial	Rheumatoid and gouty arthritis and osteoarthritis. As an anti-inflammatory steroid in: Rheumatic fever Bronchial asthma, Dermatoses, Nephrotic syndrome, Hemolytic disorders, Cerebral oedema, Acute exacerbations of multiple sclerosis and Allergic disorders	500 mg & 1 gm	USFDA	<i>Ab#gr`b Kiv th#Z c#ti  </i>	<i>Ab#gr`b Kiv nj  </i>

<i>bs</i>	<i>cōZKvi!Ki big</i>	<i>Jl!ai big I !R!bwiK big</i>	<i>ib! Rbv</i>	Status (New Molecule/Existing)	<i>A!te`bKvi cōĒ USFDA or MHRA Reference</i>	<i>!UK!bK'ij me-K!q!l 58 Zg m!vi !m×!š!</i>	<i>m!vi !m×!š!</i>
	Ziska Pharmaceuticals Ltd	<p>13) <b>Multivitamin-Multimineral Cardio Tablet</b></p> <p>Vitamin A BP 3500 IU, Vitamin C BP 60 mg, Vitamin D BP 400 IU, Vitamin E BP 30 IU, Vitamin K USP 25 mcg, Thiamin BP 1.5 mg, Riboflavin BP 1.7 mg, Niacin USP 20 mg, Vitamin B<sub>6</sub> BP 5 mg, Folic acid BP 400 mcg, Vitamin B<sub>12</sub> BP 200 mcg, Biotin BP 30 mcg, Pantothenic acid BP 10 mg, Calcium BP 108 mg, Iron BP 6 mg, Phosphorus BP 80 mg, Iodine BP 150 mcg, Magnesium BP 40 mg, Zinc BP 7.5 mg, Selenium Ph.Gr. 20 mcg, Copper Ph.Gr. 0.7 mg, Manganese Ph.Gr. 2 mg, Chromium Ph.Gr. 120 mcg, Molybdenum BP 75 mcg, Chloride BP 58 mg, Potassium BP 64 mg, Boron Ph.Gr. 32 mcg, Nickel USP 5 mcg, Silicon BP 2 mg, Tin BP 10 mcg, Vanadium Ph.Gr. 10 mcg, Phytosterols Ph.Gr. 800 mg</p>	To provide <u>Vitamin/Mineral Supplementation and treat deficiency</u> . To maintain a healthy cholesterol levels and healthy heart	New		<i>GB K!r!bkb c!q!Rb !bB !eavq A!te`b big!jy Kiv !htZ c!ti  </i>	<i>GB K!r!bkb c!q!Rb !bB !eavq A!te`b big!jy Kiv nj  </i>
		<p>14) <b>Multivitamin-Multimineral performance Tablet</b></p> <p>Vitamin A BP 800 µg, Vitamin D BP 5 µg, Vitamin E BP 26.8 mg, Vitamin C BP 120 mg, Vitamin B1 (Thiamin) BP 4.2 mg, Vitamin B<sub>2</sub> (Riboflavin) BP 4.8 mg, Niacin USP 36 mg, Vitamin B<sub>6</sub> BP 6 mg, Folic Acid BP 400 µg, Vitamin B<sub>12</sub> 18 µg, Biotin BP 40 µg, Pantothenic Acid BP 10 mg, Vitamin K USP 25 µg, Calcium BP 100 mg, Phosphorus BP 48 mg, Iron BP 14 mg, Magnesium BP 45 mg, Zinc BP 7.5 mg, Iodine BP 150 µg, Copper Ph.Gr. 700 µg, Manganese Ph.Gr. 4 mg, Potassium BP 80 mg, Chloride BP 72 mg, Chromium Ph.Gr. 120 µg, Molybdenum BP 75 µg, Selenium Ph.Gr. 70 µg, Ginkgo Biloba Extract Ph.Gr. 60 mg &amp; Ginseng Extract Ph.Gr. 50 mg</p>	It is indicated for the treatment of <u>Vitamin/Mineral deficiency and restore</u> physical & mental performance as well as to provide energy and vitality .	New		<i>GB K!r!bkb c!q!Rb !bB !eavq A!te`b big!jy Kiv !htZ c!ti  </i>	<i>GB K!r!bkb c!q!Rb !bB !eavq A!te`b big!jy Kiv nj  </i>

<i>bs</i>	<i>cōZKvi!Ki big</i>	<i>Jl!ai big I !R!biK big</i>	<i>ib! Rbv</i>	Status (New Molecule/Existing)	<i>Av!e`bKvix cōĒ USFDA or MHRA Reference</i>	<i>!UK!bK'ij me-Kig!li 58 Zg m!vi imx!š!</i>	<i>m!vi imx!š!</i>
Ziska Pharmaceuticals Ltd.	15)	<b>Oxybutynin Chloride 5 mg Tablet</b>  Oxybutynin Chloride USP 5 mg	For the treatment of overactive bladder with symptoms of urge urinary incontinence, urgency, and frequency. Oxybutynin is also indicated in the treatment of pediatric patients aged 6 years and older with symptoms of detrusor overactivity associated with a neurological condition (e.g., spina bifida).	5 mg CR Tab.	USFDA	<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	16)	<b>Oxybutynin Chloride 10 mg Tablet</b>  Oxybutynin Chloride USP 10 mg	For the treatment of overactive bladder with symptoms of urge urinary incontinence, urgency, and frequency. Oxybutynin is also indicated in the treatment of pediatric patients aged 6 years and older with symptoms of detrusor overactivity associated with a neurological condition (e.g., spina bifida).	5 mg CR Tablet	USFDA	<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	17)	<b>Oxybutynin Chloride 15 mg Tablet</b>  Oxybutynin Chloride USP 15 mg	For the treatment of overactive bladder with symptoms of urge urinary incontinence, urgency, and frequency. Oxybutynin is also indicated in the treatment of pediatric patients aged 6 years and older with symptoms of detrusor overactivity associated with a neurological condition (e.g., spina bifida).	5 mg CR Tablet	USFDA	<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	18)	<b>Oxybutynin Chloride 10% Gel, Transdermal</b>  Oxybutynin Chloride USP 10 gm/ 100 gm	For the treatment of overactive bladder with symptoms of urge urinary incontinence, urgency and frequency	New	USFDA	<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	19)	<b>Salicylic Acid 25% Cream</b>  Salicylic Acid BP 25 gm/ 100 gm	Applied topically in the treatment of hyperkeratotic and scaling conditions such as dandruff, ichthyosis and psoriasis	12 gm/100 gm & 6gm/100 gm Cream		<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>
	20)	<b>Sumatriptan 85 mg +Naproxen Sodium 500mg Tablet</b>  Sumatriptan Succinate BP 119 mg eqv. to Sumatriptan 85 mg + Naproxen Sodium BP 500 mg	For the treatment of Migraine attacks	New	USFDA	<i>GB K!r!tbkb c!q!Rb !bB !e!v!q Av!e`b b!g!j!y Kiv th!Z c!ti  </i>	<i>GB K!r!tbkb c!q!Rb !bB !e!v!q Av!e`b b!g!j!y Kiv nj  </i>
	21)	<b>Mifepristone 200mg Tablet</b>  Mifepristone INN 200mg	Labour induction in foetal death in utero, Medical termination of developing intra-uterine pregnancy	New	USFDA	<i>Ab!gr`b Kiv th!Z c!ti  </i>	<i>Ab!gr`b Kiv nj  </i>

bs	cŌZKviŃKi big	JlŃai big I ŃRŃwiK big	ibŃŃ Rbv	Status (New Molecule/Existing)	AŃŃe`bKvix cŌŃ USFDA or MHRA Reference	ŃKŃubK`vj me-KŃgŃŃi 58 Zg mŃvi Ńm`vŃŃŃ	mŃvi Ńm`vŃŃŃ
26.	Square Pharmaceuticals Ltd., Dhaka Unit, Kaliakoir, Gazipur	<p>1) <b>L-lysine 50mg + Vitamin A 1500 IU + Vitamin D3 100 IU + Vitamin E 10 IU + Vitamin B1 0.25mg + Vitamin B2 0.25mg + Vitamin B6 0.25mg + Vitamin B12 2mcg + Vitamin C 50mg + Nicotinamide 2.5mg + Folic Acid 0.25mg Tablet</b></p> <p>L-lysine USP 50mg + Vitamin A BP 1500 IU + Vitamin D3-BP 100 IU + Vitamin E BP10 IU + Vitamin B1 BP 0.25mg + Vitamin B2 BP 0.25mg + Vitamin B6-BP 0.25mg + Vitamin B12 BP 2mcg + Vitamin C BP 50mg + Nicotinamide BP 2.5mg + Folic Acid BP 0.25mg</p>	<p>1) Promotes muscle growth, weight gain and calcium retention 2) Helps to enhance body height and weight gain 3) Ensure good eye sight 4) Necessary for the normal process in protein, fat and carbohydrate metabolism 5) For red blood cells formation and correct functioning of nervous system and proper food assimilation 6) For proper cell function and protect body cells from free radicals 7) Helps to maintain healthy nervous system 8) Helps to control fat metabolism 9) Essential for cell formation especially red blood cells and they are vital in prevention of certain form of anemia</p>	New		AbŃgŃ`b Kiv thŃZ cŃŃi	AbŃgŃ`b Kiv nj
		<p>2) <b>Taurine 50mg + Vitamin A 1500 IU + Vitamin D3 100 IU + Vitamin E 10 IU + Vitamin B1 0.25mg + Vitamin B2 0.25mg + Vitamin B6 0.25mg + Vitamin B12 2mcg + Vitamin C 50mg + Nicotinamide 2.5mg + Folic Acid 0.25mg Tablet</b></p> <p>Taurine USP 50mg + Vitamin A BP 1500 IU + Vitamin D3 BP 100 IU + Vitamin E BP 10 IU + Vitamin B1 BP 0.25mg + Vitamin B2 BP 0.25mg + Vitamin B6 BP 0.25mg + Vitamin B12 BP 2mcg + Vitamin C BP 50mg + Nicotinamide BP 2.5mg + Folic Acid BP 0.25mg</p>	<p>1) For intellectual and eyes development 2) Facilitates signal transmission in the brain and eyes 3) Ensure good eye sight 4) Maintenance of proper calcium level in the body 5) Ensures healthy bones and teeth 6) Necessary for the normal process in protein, fat and carbohydrate metabolism 7) For red blood cells formation and correct functioning of nervous system and proper food assimilation 8) Essential for cell formation especially red blood cells and they are vital in prevention of certain form of anemia</p>	New		GB KŃŃŃbkb cŃŃŃRb tbB Ńeavq AŃŃe`b bŃgŃŃŃ Kiv thŃZ cŃŃi	GB KŃŃŃbkb cŃŃŃRb tbB Ńeavq AŃŃe`b bŃgŃŃŃ Kiv nj

<i>bs</i>	<i>cŌZKviŋKi big</i>	<i>Jlŋai big I tŋRiwiK big</i>	<i>ibŋŋ Rbv</i>	Status (New Molecule/Existing)	<i>Avŋe`bKvix cŌE USFDA or MHRA Reference</i>	<i>ŋUKubK`vj me-Kigŋŋli 58 Zg mŋvi ŋm×vŋŋl</i>	<i>mŋvi ŋm×vŋŋl</i>
27.	Virgo Pharmaceuticals Ltd.	1) <b>Hydrocodone Bitartrate 5 mg + Chlorpheniramine Maleate 4 mg + Pseudoephedrine Hydrochloride 60 mg/5 ml Syrup</b>  Hydrocodone Bitartrate USP 5 mg + Chlorpheniramine Maleate USP 4 mg + Pseudoephedrine USP 60 mg/5ml	Relief of cough and nasal congestion associated with common cold and symptoms including nasal congestion associated with upper respiratory allergies	Hydrocodone Bitartrate USP 50mg Phenylephrine HCl BP 100mg Chlorpheniramine Maleate BP 40mg/100ml		<i>Ace`enŋŋii m=ŋebv_vKvq Avŋe`b bigÄy Kiv thŋZ cŋti  </i>	<i>Ace`enŋŋii m=ŋebv _vKvq Avŋe`b bigÄy Kiv nj  </i>
28.	Radiant Pharmaceuticals Ltd.	1) <b>Naproxen 750 mg Sustained Released Tablet</b>  Naproxen Sodium USP 821.40 mg eq. to 750 mg of Naproxen	Pain and inflammation in rheumatic disease and other musculoskeletal disorders, dysmenorrhoea, acute gout.	250 mg & 500 mg SR Tablet		<i>cŋqŋRb ŋbB ŋearq Avŋe`b bigÄy Kiv thŋZ cŋti  </i>	<i>cŋqŋRb ŋbB ŋearq Avŋe`b bigÄy Kiv nj  </i>

### 2.3.2. Proposed Product for Locally manufacture (Veterinary)

<i>bs</i>	<i>cŌZKviŋKi big</i>	<i>Jlŋai big I tŋRiwiK big</i>	<i>ibŋŋ Rbv</i>	<i>ŋUKubK`vj me-Kigŋŋli 58 Zg mŋvi ŋm×vŋŋl</i>	<i>mŋvi ŋm×vŋŋl</i>
1.	Square Pharmaceuticals Ltd., Pabna	1) <b>Bromhexine HCl 0.164gm + Erythromycin Estolate 3.598gm + Neomycin Sulphate 5.173gm + Sulfadimidine 10gm + Trimethoprim 1.80gm/100gm Powder (Vet)</b>  Bromhexine HCl BP 0.164gm + Erythromycin Estolate USP 3.598gm + Neomycin Sulphate BP 5.173gm + Sulfadimidine BP 10gm + Trimethoprim BP 1.80gm/100gm	Poultry: CRD, Infectious coryza and Staphylococcal infections. To prevent eventual post-vaccination troubles. Animal: Diarrhoea, Bacterial enteritis, Colibacillosis and Pneumonia	<i>Abŋgŋ`b Kiv thŋZ cŋti  </i>	<i>Abŋgŋ`b Kiv nj  </i>
		2) <b>Barium chloride 5gm + Aloe extract 5gm + Absinthium extract 2.5gm /100ml Suspension (Vet)</b>  Barium chloride Ph. Grade 5gm + Aloe extract BP 5gm + Absinthium extract Ph. Grade 2.5gm /100ml	Indigestion, meteorism, omasal obstructions, fecal stasis, colic, intestinal constipation (e.g. sand colic in horses) and gastric repletion in cattle, sheep, goats and horses	<i>chŋŋ Z_`wŋ`br_vKvq Avŋe`b bigÄy Kiv thŋZ cŋti  </i>	<i>chŋŋ Z_`wŋ`br_vKvq Avŋe`b bigÄy Kiv nj  </i>

bs	cŃZKviŃKi big	JlŃtai big I ŃRibiK big	ibŃ`Rbv	ŃUKŃbK'vj me-KivŃŃi 58 Zg mfvŃ m×vŃŃ	mfvi m×vŃŃ
	Square Pharmaceuticals Ltd., Pabna	3) <b>Ivermectin 1gm + Clorsulon 10gm/100ml Injectable Solution (Vet)</b>  Ivermectin BP 1gm + Clorsulon USP 10gm/100ml	For the effective treatment and control of internal parasites, including adult liver flukes, and external parasites. It is indicated for the effective treatment and control of the following parasites of cattle: Gastrointestinal Roundworms (adults and fourth-stage larvae): Ostertagia ostertagi (including inhibited O. ostertagi), O. lyrata, Haemonchus placei, Trichostrongylus axei, T. colubriformis, Cooperia oncophora, C. punctata, C. pectinata, Bunostomum phlebotomum, Nematodirus helvetianus (adults only), N. spathiger (adults only) and Oesophagostomum radiatum. Lungworms (adults and fourth-stage larvae): Dictyocaulus viviparus. Liver Flukes: Fasciola hepatica (adults only). Cattle Grubs (parasitic stages): Hypoderma bovis and H. lineatum. Sucking Lice: Linognathus vituli, Haematopinus eurytenuis and Solenopotes capillatus. Mange Mites (cattle scab): Psoroptes ovis (syn. P. communis var. bovis) and Sarcoptes scabiei var. bovis. Persistent Activity of this preparation has been proved to effectively control infections and to protect cattle from reinfection with Dictyocaulus viviparus and Oesophagostomum radiatum for 28 days after treatment; Ostertagia ostertagi, Trichostrongylus axei and Cooperia punctata for 21 days after treatment; Haemonchus placei, and Cooperia oncophora for 14 days after treatment. Ivermectin has been proved as a scabicide. Treated cattle must not be mixed with other cattle for 14 days following treatment	AbŃgr`b Kiv thŃZ cvŃi	AbŃgr`b Kiv nj
		4) <b>Iron (iii) Hydroxide Dextran Complex 20 gm + Alpha-tocopherol acetate (Vitamin E) 4gm/100ml Injection (Vet)</b>  Iron (iii) Hydroxide Dextran Complex Ph. Grade 20gm + Alpha-tocopherol acetate (Vitamin E) BP 4gm/100ml	Treatment and prevention of Iron deficiency in piglets and calves	AbŃgr`b Kiv thŃZ cvŃi	AbŃgr`b Kiv nj

<i>bs</i>	<i>cŃZKviŃKi big</i>	<i>JlŃai big I ŃRibiK big</i>	<i>ŃbŃ`Rbv</i>	<i>ŃUKŃK'ij me-KivŃli 58 Zg mfvŃ m×vŃŃ</i>	<i>mfvŃ m×vŃŃ</i>
02.	Eskayef Bangladesh Ltd.	1) <b>Betaine HCl 300 gm + Taurine 50 gm + Ascorbic Acid 100 gm + Elemental manganese 1 gm + Elemental zinc 2 gm/Kg Powder (Vet)</b>  Betaine HCl USP 300 gm + Taurine USP 50 gm + Ascorbic Acid BP 100 gm + Manganese Sulphate Monohydrate BP 3.076 g eq. to 1 gm elemental manganese + Zinc Sulphate Monohydrate BP 5.489 g eq. to 2 gm elemental zinc/Kg	Prevent any kind of stress like high or low temperature, transportation, vaccination, de-beaking, coccidiosis, etc., Iprove Liver function, Improve FCR, Improve Eg Production and Hatchability, Increase Immunity	<i>chŃŃ Z_Ńw` bv_vKiv AvŃe`b bigÄj Kiv thŃZ cviŃ  </i>	<i>chŃŃ Z_Ńw` bv_vKiv AvŃe`b bigÄj Kiv nj  </i>
03.	Acme Laboratories Ltd.	1) <b>Levofloxacin 10% Water Soluble Powder (Vet)</b>  Levofloxacin Hemihydrate INN 10.250 gm eq. to Levofloxacin 10 gm/100 gm	Bacteria and micoplasma such as yellow and white dysentery, fowl cholera, pericarditis, ovarian inflammation, staphylococcus infection.	<i>chŃŃ Z_Ńw` bv_vKiv AvŃe`b bigÄj Kiv thŃZ cviŃ  </i>	<i>chŃŃ Z_Ńw` bv_vKiv AvŃe`b bigÄj Kiv nj  </i>
		2) <b>Diphenhydramine Hydrochloride 200 mg/10 ml Injection (Vet)</b>  Diphenhydramine Hydrochloride BP 200 mg/10 ml	Indicated for allergy of diverse origins such as cutaneous allergies, urticarias, angioneurotic edema, relief of coughing, laminitis, anaphylactic shock, allergic reactions to the administration of medicaments, eczemas, prutites, photosensitization, insect stings,, snake bites etc.	<i>AbŃgv`b Kiv thŃZ cviŃ  </i>	<i>AbŃgv`b Kiv nj  </i>
		3) <b>Ivermectin 1 gm + Clorsulon 10 gm/100 ml Injection (Vet)</b>  Ivermectin BP 1 gm + Clorsulon USP 10 gm/100 ml	Indicated for the treatment of gastrointestinal roundworms, lungworms, lever flukes and external parasites in cattle	<i>AbŃgv`b Kiv thŃZ cviŃ  </i>	<i>AbŃgv`b Kiv nj  </i>
		4) <b>Vitamin D<sub>3</sub> 10,000,000 IU/10 ml Injection (Vet)</b>  Colecalciferol (Vitamin D3) BP 6.667 gm (1.5MIU/g) eq. to 10,000,000 IU/10 ml	Indication for the prevention of milk fever.	<i>cŃŃqŃRb ŃbB weavq AvŃe`b bigÄj Kiv thŃZ cviŃ  </i>	<i>cŃŃqŃRb ŃbB weavq AvŃe`b bigÄj Kiv nj  </i>
		5) <b>Tranexamic Acid 1 gm/10 ml Injection (Vet)</b>  Tranexamic Acid BP 1 gm/10 ml	Indicated as an all purpose of haemostatic agentin cattle, horse, dogs, cats, pigs etc.	<i>AbŃgv`b Kiv thŃZ cviŃ  </i>	<i>AbŃgv`b Kiv nj  </i>

<i>bs</i>	<i>cŃZKviŃKi big</i>	<i>JlŃai big l tŃRbwiK big</i>	<i>ŃbŃ Rbv</i>	<i>ŃUKŃbK'ij me-KŃgŃli 58 Zg mfvi Ńm×vŃŃ</i>	<i>mfvi Ńm×vŃŃ</i>
	Acme Laboratories Ltd.	6) <b>Ascorbic Acid 1 gm Bolus (Vet)</b>  Ascorbic Acid BP 350 mg + Sodium Ascorbate USP 731.20 mg eq. to Ascorbic Acid 650 mg	Indicated for the prevention of neonatal calf diarrhea, vitamin c deficiency diseases, lesions in oral cavity, skin & foot disease, etc.	<i>chŃŃ Z_Ńw' bv_vKŃq AvŃe`b bigÄj Kiv thŃZ cŃti  </i>	<i>chŃŃ Z_Ńw' bv_vKŃq AvŃe`b bigÄj Kiv nj  </i>
		7) <b>Selenium 6 mg+ Vitamin E 600 IU+Vitamin A 1,25,000 IU+Copper 225 mg +Zinc 1050 mg Bolus (Vet)</b>  Sodium Selenite BP 13.15 mg eq. to Selenium 6 mg + Vitamin E Acetate BP 1200 mg eq. to Vitamin E 600 IU + Vitamin A Acetate BP 250 mg eq. to 1,25,000 IU Vitamin A, Cupric Sulfate Pentahydrate USP 884.10 mg eq. to 225 mg Copper, Zinc Oxide BP 1306.95 mg eq. to 1050 mg Zinc	Indicated for the prevention of mastitis of cow	<i>chŃŃ Z_Ńw' bv_vKŃq AvŃe`b bigÄj Kiv thŃZ cŃti  </i>	<i>chŃŃ Z_Ńw' bv_vKŃq AvŃe`b bigÄj Kiv nj  </i>
		8) <b>Vitamin A 5,00,00,000 IU +Vitamin D3 75,00,000 IU + Vitamin E 5000 mg/100 ml Injection (Vet)</b>  Vitamin A Palmitate BP 50 gm eq. to 500,00,000 IU Vitamin A, Vitamin D3 BP 7.5 gm eq. to 7500,000 IU Vitamin D3), Vitamin E Acetate BP 5 gm eq. to 5000 mg Vitamin E/100 ml	Vitamin A, Vitamin D3 and Vitamin E deficiency in calf, pig, goat	<i>AbŃgŃ`b Kiv thŃZ cŃti  </i>	<i>AbŃgŃ`b Kiv nj  </i>
		9) <b>Vitamin A 50,00,000 IU +Vitamin D3 7,50,000 IU + Vitamin E 500 mg/10 ml Injection (Vet)</b>  Vitamin A Palmitate BP 5 gm eq. to 50,00,000 IU Vitamin A, Vitamin D3 BP 0.750 gm eq. to 7,50,000 IU Vitamin D3), Vitamin E Acetate BP 0.5 gm eq. to 500 mg Vitamin E/10 ml	Vitamin A, Vitamin D3 and Vitamin E deficiency in calf, pig, goat	<i>cŃŃqŃRb ŃbB Ńearq AvŃe`b bigÄj Kiv thŃZ cŃti  </i>	<i>cŃŃqŃRb ŃbB Ńearq AvŃe`b bigÄj Kiv nj  </i>

<b>bs</b>	<b>cōZKviḥKi big</b>	<b>Jlḥai big I ḥRibiK big</b>	<b>ibḥ Rbv</b>	<b>ḥUKibK'ij me-Kivḥli 58 Zg mfvī ḥḥxvšī</b>	<b>mfvi ḥḥxvšī</b>
	Acme Laboratories Ltd.	10) <b>Oxyclozanide 1000 mg Bolus (Vet)</b> Oxyclozanide BP 1000 mg	Treatment of acute and chronic fascioliasis in cattle, buffaloes, sheep and goats.	<i>chḥḥ Z_ḥḥ'ḥḥ' bv_ḥKivq Avḥe`b bigĀj Kiv ḥḥZ cḥḥi  </i>	<i>chḥḥ Z_ḥḥ'ḥḥ' bv_ḥKivq Avḥe`b bigĀj Kiv nj  </i>
		11) <b>Ketoprofen 400 mg Bolus (Vet)</b> Ketoprofen BP 400 mg	Treatment of parturient paresis associated with calving, reducing the pyrexia and distress associated with bacterial respiratory disease. of cattle.	<i>Abḥgr`b Kiv ḥḥZ cḥḥi  </i>	<i>Abḥgr`b Kiv nj  </i>
04.	Al-Modina Pharmaceuticals Ltd.	1) <b>Azithromycin 10 gm/100 gm Powder (Vet)</b> Azithromycin Dihydrate USP 10.480 gm eq. to Azithromycin 10 gm/100 gm	It is used to treat different infections including acute otitis media, streptococcal pharyngitis, gastrointestinal infections, traveler's diarrhea.	<i>Abḥgr`b Kiv ḥḥZ cḥḥi  </i>	<i>Abḥgr`b Kiv nj  </i>
		2) <b>Tylosin Phosphate 10 gm/100 gm Powder (Vet)</b> Tylosin Phosphate BP 10 gm/100 gm	It is used in the prophylaxis and treatment of infections caused by susceptible organisms.	<i>chḥḥ Z_ḥḥ'ḥḥ' bv_ḥKivq Avḥe`b bigĀj Kiv ḥḥZ cḥḥi  </i>	<i>chḥḥ Z_ḥḥ'ḥḥ' bv_ḥKivq Avḥe`b bigĀj Kiv nj  </i>
		3) <b>Colistin Sulphate 2.44 gm + Amoxicillin 10 gm/100 gm Powder (Vet)</b> Amoxicillin Trihydrate BP 11.50 gm eq. to Amoxicillin 10 gm + Colistin Sulphate BP 2.44 gm/100 gm	It is used for respiratory tract infections, gastrointestinal infections. actinomycosis, anthrax, biliary tract infection, Mouth infections, spleen disorder.	<i>Abḥgr`b Kiv ḥḥZ cḥḥi  </i>	<i>Abḥgr`b Kiv nj  </i>
		4) <b>Gentamicin Sulphate 10 gm/100 gm Powder (Vet)</b> Gentamicin Sulphate BP 10 gm/100 gm	For the treatment of the following infection due to susceptible organisms : meningitis, urinary tract infection (UTI), pyelonephritis, bacteremia or septicemia, neonatal sepsis, lower respiratory tract infections.	<i>chḥḥ Z_ḥḥ'ḥḥ' bv_ḥKivq Avḥe`b bigĀj Kiv ḥḥZ cḥḥi  </i>	<i>chḥḥ Z_ḥḥ'ḥḥ' bv_ḥKivq Avḥe`b bigĀj Kiv nj  </i>
		5) <b>Gentamicin Sulphate 10 gm + Cephalexin 10gm/100 gm Powder (Vet)</b> Gentamicin Sulphate BP 10 gm + Cephalexin USP 10 gm/100 gm Powder (Vet)	For the treatment of the following infection due to susceptible organisms : meningitis, urinary tract infection (UTI), pyelonephritis, bacteremia or septicemia, neonatal sepsis, lower respiratory tract infections.	<i>chḥḥ Z_ḥḥ'ḥḥ' bv_ḥKivq Avḥe`b bigĀj Kiv ḥḥZ cḥḥi  </i>	<i>chḥḥ Z_ḥḥ'ḥḥ' bv_ḥKivq Avḥe`b bigĀj Kiv nj  </i>

### 2.3.3 Proposed Product for Import (Human)

<i>bs</i>	<i>cŪZKviŕKi big</i>	<i>Jlŕai big l ŕRibiK big</i>	<i>ibŕ`Rbv</i>	FSC/CPP	<i>ŕUKubK`vj me-Kugŕli 58 Zg mfvi umxvŕŕ</i>	<i>mfvi umxvŕŕ</i>
01.	Lilly France S.As, France  International Agencies (Bd) Ltd.	1) <b>Alimta 100 mg Injection</b>  Pemetrexed Disodium Heptahydrate INN 151.70mg eq. to Pemetrexed 100 mg /Vial	Pemetrexed is a multitarget anticancer antifolate agent the exerts its action by disrupting crucial folate dependent metabolic process essential for cell replication.	EMA	<i>Abŕgv`b Kiv thŕZ cvŕi  </i>	<i>Abŕgv`b Kiv nj  </i>
02.	Glaxo Operation UK Ltd., UK  GlaxoSmithKline Bangladesh Ltd.	1) <b>Votrient Tablet 200 mg</b>  Pazopanib Hydrochloride INN 216.7 mg eq. to Pazopanib 200 mg	It is indicated for the treatment of advanced and/or metastatic renal cell carcinoma.	EMA	<i>Abŕgv`b Kiv thŕZ cvŕi  </i>	<i>Abŕgv`b Kiv nj  </i>
		2) <b>Revolade Tablet 25 mg</b>  Eltrombopag olamine, milled INN 31.9 mg eq. to Eltrombopag 25 mg	It is indicated for the treatment of previously treated patient with chronic idiopathic thrombocytopenia purpura(ITP) to increase platelet count and reduce or prevent bleeding.	EMA	<i>Abŕgv`b Kiv thŕZ cvŕi  </i>	<i>Abŕgv`b Kiv nj  </i>
03.	Glaxo Wellcome Production, France  GlaxoSmithKline Bangladesh Ltd.	1) <b>Arixtra 2.5 mg/0.5 ml Solution for Injection</b>  Fondaparinux Sodium INN 2.5 mg/0.5 ml prefilled syringe.	It is indicated for the prevention of venous Thrombotic event (VTE) in patient undergoing major orthopedic surgery of the lower limb and in patient undergoing abdominal surgery who are judged to be high risk of VTE.	EMA	<i>Abŕgv`b Kiv thŕZ cvŕi  </i>	<i>Abŕgv`b Kiv nj  </i>

<i>bs</i>	<i>cŌZKvi:Ki big</i>	<i>Jlŀai big l ŀRibiK big</i>	<i>ibŀ Rbv</i>	FSC/ CPP	<i>ŀUKibK'ij me-Kigŀli 58 Zg mfvi imxvŀŀ</i>	<i>mfvi imxvŀŀ</i>
04	Stiefel Laboratories (Ireland) Ltd., Ireland  GlaxoSmithKline Bangladesh Ltd.	1) <b>Duac Gel</b>  Benzoyl Peroxide Hydrus Ph. Eur 66.7 mg eq. to 50 mg Anhydrous Benzoyl Peroxide + Clindamycin Phosphate Ph. Eur. 12.8 mg eq. to Clindamycin 10 mg/g	It is used for treating mild to moderate acne on patients skin	Ireland &UK	<i>Abŀgr` b Kiv thŀZ cvŀi  </i>	<i>Abŀgr` b Kiv nj  </i>
05.	Amgen Manufacturing Ltd., USA  GlaxoSmithKline Bangladesh Ltd.	1) <b>Prolia 60 mg Solution for Injection</b>  Denosumab INN 60 mg/ml prefilled syringe.	Treatment of osteoporosis in Postmenopausal woman.	USA	<i>Abŀgr` b Kiv thŀZ cvŀi  </i>	<i>Abŀgr` b Kiv nj  </i>
06.	Vetter Pharma GmbH, Germany  Roche Bangladesh Ltd.	1) <b>Bonviva Prefilled Syringes 3mg/3ml</b>  Ibandronic Acid monosodium salt monohydrate 3.375mg eq.to Ibandronic Acid INN 3mg/3ml prefilled syringe	Treatment of osteoporosis in postmenopausal women at increased risk of fracture.	EMEA	<i>G RvZiq Jl a ŀ`tk Drcv` b nq weavq Avte` b bigÄy Kiv thŀZ cvŀi  </i>	<i>G RvZiq BŀAKkb c` ŀ`tk Drcv` b biv n l qiq Abŀgr` b Kiv nj  </i>
07.	F. Hoffmann-La Roche Ltd., Switzerland  Roche Bangladesh Ltd.	1) <b>Herceptin vials 150 mg (freez dried)</b>  Trastuzumab INN 150 mg/vial (reconstitution solution contains 21mg/ml)	It is indicated for the treatment of patients with metastatic breast cancer.	EMEA	<i>Abŀgr` b Kiv thŀZ cvŀi  </i>	<i>Abŀgr` b Kiv nj  </i>

<i>bs</i>	<i>cŮZKviŤKi big</i>	<i>JlŤai big l ŤRibiK big</i>	<i>ibŤ`Rbv</i>	FSC/ CPP	<i>ŤUKibK`vj me-KigŤlŤi 58 Zg mfvi imxvŤŤ</i>	<i>mfvi imxvŤŤ</i>
08.	Ebewe Pharma Ges.m.b.H. Nfg. KG, Austria  (Novartis BD. Ltd.)	1) <b>Carboplatin 600 HEXAL Concentrate for Solution for Infusion</b>  Carboplatin BP 600 mg/60 ml Vial	It is indicated in the treatment of the subsequent malignant tumours: - epithelial ovarian carcinoma - small-cell bronchogenic carcinoma - squamous epithelial carcinoma of the head-neck area.	Austria & Germany	<i>AbŤgv`b Kiv thŤZ crŤi  </i>	<i>AbŤgv`b Kiv nj  </i>
		2) <b>Epirubicin Sandoz 100 mg/50 ml Concentrate for Solution for Infusion</b>  Epirubicin Hydrochloride BP 100 mg/50 ml Vial	It is used in the treatment of Breast, ovarian, gastric, lung and colorectal carcinomas; Malignant lymphomas, Leukaemias, Multiple myeloma. Papillary transitional cell carcinoma of the bladder	Austria & Switzerland	<i>AbŤgv`b Kiv thŤZ crŤi  </i>	<i>AbŤgv`b Kiv nj  </i>
		3) <b>Epirubicin Sandoz 200 mg/100 ml Concentrate for Solution for Infusion</b>  Epirubicin Hydrochloride BP 200 mg/100 ml Vial	It is used in the treatment of Breast, ovarian, gastric, lung and colorectal carcinomas; Malignant lymphomas, Leukaemias, Multiple myeloma. Papillary transitional cell carcinoma of the bladder	Austria & Switzerland	<i>AbŤgv`b Kiv thŤZ crŤi  </i>	<i>AbŤgv`b Kiv nj  </i>

<i>bs</i>	<i>cŪZKvi:Ki big</i>	<i>Jlŕtai big I ŕRibiK big</i>	<i>ibŕ`Rbv</i>	FSC/ CPP	<i>ŕUKubK'ij me-Kigulŕi 58 Zg mfvi imxvŕŕ</i>	<i>mfvi imxvŕŕ</i>
09.	Novartis AG, Switzerland (Novartis Bangladesh Ltd.)	1) <b>Rasiamlo 150/5 FC Tablet</b>  Aliskairen INN 150 mg + Amlodipine BP 5 mg	Indicated for the treatment of hypertension	Switzerland	<i>cŕqvrB ŕbB ŕearq Avŕe`b bigÄjy Kiv thŕZ cŕti  </i>	<i>cŕqvrB ŕbB ŕearq Avŕe`b bigÄjy Kiv nj  </i>
		2) <b>Rasiamlo 150/10 FC Tablet</b>  Aliskairen INN 150 mg + Amlodipine BP 10 mg	Indicated for the treatment of hypertension	Switzerland	<i>cŕqvrB ŕbB ŕearq Avŕe`b bigÄjy Kiv thŕZ cŕti  </i>	<i>cŕqvrB ŕbB ŕearq Avŕe`b bigÄjy Kiv nj  </i>
		3) <b>Rasiamlo 300/5 FC Tablet</b>  Aliskairen INN 300 mg + Amlodipine BP 5 mg	Indicated for the treatment of hypertension	Switzerland	<i>GB Kivŕŕbkb cŕqvrB ŕbB ŕearq Avŕe`b bigÄjy Kiv thŕZ cŕti  </i>	<i>GB Kivŕŕbkb cŕqvrB ŕbB ŕearq Avŕe`b bigÄjy Kiv nj  </i>
		4) <b>Rasiamlo 300/10 FC Tablet</b>  Aliskairen INN 300 mg + Amlodipine BP 10 mg	Indicated for the treatment of hypertension	Switzerland	<i>GB Kivŕŕbkb cŕqvrB ŕbB ŕearq Avŕe`b bigÄjy Kiv thŕZ cŕti  </i>	<i>GB Kivŕŕbkb cŕqvrB ŕbB ŕearq Avŕe`b bigÄjy Kiv nj  </i>

<i>bs</i>	<i>cŃZKvi:Ki big</i>	<i>Jl:ai big l tRibiK big</i>	<i>ib:t Rbv</i>	FSC/ CPP	<i>tUKubK'ij me-Kigvli 58 Zg mfvi imxvšl</i>	<i>mfvi imxvšl</i>
10.	Pfizer PGM, France  (Janata Traders)	1) <b>Minipress XL Tablet 2.5 mg</b>  Prazosin Hydrochloride 3.01 mg eq. to Prazosin 2.5 mg	It is indicated for the treatment of all grades of essential hypertension and all grades of secondary hypertension of varied etiology. It also indicated as an adjunct in the symptomatic treatment of urinary obstruction caused by benign prostatic hyperplasia. It is also of value in patients waiting prostate surgery.	France	<i>Abšgr`b Kiv th:Z c:ti  </i>	<i>Abšgr`b Kiv nj  </i>
		2) <b>Minipress XL Tablet 5 mg</b>  Prazosin Hydrochloride 6.03 mg eq. to Prazosin 5 mg	It is indicated for the treatment of all grades of essential hypertension and all grades of secondary hypertension of varied etiology. It also indicated as an adjunct in the symptomatic treatment of urinary obstruction caused by benign prostatic hyperplasia. It is also of value in patients waiting prostate surgery.	France	<i>Abšgr`b Kiv th:Z c:ti  </i>	<i>Abšgr`b Kiv nj  </i>
11.	Servier (Ireland) Industries Ltd, Gory Road, Arklow Ireland.  (Transcom Distribution Co. Ltd.)	1) <b>Coveram 10 mg/5 mg Tablet</b>  Perindopril 6.790 mg as Perindopril Arginine INN 10 mg + Amlodipine 5 mg as amlodipine Besilate Ph. Eur 6.935 mg	Essential hypertension, Stable coronary artery disease, Stroke	Ireland & France	<i>GB Kiv:tbkb cŃqvRb tbB weavq Avte`b bvgÄj Kiv th:Z c:ti  </i>	<i>GB Kiv:tbkb cŃqvRb tbB weavq Avte`b bvgÄj Kiv nj  </i>
		2) <b>Coveram 10 mg/10 mg Tablet</b>  Perindopril 6.790 mg as Perindopril Arginine INN 10 mg + Amlodipine 10 mg as amlodipine Besilate Ph. Eur 13.870 mg	Essential hypertension, Stable coronary artery disease, Stroke	Ireland & France	<i>GB Kiv:tbkb cŃqvRb tbB weavq Avte`b bvgÄj Kiv th:Z c:ti  </i>	<i>GB Kiv:tbkb cŃqvRb tbB weavq Avte`b bvgÄj Kiv nj  </i>
12.	Aventis Pharma, Dagenham, UK  (Sanofi-Aventis Bangladesh Ltd.)	1) <b>Jevtana Concentrate 60mg/1.5ml vial for infusion (1 vial 1.5 ml concentrate + 1 vial 4.5 ml diluents)</b>  Cabazitaxel 60mg/1.5 ml vial	For the treatment of patients with hormone refractory metastatic prostate cancer	EMA	<i>Abšgr`b Kiv th:Z c:ti  </i>	<i>Abšgr`b Kiv nj  </i>

2.3.4 Proposed Product for Import (Veterinary)

<i>bs</i>	<i>cŮZKviŤKi big</i>	<i>JlŤai big I tRbwiK big</i>	<i>nbŤ`Rbv</i>	FSC/CPP	<i>ŤUKibK'vj me-KvgŮli 58 Zg mfvi imxvŤŤ</i>	<i>mfvi imxvŤŤ</i>
01.	Dong Bang Co. Ltd., Korea  (Wilts Marketing Co., Ltd.)	1) <b>Linsmycin 100 Soluble Powder (Vet)</b>  Lincomycin HCL 222 gm + Spectinomycin Sulfate 444 gm/Kg	For prevention and treatment of necrotic enteritis caused by Gm(+ve) and Gm(-ve) bacteria. Prevention and treatment of CRD and CCRD and Mycoplasmosis. For the prevention and treatment of bacterial infection (Colibacillosis , Vibronic diarrhea, Dysentery, Streptococcosis, Arthritis and Mycoplasmal disease)	Korea	<i>AbŤgv`b Kiv hvBtZ cvŤi  </i>	<i>AbŤgv`b Kiv nj  </i>
		2) <b>Linsmycin 100 Sterile Powder for Injection 100gm (Vet)</b>  Lincomycin HCl 222 mg + Spectinomycin Sulfate 445 mg/gm	-do-	Korea	<i>chŤŤB Z_`w` bv_vKvq ArŤe`b brgÄjy Kiv thŤZ cvŤi  </i>	<i>chŤŤB Z_`w` bv_vKvq ArŤe`b brgÄjy Kiv nj  </i>
		3) <b>Alipamin 100 Injection,10ml (Vet)</b>  Thiamine Tetrahydrofurfuryl Disulfide 5 mg+glucose 0.4g /ml	For the prevention & treatment of vitamin B1 deficiency.	Korea	<i>AbŤgv`b Kiv thŤZ cvŤi  </i>	<i>AbŤgv`b Kiv nj  </i>
02.	Super's Diana, SL, Spain  (Wilts Marketing Co., Ltd)	1) <b>Metampen Water Soluble premix Powder (Vet)</b>  Metampicillina Sodium 30 gm/100 gm	Antibacterial	Spain	<i>chŤŤB Z_`w` bv_vKvq ArŤe`b brgÄjy Kiv thŤZ cvŤi  </i>	<i>chŤŤB Z_`w` bv_vKvq ArŤe`b brgÄjy Kiv nj  </i>
		2) <b>Vermifor 2/10 water Soluble Powder (Vet)</b>  Levamisole Ph. Eur. 3.75 gm/100 gm	In bovine, ovine and swine :Treatment of gastrointestinal or pulmonary nematodosis. Poultry : Treatment of nematodosis	Spain	<i>AbŤgv`b Kiv thŤZ cvŤi  </i>	<i>AbŤgv`b Kiv nj  </i>

<i>bs</i>	<i>cōZKviḥKi big</i>	<i>Jlḥai big I ḥRibwiK big</i>	<i>ibḥ` Rbv</i>	FSC/CPP	<i>ḥUKubK'ij me-KivḥLi 58 Zg mfi unḥvš</i>	<i>mfi unḥvš</i>
03.	DAE Sung Microbiological Labs, Korea  (Vital Bd Ltd)	1) <b>DS ND.IB chicken Vaccine (Vet)</b>  Per Unit Dose Contain : Newcastle disease Virus, B1 strain 40% + Infectious Bronchitis Virus H-120 Strain 20% LPGG or Skim Milk (10%) solution 40% Penicillin 800 IU/ml + Streptomycin Sulfate 3 mg/ml	For the prevention or decrease of New Castle Disease and infectious bronchitis in poultry.	Korea	<i>Abḥgr` b Kiv ḥḥZ cḥi  </i>	<i>Abḥgr` b Kiv nj  </i>
		2) <b>DS N.D. Killed Vaccine (Vet)</b>  Per Unit Dose Contain : ND Virus (Lasota Strain of Chorioallantoic Fluid and aminotic fluid) 40% + Formalin 0.1% + Saline 26.6% + Aluminium Hydroxide Gel 33.3%	For the Prevention and decrease of Newcastle disease in poultry.	Korea	<i>chḥB Z_`w` br_vKiv Arḥe` b bvgĀj Kiv ḥḥZ cḥi  </i>	<i>chḥB Z_`w` br_vKiv Arḥe` b bvgĀj Kiv nj  </i>
		3) <b>DS Gumboro Chicken Vaccine (Vet)</b>  Each Unit Dose Contains : Chicken embryo infected with IBD-215 virus 33% + SPGG or Skim milk (10%) Solution 67% + Streptomycin 200 mg + Penicillin 200 IU/ml	For the Prevention and decrease of Gumboro disease in poultry	Korea	<i>Abḥgr` b Kiv ḥḥZ cḥi  </i>	<i>Abḥgr` b Kiv nj  </i>
		4) <b>DS ND Lasota Chicken Vaccine (Vet)</b>  Each Unit Dose Contain : The lentogenic strain of ND virus (Chorioallantoic fluid) 60% + SPGA or Skim milk Sol. (20%) 40% + Penicillin 800 IU/ml + Streptomycin Sulfate 3 mg/ml	For the Prevention or decrease of Newcastle disease in poultry	Korea	<i>chḥB Z_`w` br_vKiv Arḥe` b bvgĀj Kiv ḥḥZ cḥi  </i>	<i>chḥB Z_`w` br_vKiv Arḥe` b bvgĀj Kiv nj  </i>

<i>bs</i>	<i>cōZKviłKi bvg</i>	<i>Jlłai bvg l łRibwiłK bvg</i>	<i>łbt` Rbv</i>	FSC/CPP	<i>łUKłbK'vj me-Kıgłłi 58 Zg mfvı ımıvšł</i>	<i>mfvı ımıvšł</i>
	DAE Sung Microbiological Labs, Korea  (Vital Bd Ltd)	5) <b>DS BBNE oil Chicken Vaccine (Vet)</b>  Inactivated Infectious Bronchitis Virus (IBV:M41 strain) .... Over 10 <sup>7.5</sup> EID <sub>50</sub> Inactivated Infectious Bronchitis Virus (IBV:KM91 strain) .... Over 10 <sup>7.5</sup> EID <sub>50</sub> Inactivated Newcastle Disease Virus (ND:La Sota strain) .... Over 10 <sup>9.5</sup> EID <sub>50</sub> Inactivated Egg Drop Syndrome 76 Virus (EDS: 76K-11 strain) .... Over 10 <sup>8.0</sup> EID <sub>50</sub> Formalin 71.2% Mineral oil 0.8% Span 80 8.0% Tween 80 0.8%	It is effective for the prevention of IBND & EDS infection in layer and breeder .		<i>Abłgr`b Kiv thłZ cvłı  </i>	<i>Abłgr`b Kiv nj  </i>
04.	DaOne Chemical Co. Ltd., Korea  (Wilts Marketing Co., Ltd.)	1) <b>DaOne Tilmiro Solution (Vet)</b>  Tilmicosin Phosphate 100 gm/Liter	For the prevention and treatment of respiratory diseases caused by sensitive bacteria to tilmicosin as Mycoplasma galisepticum, Mycoplasma synoviae.	Korea	<i>Abłgr`b Kiv thłZ cvłı  </i>	<i>Abłgr`b Kiv nj  </i>
05.	Exwold Technology Limited, Brenda Road, Hartlepool, UK  (Novartis BD. Ltd.)	1) <b>Virusnip Powder (Vet)</b>  Potassium Peroxymonosulphate INN 50 gm + Sodium Dichloroisocyanurate INN 5 gm/100gm	Virusnip kills Gram-positive and Gram-negative bacteria, and fungi used in pig and poultry farms and all other animal containment areas as well as veterinary surgeries.	UK	<i>Abłgr`b Kiv thłZ cvłı  </i>	<i>Abłgr`b Kiv nj  </i>
06.	Komipharma International Co. Ltd., Korea  (Rafique Medicine)	1) <b>Pro-Vac NDK Vaccine (Vet)</b>  0.5 ml Dose contain : Inactivated Newcastle disease virus 40% + Formalin 0.1% + Physiological saline 26.6% + Aluminium Hydroxide Gel (50mg/1ml) 33.3%	For the active immunization against Newcastle disease in chicken.	Korea	<i>chłł Z_`w` br_vKıv Arte`b bvgÄj; Kiv thłZ cvłı  </i>	<i>chłł Z_`w` br_vKıv Arte`b bvgÄj; Kiv nj  </i>
		2) <b>Pro-Vac IB Vaccine (Vet)</b>  Composition per dose : Infectious Bronchitis Virus (KH – 120 Strain) 50% + LPGG 50% + Penicillin 200 IU + Streptomycin Sulfate 200 mcg/ml	For active immunization against the avian infectious bronchitis in chickens.	Korea	<i>chłł Z_`w` br_vKıv Arte`b bvgÄj; Kiv thłZ cvłı  </i>	<i>chłł Z_`w` br_vKıv Arte`b bvgÄj; Kiv nj  </i>

<i>bs</i>	<i>cŃZKviŃKi big</i>	<i>JlŃai big I ŃRibwiK big</i>	<i>ŃbŃ`Rbv</i>	FSC/ CPP	<i>ŃUKubK'vj me-KivŃli 58 Zg mfvi Ńm×vŃŃ</i>	<i>mfvi Ńm×vŃŃ</i>
Komipharma International Co. Ltd., Korea  (Rafique Medicine)	3) <b>Pro-Vac ILT Vaccine (Vet)</b>  Composition 0.5ml per dose : Infectious Laryngotracheitis (Min 10 <sup>3.5</sup> TCID <sub>50</sub> /Dose or 10 <sup>2.5</sup> EID <sub>50</sub> /dose) 50% LPGG r.q + Penicillin 500IU/ml + Streptomycin Sulfate 2 mg	For active immunization against the Avian infectious Laryngotracheitis virus	Korea	<i>chŃŃ Z_Ńw`bv_vKvq ArŃe`b bvgÄjy Kiv thŃZ cvti  </i>	<i>chŃŃ Z_Ńw`bv_vKvq ArŃe`b bvgÄjy Kiv nj  </i>	
	4) <b>Amicolmin Powder (Vet)</b>  Amikacin Sulfate 150 gm + Colistin Sulfate 2.5 BOU + Ascorbic Acid 50 gm + Folic Acid 5 gm + Reboflavin 5 gm/Kg	For prevention and treatment against bacterial sensitive for Colistin and Amikacin in poultry of E.Coli , Salmonella pullorum, salmonella typhimurium, Clostridium perfringens	Korea	<i>AbŃjgr`b Kiv thŃZ cvti  </i>	<i>AbŃjgr`b Kiv nj  </i>	
	5) <b>Marbostar 10% injection 50ml (Vet)</b>  Marbofloxacin 100 mg/ml	For prevention and treatment against bacterial sensitive for marbofloxacin	Korea	<i>AbŃjgr`b Kiv thŃZ cvti  </i>	<i>AbŃjgr`b Kiv nj  </i>	
	6) <b>Marbostar 10% injection 20ml (Vet)</b>  Marbofloxacin 100 mg/ml	For prevention and treatment against bacterial sensitive for marbofloxacin	Korea	<i>chŃŃ Z_Ńw`bv_vKvq ArŃe`b bvgÄjy Kiv thŃZ cvti  </i>	<i>chŃŃ Z_Ńw`bv_vKvq ArŃe`b bvgÄjy Kiv nj  </i>	
	7) <b>Pro-Vac ABBNE Vaccine (Vet)</b>  Composition (0.5ml/dose) : Inactivated Avian Influenza Virus (H9N2 AIV:A/CK/Kor/01310/2001, CE20) Min10 <sup>8.5</sup> EID <sub>50</sub> + Inactivated Bronchitis Virus (IBV:M41 STRAIN) Min10 <sup>7.5</sup> EID <sub>50</sub> + Inactivated Bronchitis Virus (IBV:KM91 STRAIN) Min10 <sup>7.5</sup> EID <sub>50</sub> + Inactivated Newcastle Disease Virus (NDV:ULSTER 2C STRAIN) Min10 <sup>9</sup> EID <sub>50</sub> + Inactivated Egg drop syndrome 76 (EDS/76:K-11 STRAIN) Min10 <sup>8.4</sup> EID <sub>50</sub> + Formalin bewlo 0.2% + Oil (Montanide ISA 70) 60%	Prevention against Newcastle disease, infectious bronchitis, egg drop syndrome, and Low pathogenic avian influenza (H9N2) in layer and breeder.	Korea	<i>chŃŃ Z_Ńw`bv_vKvq ArŃe`b bvgÄjy Kiv thŃZ cvti  </i>	<i>chŃŃ Z_Ńw`bv_vKvq ArŃe`b bvgÄjy Kiv nj  </i>	

<i>bs</i>	<i>cōZKviḥKi big</i>	<i>Jlḥai big I ḥRibwiK big</i>	<i>ibḥ` Rbv</i>	FSC/ CPP	<i>ḥUKubK'ij me-KiqḥLi 58 Zg mfvī um×vš</i>	<i>mfvi um×vš</i>
07.	Dong Bang Co. Ltd., Korea  (Planet Pharma Ltd.)	1) <b>Neocin Soluble Powder (Vet)</b>  Neomycin Sulfate 100 gm/Kg	Treatment of colibacillosis (Bacterial enteritis) caused by Escherichia coli susceptible to neomycin sulfate in cattle ,chicken.	Korea	<i>Abḥgr` b Kiv ḥḥZ cḥḥi  </i>	<i>Abḥgr` b Kiv nj  </i>
		2) <b>Linsmycin SS Injection (Vet)</b>  Lincomycin 50 mg + Spectinomycin 100 mg/ml	Bacterial pneumonia, mycoplasmal pneumonia, bacterial enteritis and diarrhea, dysentery and infectious arthritis.	Korea	<i>Abḥgr` b Kiv ḥḥZ cḥḥi  </i>	<i>Abḥgr` b Kiv nj  </i>
		3) <b>Heat 600 Injection 5ml vial and 5ml diluents (Vet)</b>  Serum Gonadotropin 400 IU + Chorionic Gonadotropin 200 IU/vial	Treatment of anoestrus in multiparous sows, Improvement of conception rate early pregnancy diagnosis. Induction of heat and regulation of estrus cycle.		<i>cḥḥqRb ḥḥB wearq Arḥe` b bvgÄj Kiv ḥḥZ cḥḥi  </i>	<i>cḥḥqRb ḥḥB wearq Arḥe` b bvgÄj Kiv nj  </i>
08.	Green Cross Veterinary Co Ltd (Tajarat Animal Care)	1) <b>AMPURA Q Water Soluble Powder (Vet)</b>  Amprolium HCl BP 166.7 gm + Sulfaquinoxalin Sodium BP 166.7gm /Kg	Treatment and prevention of coccidiosis in poultry and livestock .	Korea	<i>Abḥgr` b Kiv ḥḥZ cḥḥi  </i>	<i>Abḥgr` b Kiv nj  </i>
		2) <b>Catovita Inj 100 ml Vial (Vet)</b>  Butaphosphan BP 100 mg + Vitamine B12 BP 0.05mg + Taurine BP 37.3mg+ Nicotinamide BP 23mg + DL- Methionine BP 18.7mg/ml	(i) Treatment of acute disease & acute metabolic disorder, slight paralysis, anorexia, decrease in lactating , (ii) Chronic disease , chronic metabolic disorder, promotion of growth of young animal., nutrition deficiency , (iii) Promotion of vitality & resistance of healthy animal (iv) Poultry : Promotion of feed efficiency , weight , vitality , laying performance, egg-shell quality , decrease of mortality, boost resistance in high stress ,	Korea	<i>chḥḥB Z_`w` bv_vKiq Arḥe` b bvgÄj Kiv ḥḥZ cḥḥi  </i>	<i>chḥḥB Z_`w` bv_vKiq Arḥe` b bvgÄj Kiv nj  </i>

<i>bs</i>	<i>cōZKviḥKi big</i>	<i>Jlḥai big I ḥRibwiK big</i>	<i>ibḥḥ Rbv</i>	FSC/CPP	<i>ḥUKubK'ij me-Kivḥli 58 Zg mfvī un×všl</i>	<i>mfvi un×vš</i>
09.	Samyang Anipham Co. Ltd. (Tajarat Animal Care)	1) <b>Tylocetin –F Inj 20ml I vial (Vet)</b>  Tylosin BP 50.00 mg + Sulfadoxine BP 125.00 mg + Trimethoprim BP 25.00 mg/ml	Treatment of infection caused by bacteria which is susceptible to Tylosin, Sulfadoxine or Trimethoprim . Cattle : E.Coli , Salmonella spp. , Mannheimia haemolytica , Pasteurella multocida , Klebsiella spp., Pseudomonas spp., Staphylococcus spp., Streptococcus spp. etc.	Korea	<i>Abḥgr`b Kiv ḥḥZ cḥi  </i>	<i>Abḥgr`b Kiv nj  </i>
		2) <b>Peperoxin solution (Vet)</b>  Pefloxacin BP 10mg (as Pefloxacin methanesulfonate 139.6g)/Litre	Chicken : Treatment of CRD, CCRD, Staphylococcus's, Pullorum disease , Fowl typhoid, and Colibacillosis	Korea	<i>chḥB Z_`w` br_vKiv Arḥe`b bvgÄy Kiv ḥḥZ cḥi  </i>	<i>chḥB Z_`w` br_vKiv Arḥe`b bvgÄy Kiv nj  </i>
		3) <b>TAURINE –F linj 50ml vial (Vet)</b>  Aminoethyl Sulfonic Acid BP 50mg + Vitamin B2 BP 0.3mg + Nicotinamide BP 10mg + DL-Methionine BP 2.5mg + Dextrose BP 50mg + Vitamin B1 BP 0.1mg + Calcium Panthothenate BP 2mg /ml	Cattle , Sheep, Goat : Treatment of hepatopathy , hepatic cirrhosis, fatty liver, parasitic hepatitis, abnormal milk.	Korea	<i>Abḥgr`b Kiv ḥḥZ cḥi  </i>	<i>Abḥgr`b Kiv nj  </i>
		4) <b>Enpro 20 Sol (Vet)</b>  Enrofloxacin BP 200 gm/Litre	Treatment & Prevention of CCRD, Diarrhoea, cause by E.coli. Staphylococcosis, Salmonellosis	Korea	<i>Abḥgr`b Kiv ḥḥZ cḥi  </i>	<i>Abḥgr`b Kiv nj  </i>
		5) <b>MORPIRIN inj. 10ml (Vet)</b>  Sulpyrine BP 200mg + Aminopyrine BP 50mg + Chlorpheniramine malate BP 2mg + Anhydrous caffen BP 9.6mg/ ml	Antipyretic and analgesic to febrile disease	Korea	<i>chḥB Z_`w` br_vKiv Arḥe`b bvgÄy Kiv ḥḥZ cḥi  </i>	<i>chḥB Z_`w` br_vKiv Arḥe`b bvgÄy Kiv nj  </i>
		6) <b>SY VITAMINE K<sub>3</sub> inj. 10ml (Vet)</b>  Menadione Sodium bisulfate BP 20mg /ml	Arrest of enterohemorrhage at surgery , detoxycation of wafarin toxication and supply vitamīne K <sub>3</sub>	Korea	<i>chḥB Z_`w` br_vKiv Arḥe`b bvgÄy Kiv ḥḥZ cḥi  </i>	<i>chḥB Z_`w` br_vKiv Arḥe`b bvgÄy Kiv nj  </i>

<i>bs</i>	<i>cŃZKviŃKi big</i>	<i>JlŃai big I ŃRibwiK big</i>	<i>ibŃŃ Rbv</i>	FSC/ CPP	<i>ŃUKubK'ij me-KigŃli 58 Zg mfvi umxvŃŃ</i>	<i>mfvi umxvŃŃ</i>
Samyang Anipham Co. Ltd. (Tajarat Animal Care)	7) <b>DEXOLONE-20 inj. 10ml (Vet)</b> Dexamethasone Disodium Phosphate BP 1mg/ ml	Treatment of ketosis ,pre- and post-partum astasia, pneumonia , bronchitis , swelling, conjunctivitis, arthritis, allergic dermatitis.	Korea	<i>AbŃgr` b Kiv thŃZ cvŃi  </i>	<i>AbŃgr` b Kiv nj  </i>	
	8) <b>DOXYVET-200 w.s.p. (Vet)</b> Doxycycline Hyclate BP 200g ( Activity) /kg	Treatment & prevention of the following disease : Chicken: Respiratory mycoplasmosis such as CRD and CCRD . Staphylococcosis, Colibiosis, Streptococcosis .	Korea	<i>cŃqŃRb ŃbB Ńeavq AvŃe` b bvqÄj Kiv thŃZ cvŃi  </i>	<i>cŃqŃRb ŃbB Ńeavq AvŃe` b bvqÄj Kiv nj  </i>	
	9) <b>FORCETIL inj 10ml (Vet)</b> Tilmicosin Phosphate BP 300mg/ml	Treatment & prevention of Bovine Respiratory disease or Bovine pneumonia caused by bacteria Pasturella haemolytica & Pasturella multocida .	Korea	<i>cŃqŃRb ŃbB Ńeavq AvŃe` b bvqÄj Kiv thŃZ cvŃi  </i>	<i>cŃqŃRb ŃbB Ńeavq AvŃe` b bvqÄj Kiv nj  </i>	
	10) <b>TYLOSIN 200 inj, 10ml (Vet)</b> Tylosin tartrate BP 200mg/ml	Treatment & prevention of infectious disease : Cattle : Pneumonia, endometritis ,mastitis , foot-rot, shipping fever .Chicken : CRD	Korea	<i>AbŃgr` b Kiv thŃZ cvŃi  </i>	<i>AbŃgr` b Kiv nj  </i>	
	11) <b>FLOCOL-300 inj 20ml (Vet)</b> Florfenicol BP 300mg /ml	Cattle : Treatment bovine respiratory disease (BRD) caused by Pasterurella haemolytica, Pasterurella multocida , and Haemophilus somnus	Korea	<i>AbŃgr` b Kiv thŃZ cvŃi  </i>	<i>AbŃgr` b Kiv nj  </i>	
	12) <b>ENPRO 100 inj. 50ml (Vet)</b> Enrofloxacin BP 100mg/ml	Treatment & prevention of CCRD, respiratory disease , Diarrhoea of calf caused by E. Coli, Staphylococcosis, Salmonellosis and pneumonea caused by mycoplasma & pasturela .	Korea	<i>AbŃgr` b Kiv thŃZ cvŃi  </i>	<i>AbŃgr` b Kiv nj  </i>	

<i>bs</i>	<i>cōZKviḥKi big</i>	<i>Jiḥai big I ḥRibwiK big</i>	<i>ibḥ` Rbv</i>	FSC/ CPP	<i>ḥUKubK'ij me-Kigḥli 58 Zg mfvī um×všī</i>	<i>mfvi um×všī</i>
10.	KBNP , INC , Korea (Tajarat Animal Care)	1) <b>HIMMVAC IB-ND Combined Live Vaccine (Vet)</b>  Each dose contains: Infectious bronchitis virus H-120 strain BP at least 10 <sup>3.5</sup> EID <sub>50</sub> Newcastle disease virus B1 strain BP at least 10 <sup>6.5</sup> EID <sub>50</sub>	Active Immunization against Infectious Bronchitis & Newcastle disease of Chicken	Korea	<i>Abḥgr` b Kiv ḥḥiZ cvḥi  </i>	<i>Abḥgr` b Kiv nj  </i>
		2) <b>HIMMVAC Dalguban N Plus Oil Vaccine (Vet)</b>  Each dose contains : Inactivated virus NDV Strain " KBNP -C4152R2L" Min 10 <sup>10</sup> EID <sub>50</sub>	The vaccine is indicated for the vaccination of breeding and laying-type chicken flocks pre-immunized against Newcastle Disease with live virus vaccine.	Korea	<i>cḥiqiRb ḥbB ḥearq Avḥe` b brgÄy Kiv ḥḥiZ cvḥi  </i>	<i>cḥiqiRb ḥbB ḥearq Avḥe` b brgÄy Kiv nj  </i>
11.	Interchemie Werken De Adelaar B.V, Netherland  (C.P. Bangladesh Co. Ltd.)	1) <b>Dexid-400 Disinfectant (Vet)</b>  Quaternary Ammonium Compounds 250 mg + Glutaraldehyde 100 mg + Isopropanol 130 mg + Pine Oil 3mg/ml	Disinfectant	Netherland	<i>Abḥgr` b Kiv ḥḥiZ cvḥi  </i>	<i>Abḥgr` b Kiv nj  </i>
		2) <b>Dexid-200 Disinfectant (Vet)</b>  Quaternary Ammonium Compounds 125 mg + Glutaraldehyde 50 mg + Isopropanol 130 mg + Pine Oil 3mg/ml	Disinfectant	Netherland	<i>cḥiqiRb ḥbB ḥearq Avḥe` b brgÄy Kiv ḥḥiZ cvḥi  </i>	<i>cḥiqiRb ḥbB ḥearq Avḥe` b brgÄy Kiv nj  </i>
12.	Laprovat Hungary Veterinary Pharmaceuticals Ltd., Hungary  (Navana Pharmaceuticals Ltd.)	1) <b>AVI Pox Vaccine (Vet)</b>  Fowl Pox Virus strain cutter strain min. 10 <sup>2.2</sup> EID <sub>50</sub>	Active immunization of healthy chickens against Fowl pox.	Hungary	<i>Abḥgr` b Kiv ḥḥiZ cvḥi  </i>	<i>Abḥgr` b Kiv nj  </i>

<i>bs</i>	<i>cōZKviḥKi big</i>	<i>Jlḥai big I ḥRibwiK big</i>	<i>ibḥ` Rbv</i>	FSC/CPP	<i>ḥUKubK`vj me-Kigvḥi 58 Zg mfvi umxvš</i>	<i>mfvi umxvš</i>
13.	Biomune Company, USA  (ACI Ltd.)	1) <b>Cevac MD Rispens vaccines (Vet)</b>  Marek's Disease, Rispense CV1988 Strain & cryo NO. 1 at least 2421 PFU per dose at release & at least 1608PFU per dose through expiration. Cryoprotectant No. 1 + Rispens CV 1988 strain 50-90% Cryoprotectant No. 2 10-50%	Active immunization of healthy chickens & chick embryos against very virulent marek's disease	USA	<i>Abḥgr` b Kiv ḥḥZ cvḥi  </i>	<i>Abḥgr` b Kiv nj  </i>
		2) <b>Cevac MD HVT &amp; Rispens (Vet)</b>  Marek's Disease, HVT Strain & cryo No. 1 at least 3246 PFU per dose at release & at least 2164 per dose through expiration. Marek's disease, Rispense CV1988 Strain & at least 1983 PFU per dose through expiration , Cryoprotectan No 1+HVT and Rispens CV1988 strain 50-90% Cryoprotectant No. 2 10- 50%	Active immunization of healthy chicken & chick embryos against very virulent mark's disease	USA	<i>Abḥgr` b Kiv ḥḥZ cvḥi  </i>	<i>Abḥgr` b Kiv nj  </i>
14.	Bomac Laboratories Ltd., New Zeland  (Renata Ltd.)	1) <b>Dryclox Xtra Injection (Vet)</b>  Ampicillin trihydrate e.q. to ampicillin 300 mg + Cloxacillin (as 1% lecithin treated benzathine salt) 600 mg/vial	Indicated for the treatment and control of mastitis	New Zeland	<i>Abḥgr` b Kiv ḥḥZ cvḥi  </i>	<i>Abḥgr` b Kiv nj  </i>
15.	Woosung Co., Ltd., South Korea  (Multi-Vet Marketing, Dhaka)	1) <b>Farm Safe (Disinfectants) (Vet)</b>  Didecyl dimethyl ammonium chloride 5% (w/v)	Disinfectants	Korea	<i>Abḥgr` b Kiv ḥḥZ cvḥi  </i>	<i>Abḥgr` b Kiv nj  </i>
16.	Exwold Technology Ltd., UK  (Novartis Bangladesh Ltd.)	1) <b>Virusnip Powder (Vet)</b>  Potassium Peroxymonosulphate INN 50 gm + Sodium Dichloroisocyanurate INN 5 gm/100 gm	Rapidly and effectively kills all known viruses, gram positive and gram negative bacteria and fungi used in pig and poultry farms and all other animal containment areas as well as veterinary surgeries.	UK	<i>Abḥgr` b Kiv ḥḥZ cvḥi  </i>	<i>Abḥgr` b Kiv nj  </i>
17.	Samyang Anipharm Co. Ltd., Korea  (Univet Limited)	1) <b>Cephalexin-QR Ointment (Vet)</b>  Cephalexin USP 100 mg + Neomycin Sulphate USP 100 mg/7.5 gm	Treatment and prevention of mastitis caused by bacteria, streptococci, pseudomonas and E.coli in poultry	Korea	<i>cḥqirb ḥbB weavq Arḥe` b bigĀy Kiv ḥḥZ cvḥi  </i>	<i>cḥqirb ḥbB weavq Arḥe` b bigĀy Kiv nj  </i>

<i>bs</i>	<i>cŃZKviŃKi big</i>	<i>JlŃai big I ŃRibiK big</i>	<i>ibŃ` Rbv</i>	FSC/CPP	<i>ŃUKibK'ij me-KigŃli 58 Zg mfvi imxvŃŃ</i>	<i>mfvi imxvŃŃ</i>
18.	M/s. Samyang Anipharm Co. Ltd., Korea  (Bangladesh Animal Health)	1) <b>Ovarone Injection</b>  Progesterone 50 mg/ml	Prevention of habitual abortion, promotion of ovulation, induction of estrus, treatment of implantation obstacle, prevention of retained placenta, growth promotion of mammary gland acinus and adjuvant therapy of cystic ovary.	Korea	<i>cŃqirB ŃbB Ńeavq AvŃe` b bigÄy Kiv thŃZ cŃti  </i>	<i>cŃqirB ŃbB Ńeavq AvŃe` b bigÄy Kiv nj  </i>
		2) <b>Esrone Injection</b>  Estradiol Benzoate 2 mg/ml	Induction of estrus during the non-breeding or breeding seasons and enhancement of the uterine defense mechanism. Estradiol Benzoate has historically been used as an abortifacient agent in cattle, cats and dogs.	Korea	<i>cŃqirB ŃbB Ńeavq AvŃe` b bigÄy Kiv thŃZ cŃti  </i>	<i>cŃqirB ŃbB Ńeavq AvŃe` b bigÄy Kiv nj  </i>

### 2.3.5 Proposed Product for Import (Medical Devices)

<i>bs</i>	<i>cŃZKviŃKi big</i>	<i>JlŃai big I ŃRibiK big</i>	<i>ibŃ` Rbv</i>	FSC/CPP	<i>ŃUKibK'ij me-KigŃli 58 Zg mfvi imxvŃŃ</i>	<i>mfvi imxvŃŃ</i>
01.	Johnson & Johnson Limited, India  (Modern Surgical (Pvt) Ltd.)	1) <b>Surgical Needle Sutures</b>  Surgical Needle Sutures	For surgery use	India	<i>AbŃgr` b Kiv thŃZ cŃti  </i>	<i>AbŃgr` b Kiv nj  </i>
02.	Varun Medim Plex, India  (Reckitt Benckiser (Bangladesh) Ltd.)	1) <b>Dettol Medicated Plaster Washproof</b>  Dettol Medicated Plaster	Dettol Medicated Plaster gives Antiseptic protection to cuts and wounds	India	<i>AbŃgr` b Kiv thŃZ cŃti  </i>	<i>AbŃgr` b Kiv nj  </i>
		2) <b>Dettol Medicated Plaster Regular</b>  Dettol Medicated Plaster	Dettol Medicated Plaster gives Antiseptic protection to cuts and wounds	India	<i>AbŃgr` b Kiv thŃZ cŃti  </i>	<i>AbŃgr` b Kiv nj  </i>

3/ **vevea t**

3.1/ **t`tk Drcw` Z bZb JIa Ges c`Wj Z JI`tai bZb gv`vi JIa A\_ev bZb tWtRm dg`Gi Avte`b we`tePbvi j`t`T BNF (British National Formulary) Gi tidv`iY M`BY c`h`t`½ t**

JIa w`bq`S`Y Kug`U`i 240 Zg m`fvq, GLb t`\_t`K t`\_t`k Drcw` Z bZb JIa Ges c`Wj Z JI`tai bZb gv`vi JIa A\_ev bZb tWtRm dg`Gi Avte`b we`tePbvi j`t`T` USFDA A\_ev MHRA-KZ`R. অনুমোদন সংক্রান্ত তথ্য/রেফারেন্স গ্রহণ করার সিদ্ধান্ত গৃহীত হয়।

m`m`MY gZ c`K`vk K`ti b` th, MHRA (Medicines and Healthcare Products Regulatory Agency) KZ`R. Abt`g`v`i Z c`f`i c`h`f`B I c`Y`f`Z Z`\_`w` GKB m`v`\_ B`U`v`i`b`t`U A`t`b`K mgq c`v`l` qv` hvq` b`v`| BNF (British National Formulary) GK`U`U` g`v`Z` e`B` h`v` m`n`R`j` f` Ges B`U`v`i`b`t`U` c`v`l` qv` hvq`| BNF-G JI`tai w`e`f`b`a`e`c`q`v`R`b`x`q` Z`\_`w` GKB m`v`\_ c`v`l` qv` hvq`| MHRA KZ`R. Abt`g`v`i Z c`\_`m`g`n` BNF-G A`S`f`Y` K`iv` n`q`| Avte`b`K`v`i`M`Y` KZ`R` Avte`w` Z` JIa m`u`t`K`c`h`f`B` Z`\_`\_`v`i`L`t`j` i` Ges JIa w`bq`S`Y Kug`U`i` i`m`x`v`S`i`M`h`t`Y`i` m`y`e`a`v`\_` BNF (British National Formulary)-Gi Z`\_`w`/` t`i`d`v`i`Y` M`h`t`Y`i` w`e`l`q`U` c`b`i`v`q` A`S`f`Y` K`iv` t`h`Z` c`v`i` e`t`j` m`fvq` D`t`j`L` K`iv` n`q`| GLb t`\_t`K` USFDA (United States Food and Drug Administration) ev MHRA (Medicines and Healthcare Products Regulatory Agency) KZ`R. Abt`g`v`i` t`b`i` Z`\_` A\_ev BNF (British National Formulary) G A`S`f`Y` i` t`i`d`v`i`Y` Avte`b`i` m`v`\_` M`h`Y` K`iv` t`h`Z` c`v`i` |

**t`UK`ib`K`'`ij` m`e`-Kug`U`i` m`g`v`i`k` t`\_t`k` Drcw` Z bZb JIa Ges c`Wj Z JI`tai bZb gv`vi JIa A\_ev bZb tWtRm dg`Gi Avte`b we`tePbvi j`t`T` GLb t`\_t`K` USFDA (United States Food and Drug Administration) ev MHRA (Medicines and Healthcare Products Regulatory Agency) KZ`R. Abt`g`v`i` t`b`i` Z`\_` A\_ev BNF (British National Formulary) -G A`S`f`Y` i` Z`\_`/`t`i`d`v`i`Y` Avte`b`i` m`v`\_` M`h`Y` K`iv` t`h`Z` c`v`i` |**

**m`f`v`i` i`m`x`v`S`i`t` t`UK`ib`K`'`ij` m`e`-Kug`U`i` m`g`v`i`k` Abt`g`v`i` b` K`iv` n`j` |**

3.2/ **Acw`i`e`w`Z` Strength Ges Indication w`e`k`o` f`v`K`i`m`t`b`i` Strain c`w`i`e`Z`f`b`i` K`v`i`Y` t`i`w`R`t`÷`k`b` Avte`b we`tePbv c`h`t`½ |**

JIa w`bq`S`Y Kug`U`i 239 Zg m`fvq f`v`w`\_` t`b`i` Strength Ges Indication Acw`i`e`w`Z`\_`v`K`t`j` i`a`y` Strain c`w`i`e`Z`f`b`i` K`v`i`Y` bZb c`\_`w`i`t`m`t`e` we`tePbv K`iv` n`t`e` Ges W`M` K`b`U`j` Kug`U`t`Z` Dc`\_`v`cb` K`i`Z` n`t`e` e`t`j` i`m`x`v`S`i`t`q`|

f`v`K`i`m`b` Drcv`t`b`i` Rb` e`e`u`Z` w`e`f`b`a`e`v`K`t`U`v`i` qv` I` f`v`B`i`v`m` Gi` Strain mutagenic K`v`i`Y` c`w`i`e`w`Z` n`q`| G`g`b`i`K` mgq` I` c`w`i`t`e`t`k`i` K`v`i`Y`I` Strain c`w`i`e`w`Z` n`q`| h`w` f`v`K`i`m`b` Gi` Indication and Strength Acw`i`e`w`Z`\_`v`t`K` Z`t`e` Strain c`w`i`e`Z`f`b`i` Rb` G` m`K`j` f`v`K`i`m`t`b`i` Avte`b` W`M` K`b`U`j` Kug`U`t`Z` Dc`\_`v`cb` K`iv`i` c`q`v`R`b` t`b`B` e`t`j` m`m`MY` gZ` c`K`vk` K`t`i`b` |

**t`UK`ib`K`'`ij` m`e`-Kug`U`i` m`g`v`i`k` t`\_` Indication and Strength Acw`i`e`w`Z`\_`v`K`t`j` i`a`y`v`i` Strain c`w`i`e`Z`f`b`i` Rb` f`v`K`i`m`t`b`i` Avte`b` W`M` K`b`U`j` Kug`U`t`Z` Dc`\_`v`cb` b`v` K`t`i` j`v`B`t`m`i`Y`s` KZ`e`j`t`K` (W`M`m`x` t`i`w`R`t`÷`k`b` c`h`t`b`i` Rb` e`j`v` t`h`Z` c`v`i` |**

**mfvi AvtjPbv t D<sup>3</sup> veItq** mfvq we<sup>~</sup>mi Z Avtj vPbv nq| m`m`MY gZ cKvk Ktib th, Strain cwieZ<sup>®</sup>bi mvt\_ A**t**k FvKumt**bi** Indication cwieZ<sup>®</sup> nq| weifbæ FvKumbmg**†**ni g**†**a<sup>™</sup> Flu Vaccine-Gi Strain Nb Nb cwieZ<sup>®</sup> nq weavq Indication-Gi Zvi Zg<sup>™</sup> nq bv|

**mfvi m×i**†**t** Flu Vaccine-Gi Strain cwieZ<sup>®</sup> ntj| tiuR**†**-k**†**bi Avte`b WMM K**†**U**†**j Kugul**†**Z Dc<sup>~</sup>vcb Kivi c**†**qvRb **†**bB| j vB**†**mwYs KZ**®**¶| (WMM) D<sup>3</sup> FvKumt**bi** tiuR**†**-k**†**b c**†**vb K**†**teb| Ab**†**vb<sup>™</sup> FvKumt**bi** Strain cwieZ<sup>®</sup> ntj tiuR**†**-k**†**bi Avte`b WMM K**†**U**†**j Kugul**†**Z Dc<sup>~</sup>vcb K**†**Z n**†**e|

3.3 JI a ubq**Š**Y Kugul**†**i weifbæmfvq Dc<sup>~</sup>mcZ Tadalafil Ges Sildenafil U<sup>†</sup>ve**†**j U RvZ**†**q c` Ab**†**gv`b c**†**h**†**½ t

JI a ubq**Š**Y Kugul**†**i weifbæmfvq Tadalafil Ges Sildenafil U<sup>†</sup>ve**†**j U RvZ**†**q ub**†**æwY**Š** weifbægv**†**vi JI a Dc<sup>~</sup>vcb Kiv nq|

Name of the Manufacturer		Name of the Product	Indication	USFDA & BNF Reference
UniMed & UniHealth Manufacturers Ltd. ACI Ltd. Square Pharmaceuticals Ltd. Eskayef Bangladesh Ltd.  <ul style="list-style-type: none"> <li>• Astra Biopharmaceuticals Ltd</li> <li>• Incepta Pharmaceuticals Ltd.</li> <li>• General Pharmaceutical Ltd.</li> <li>• Rephco Pharmaceuticals Ltd.</li> <li>• Beximco Pharmaceuticals Ltd.</li> <li>• Renata Ltd.</li> <li>• Navana Pharmaceuticals Ltd.</li> <li>• JMI Pharma Ltd.</li> <li>• Aristopharma Ltd.</li> <li>• Orion Pharma Ltd.</li> </ul>	1.	Sildenafil 100mg Tablet  Sildenafil Citrate INN 140.48mg eq. to Sildenafil 100mg	It is indicated for pulmonary arterial hypertension, erectile dysfunction.	USFDA BNF-61 Page : 516-17
UniMed & UniHealth Manufacturers Ltd. ACI Ltd. Novo Healthcare Ltd. Beximco Pharmaceuticals Ltd. Square Pharmaceuticals Ltd. Eskayef Bangladesh Ltd.  <ul style="list-style-type: none"> <li>• Astra Biopharmaceuticals Ltd</li> <li>• Incepta Pharmaceuticals Ltd.</li> <li>• General Pharmaceutical Ltd.</li> <li>• Rephco Pharmaceuticals Ltd.</li> <li>• Renata Ltd.</li> <li>• Navana Pharmaceuticals Ltd.</li> <li>• JMI Pharma Ltd.</li> <li>• Aristopharma Ltd.</li> <li>• Orion Pharma Ltd.</li> </ul>	2.	Sildenafil 50mg Tablet  Sildenafil Citrate INN 70.24mg eq. to Sildenafil 50mg	-do-	USFDA BNF-61 Page : 516-17

Name of the Manufacturer		Name of the Product	Indication	USFDA & BNF Reference
UniMed & UniHealth Manufacturers Ltd. ACI Ltd. Novo Healthcare Ltd. Square Pharmaceuticals Ltd. Eskayef Bangladesh Ltd.  <ul style="list-style-type: none"> <li>• Astra Biopharmaceuticals Ltd</li> <li>• Incepta Pharmaceuticals Ltd.</li> <li>• General Pharmaceutical Ltd.</li> <li>• Rephco Pharmaceuticals Ltd.</li> <li>• Beximco Pharmaceuticals Ltd.</li> <li>• Renata Ltd.</li> <li>• Navana Pharmaceuticals Ltd.</li> <li>• JMI Pharma Ltd.</li> <li>• Aristopharma Ltd.</li> <li>• Orion Pharma Ltd.</li> </ul>	3.	Sildenafil 25mg Tablet  Sildenafil Citrate INN 35.12mg eq. to Sildenafil 25mg	-do-	USFDA BNF-61 Page : 516-17
Beximco Pharmaceuticals Ltd.  <ul style="list-style-type: none"> <li>• General Pharmaceutical Ltd.</li> <li>• Navana Pharmaceuticals Ltd.</li> </ul>	4.	Sildenafil 20mg Tablet  Sildenafil Citrate INN 28.00mg eq. to Sildenafil 20mg	-do-	USFDA
Beximco Pharmaceuticals Ltd.  <ul style="list-style-type: none"> <li>• Navana Pharmaceuticals Ltd.</li> </ul>	5.	Tadalafil 40mg Tablet  Tadalafil INN 40mg	It is indicated for the treatment of erectile dysfunction and signs & symptoms of benign prostatic hyperplasia,	
The Ibn Sina Pharmaceuticals Ltd. UniMed & UniHealth Manufacturers Ltd. ACI Ltd. Square Pharmaceuticals Ltd. Acme Laboratories Ltd.  <ul style="list-style-type: none"> <li>• Astra Biopharmaceuticals Ltd</li> <li>• Incepta Pharmaceuticals Ltd.</li> <li>• General Pharmaceutical Ltd.</li> <li>• Beximco Pharmaceuticals Ltd</li> <li>• Renata Ltd.</li> <li>• Navana Pharmaceuticals Ltd.</li> <li>• JMI Pharma Ltd.</li> <li>• Aristopharma Ltd.</li> <li>• Orion Pharma Ltd.</li> </ul>	6.	Tadalafil 20mg Tablet  Tadalafil INN 20mg	It is indicated for the treatment of erectile dysfunction and signs & symptoms of benign prostatic hyperplasia,	USFDA BNF-61 Page : 516-17
UniMed & UniHealth Manufacturers Ltd. ACI Ltd. Orion Laboratories Ltd. Square Pharmaceuticals Ltd. Acme Laboratories Ltd.  <ul style="list-style-type: none"> <li>• Astra Biopharmaceuticals Ltd</li> <li>• Incepta Pharmaceuticals Ltd.</li> <li>• General Pharmaceutical Ltd.</li> <li>• Beximco Pharmaceuticals Ltd</li> <li>• Renata Ltd.</li> <li>• Navana Pharmaceuticals Ltd.</li> <li>• JMI Pharma Ltd.</li> <li>• Aristopharma Ltd.</li> <li>• Orion Pharma Ltd.</li> </ul>	7.	Tadalafil 10mg Tablet  Tadalafil INN 10mg	-do-	USFDA BNF-61 Page : 516-17



